ARNICARE BRUISE- arnica montana gel Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Bruise

Active Ingredients**

Arnica montana 1X HPUS 7%

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Arnica montana 1X HPUS - Reduces pain, swelling and discoloration from bruises

Uses*

reduces symptoms of bruising such as:

- pain
- swelling
- discoloration

Warnings

For external use only.

When using this product

- avoid contact with eyes, mucus membranes, wounds, damage or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsen
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Bruise to affected area and massage gently as soon as possible after or minor bruise. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Bruise.

Other information

do not use if glued carton end flaps are open or if the tube seal is broken

Inactive ingredients

Alcohol, carbomer, purified water, sodium hydroxide

Questions, Comments?

Arnicare.com

BoironUSA.com

info@boiron.com

1-800-BOIRON-1

(1-800-264-7661)

Distributed by Boiron Inc. Newtown Square, PA 19073-3267

1.5 oz (45g)

Fragrance-Free

Quickly Absorbs & Fades Bruises

- i Homeopathic mother tincture made from Arnica montana fresh whole plant.
- *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
- *C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



BOIRON World Leader in megoathic Medicines

1.5 oz (45 g)



help or contact is Palson Danted Center right away. **Directions** Apply a thin layer of Amicare Brusse to offected

sa anti-massago gently as soon as possible after minor brokel Represt 3 times a day or as needed. If heat or ice is applied, want 5 minutes before applying Amistare Bruke.

Other information to not use if glass sorten Inactive ingredients status, colorus,

Made in France feet by Bolten Inc., Newtown Square, PA 19673 1-800-90(800-1) (1-808-364-7681) Amicary.com

NDC 0220-9084-54

Drug Facts (continued)

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments? Arnicare.com | BoironUSA.com Info@Boiron.com 1-800-BORON-1 (1-800-264-7661)



The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

> Made in France Distributed by Boiron Inc. Newtown Square, PA 19073

D please recycle





From the French Mountains to You

Boiron Arnicare Bruise is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France. Within 48 hours, these freshly picked plants arrive at our laboratories to become one of the most widely used homeopathic medicines around the world.

- Carefully selected
- Laboratory tested
- Unsurpassed quality since 1932

We take care of it. it takes care of you.

Drug Facts

Active ingredient'

Purpose' "Reduces pain, swelling, Amica montana_

1X HPUS 7% and discoloration from bruis The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoela of the United States.

Uses* reduces symptoms of bruising such as: pain swelling sidiscoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or initiated skin
- use only as directed
- dryness or irritation may occur do not tightly wrap or bandage the treated area.
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Amicare Bruise to affected area and massage gently as soon as possible after minor bruise, Repeat 3 times a day or as needed, if heat or ice is applied, wait 5 minutes before applying Amicare Bruise,

Other information do not use if glued carton end flaps are open or if the tube seal is broken

Homeopathic mother tincture made from Arnica montana fresh whole plant.

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

"C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



NDC 022(-9084-54

BRUISE RELIEF

Pain · Swelling Discoloration



HOMEOPATHIC MEDICINE

- Fragrance-ree
- Quickly Absorbs & Fades Bruises

1.5 oz (45 g) BOIRON

World Leader in Homeopath c Medicines

Drug Facts

Active ingredient Anica mortana 1XHPUS 7%

Purpose Peduces pain, swelling, and discoloration from bruises

Uses reduces symptoms of bruising such as:

pain welling discolaration Warnings

Warnings

For external use only. Do not use if you are allergic to Amica montains or to any of this product's inactive ingrediests, When using this product is avoid contact with eye, mutous free manes, wounds duringed or initiated skin. If we only as directed. If dryness or initiation may be used to the contact and should be the seaded area. If dryness or initiation may be used to the treated and should be the treated and should be true.

Stop use and ask a doctor if If you do door again within a few days, Keep out of reach of children's excluded, get motical help or contact a Poison Control factor for the contact and should be the contact of the control factor for the contact and the control factor for the control factor factor for the control factor factor for the control factor for the control factor factor for th

Directions Apply a tim layer of Art Sen Bruke to affected area and massage gently as soon as possible druct minor traise. Repeat 3 times a day or as needed. These for trois applied, wall 5 minutes before applying Amicare Shuiso.

Other information do not use if glued carton and flaps are open or if the fulle scal is broken

Inactive ingredients about, carbonar, purified water, sodium lydroxide

Made in Francis
Distributed by Beinot Inc., Nontown Square, PA 19073
1-300-808004 (1-500-764-7661)
Amicana,com

BRUISE RELIEF*

Pain • Swelling Discoloration*



Drug Facts

Active ingredient**

Arnica montanaReduces pain, 1X HPUS-7% swelling and

Purpose*

Reduces pain, swelling and discoloration from bruising

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

■ reduces pain, swelling and discoloration from bruises

Warnings

For external use only.

Avoid contact with eyes, mucous membranes, damaged skin or wounds. **Do not use if** you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad.

Stop use and ask a doctor if condition persists for more than 3 days or worsens. Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Bruise to affected area and massage gently as soon as possible after minor bruise. Repeat 3 times a day or as needed.

*Homeopathic mother tincture made from Arnica montana fresh whole plant. *These "Uses" have not been evaluated by the Food and Drug Administration. **C, K, CK, and X are homeopathic dilutions: see www.boironusa.com/info for details.

Drug Facts

(continued)

Other information

 do not use if glued carton end flaps are open or if the tube seal is broken

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

www.Arnicare.com www.BoironUSA.com info@boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc. 6 Campus Boulevard Newtown Square, PA 19073-3267





ARNICARE BRUISE

arnica montana gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-9084

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA -	ARNICA MONTANA	1 [hp_X] in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)			
WATER (UNII: 059QF0KO0R)			
SODIUM HYDROXIDE (UNII: 55X04QC32I)			
ALCOHOL (UNII: 3K9958V90M)			

Ш	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:0220-9084- 54	1 in 1 PACKAGE	02/01/2016			
	1	45 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information			
oplication Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	02/01/2016		
)		Citation Date	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-9084)	

Revised: 2/2023 Laboratoires Boiron