

**FEVER REDUCING CHILDRENS- acetaminophen suppository**  
**CVS Pharmacy**

-----  
**CVS Pharmacy, Inc. Fever Reducing Suppositories Drug Facts**

**Active ingredient (in each rectal suppository)**

Acetaminophen 120 mg

**Purposes**

Pain reliever/fever reducer

**Uses**

temporarily

- reduces fever
- relieves minor aches, pains, and headache

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**For rectal use only**

**Do not use**

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if**

- your child has liver disease
- your child is taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- fever lasts more than 3 days (72 hours), or recurs
- pain lasts more than 5 days or gets worse.
- new symptoms occur.
- redness or swelling is present in the painful area.

These may be signs of a serious condition.

**Keep out of reach of children.**

If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or warnings for adult use**
- **do not use more than directed**
- remove wrapper
- carefully insert suppository well up into the rectum

<b>Dosing Chart</b>	
<b>Age</b>	<b>Dose</b>
under 3 years	Do not use unless directed by a doctor
3 to 6 years	Use 1 suppository every 4 to 6 hours (maximum of 5 doses in 24 hours)

**Other information**

- store at 20-25°C (68-77°F) or in a cool place
- tamper-evident: suppositories are individually wrapped. Do not use if printed wrapper is opened or damaged.

**Inactive ingredients**

hydrogenated vegetable oil

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

CVS Health®

Compare to the active ingredient in FeverAll®

For Children

Fever Reducing Suppositories

ACETAMINOPHEN SUPPOSITORIES 120 mg

Pain reliever/Fever reducer

Ages 3-6 years

Actual Size

12 RECTAL SUPPOSITORIES, 120 mg EACH



## FEVER REDUCING CHILDRENS

acetaminophen suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-579
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	120 mg	
<b>Inactive Ingredients</b>				
Ingredient Name			Strength	
COTTONSEED OIL (UNII: H3E878020N)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-579-53	12 in 1 CARTON	01/21/2010	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA070607	01/21/2010		

**Labeler** - CVS Pharmacy (062312574)

Revised: 6/2025

CVS Pharmacy