LUBRICAINE 5- lidocaine 5% gel ESBA LABORATORIES INC.

LUBRICAINE 5

Active Ingredient

Lidocaine 5%

Purpose

Anorectal Anesthetic

Warnings

For external use only.

Uses

For temporary relief of pain, soreness or burning in the perianal area

When using this product

Do not use this product with a mechanical device. Certain persons can develop allergic reactions to ingredients in this product.

Stop use and ask a doctor if

- Certain persons can develop allergic reactions to ingredients in this product.
- If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor.
- Do not exceed the daily recommended dosage.
- In case of bleeding, consult a doctor promptly.
- As with any drug, consult a health care professional if you are pregnant or nursing.
 Ask a health care professional before using this product.

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Cleanse affected area with mild soap and water. Gently dry by patting or blotting with toilet tissue or a soft cloth before application.
- Apply externally to the affected area up to 6 times daily.

Other Information

- Store at room temperature 20-25oC (68-77oF).
- Tamper Evident: do not use if seal under cap is broken or missing.
- Child-Resistant Cap: push down and turn to open.

Inactive Ingredients

Allantoin, Anthemis Nobilis (Roman Chamomile) Essential Oil, Benzyl Alcohol, Dehydroacetic Acid, Glycerin, Lactic Acid, Propanediol, Purified Water, Stevia Rebaudiana Extract, Xanthan Gum.

Questions

Call toll-free in USA & Canada 800-677-9299 9 am -5 pm Eastern Time M-F or visit www.esbalabs.com.

Lidocaine 5% in an all natural gel



FREE OF: • Alcohol • Sugars

- · Estrogen · Parabens · Soy
- · Propyleneglycol
- · Artificial color, flavor or fragrance
- · Petroleum derivatives
- Animal products

Drug Facts

Active ingredient

Purpose

Lidocaine 5%......Anorectal Anesthetic

Use For temporary relief of pain, soreness or burning in the perianal area

Warnings For external use only. Do not use this product with a mechanical device ● Certain persons can develop allergic reactions to ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, discontinue use and consult a doctor. ● Do not exceed the daily recommended dosage. ● In case of bleeding, consult a doctor promptly. ● As with any drug, consult a health care professional if you are pregnant or nursing. Ask a health care professional before using this product.

Keep out of the reach of children If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ● Cleanse affected area with mild soap and water. Gently dry by patting or blotting with toilet tissue or a soft cloth before application.

• Apply externally to the affected area up to 6 times daily.

Other information

- Store at room temperature 20-25°C (68-77°F).
- Tamper Evident: do not use if seal under cap is broken or missing.
- Child-Resistant Cap: push down and turn to open.

Inactive ingredients

Allantoin⁽¹⁾, Anthemis Nobilis (Roman Chamomile) Essential Oil⁽²⁾ Benzyl Alcohol⁽³⁾, Dehydroacetic Acid⁽³⁾, Glycerin, Lactic Acid, Propanediol⁽⁴⁾, Purified Water, Stevia Rebaudiana Extract⁽⁵⁾, Xanthan Gum.

Questions

Call toll-free in USA & Canada 800-677-9299 9 am -5 pm Eastern Time M-F or visit www.esbalabs.com

- (1) Comfrey extract (2) Certified ORGANIC Roman Chamomile Essential Oil (3) Preservative system Ecocert approved for organic and natural products
- (4) Renewable, corn derived glycol approved by EcoCert and the Natural Product Association for natural care products (5) Certified ORGANIC Stevia extract









Lidocaine 5%

Anorectal Anesthetic Gel

- O eases pain and relaxes
- O lubricant with superior glide
- O helps partner last longer
- water based non staining
- all condoms/toys compatible

moisturizing slippery gel



4 Oz (113 grams)

LUBRICAINE 5

lidocaine 5% gel

| Prod | HICT | Intorm | STION |
|------|------|--------|--------|
| FIUU | uct | Inform | alivii |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63135-924

Route of Administration TOPICAL

| Active Ingredient/Active Moiety | | | |
|--|-------------------|--------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 5 g in 100 g | |

| Inactive Ingredients | | | |
|---|-----------------|--|--|
| Ingredient Name | Strength | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | 0.72 g in 100 g | | |
| CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9) | 0.1 g in 100 g | | |
| LACTIC ACID, DL- (UNII: 3B8D35Y7S4) | 2.5 g in 100 g | | |
| ALLANTOIN (UNII: 344S277G0Z) | 0.3 g in 100 g | | |
| STEVIA REBAUDIUNA LEAF (UNII: 6TC6NN0876) | 1 g in 100 g | | |
| GLYCERIN (UNII: PDC6A3C0OX) | 25 g in 100 g | | |
| PROPANEDIOL (UNII: 5965N8W85T) | 38.3 g in 100 g | | |
| XANTHAN GUM (UNII: TTV12P4NEE) | 2 g in 100 g | | |
| DEHYDROACETIC ACID (UNII: 2KAG279R6R) | 0.08 g in 100 g | | |

| l | Packaging | | | | |
|---|-----------|----------------------|--|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | | NDC:63135-924- 04 | 113 g in 1 TUBE; Type 0: Not a Combination Product | 03/20/2019 | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M015 | 03/20/2019 | | |
| | | | | |

Labeler - ESBA LABORATORIES INC. (963303490)

Registrant - ESBA LABORATORIES INC. (963303490)

Revised: 9/2024 ESBA LABORATORIES INC.