

**NO DRIP SEVERE NASAL MIST- oxymetazoline spray liquid**  
**CVS Health**

-----  
**CVS NO DRIP SEVERE NASAL MIST**

**Drug Facts**

**Active Ingredient**

Oxymetazoline Hydrochloride 0.05%

**Purpose**

Nasal Decongestant

**Uses**

Temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- Shrinks swollen membranes so you can breathe more freely

**Warnings**

**Ask a Doctor before use if you have**

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to enlarged prostate gland.

**When using this product**

- **Do not use more than directed**
- do not use for more than three days, Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.
- use of this container by more than one person may spread infection.

**stop use and ask a doctor if**

symptoms persist.

**if pregnant or breast-feeding**

ask a health professional before use.

**Keep out of the reach of children**

if swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Before using for the first time, remove the protective cap from the tip and prime the pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm and even stroke, and sniff deeply.
- Wipe nozzle clean after use.
- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- Children under 6 years of age consult a doctor.

**Other information**

- store between 20° and 25°C (68° to 77°F)
- retain carton for future reference on full labeling

**Inactive Ingredients**

Benzalkonium Chloride, Camphor, Cellulose Gum, Disodium EDTA, Disodium Phosphate, Eucalyptol, Glycerin, Menthol, Microcrystalline Cellulose and Carboxymethylcellulose Sodium, PEG-6, Povidone, Propylene Glycol, Sodium Phosphate, Water (purified)

**Principal Panel 0.5 FLOZ Bottle**

CVS Health Severe Congestant Nasal Mist No Drip

Nasal Spray

Oxymetazoline HCL 0.05%

12 hour Nasal Spray

Net Wt 0.5 FLOZ (15ml)

NO-DRIP

OXYMETAZOLINE HCl, 0.05%

# NASAL MIST

SEVERE DECONGESTANT



### Drug Facts

**Active ingredient** Purpose  
Oxymetazoline hydrochloride 0.05%...Nasal decongestant

**Uses** • temporarily relieves nasal congestion due to:  
• common cold • hay fever • upper respiratory allergies  
• temporarily relieves sinus congestion and pressure  
• shrinks swollen nasal membranes so you can breathe more freely

#### Warnings

**Ask a doctor before use if you have** • heart disease  
• high blood pressure • thyroid disease • diabetes  
• trouble urinating due to an enlarged prostate gland

#### When using this product

• do not use more than directed  
• do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.

• temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur  
• use of this container by more than one person may spread infection

**Stop use and ask a doctor** if symptoms persist

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.  
• children under 6 years of age: ask a doctor  
**To Use:** Shake well before use. Squeeze grooved areas on both sides of the cap and twist counterclockwise.

Align the lines on the groove at the base of the pump to enable spray. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

### Drug Facts (continued)

#### Other information

• store between 20° to 25°C (68° to 77°F)  
• retain carton for future reference on full labeling

#### Inactive ingredients

Benzalkonium Chloride, Camphor, Cellulose Gum, Disodium EDTA, Disodium Phosphate, Eucalyptol, Glycerin, Menthol, Microcrystalline Cellulose and Carboxymethylcellulose Sodium, PEG-6, Povidone, Propylene Glycol, Sodium Phosphate, Water (purified)

\*This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of Afrin® No Drip Severe Congestion Pump Mist.

**IMPORTANT: KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING.**

**DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING.**

Distributed by:  
CVS Pharmacy, Inc.  
One CVS Drive  
Woonsocket, RI 02895  
© 2024 CVS/pharmacy  
CVS.com®  
1-800-SHOP CVS  
Made in the U.S.A. of U.S. and imported ingredients and components.  
V-34744

100% money back guaranteed.  
CVS.com/returnpolicy



NDC 69842-315-55

# SEVERE DECONGESTANT

# NASAL MIST

OXYMETAZOLINE HCl  
0.05%

NO-DRIP

Relieves sinus & nasal congestion


Compare to the active ingredient in Afrin® No Drip Severe Congestion Pump Mist\*

0.5 FL OZ (15 mL)



**To Open:**  
Squeeze grooved areas on both sides of the cap and twist counterclockwise.

**To Spray:**  
Align the lines on the groove at the base of the pump as shown in picture. See directions for full instructions.



Actual Size  
Package Contains One Bottle

50311

LOT

EXP

#261981



0 50428 07263 9



NDC 69842-315-55

SEVERE DECONGESTANT

**NASAL MIST**

OXYMETAZOLINE HCl, 0.05%

**NO-DRIP**

Relieves sinus & nasal congestion

0.5 FL OZ (15 mL)

**SEE CARTON FOR FULL LABELING. DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING.**

**Active ingredient:** Oxymetazoline hydrochloride 0.05% **Uses** • See Carton.

**Warnings:** Ask a doctor before use if you have

- heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland.
- When using this product** • do not use more than directed • do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection.
- Stop use and ask a doctor if symptoms persist.**
- If pregnant or breast-feeding,** ask a health professional before use.
- Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

**To Use:** Shake well before use. Squeeze grooved areas on both sides of the cap and twist counterclockwise. Align the lines on the groove at the base of the pump to enable spray. Secure cap after use.

**Distributed by:**  
**CVS Pharmacy, Inc.**  
One CVS Drive  
Woonsocket, RI 02895  
© 2024 CVS/pharmacy  
CVS.com®  
1-800-SHOP CVS  
V-34744 705311

UNVARNISHED AREA

# NO DRIP SEVERE NASAL MIST

oxymetazoline spray liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-315
<b>Route of Administration</b>	NASAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ055VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	50 mg in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL 300</b> (UNII: 5655G9Y8AQ)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SODIUM PHOSPHATE, MONOBASIC</b> (UNII: 3980JIH2SW)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>EUCALYPTOL</b> (UNII: RV6J6604TK)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:69842-315-51	1 in 1 CARTON	08/30/2018	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
2	NDC:69842-315-55	1 in 1 CARTON	06/25/2024	
2		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
3	NDC:69842-315-30	1 in 1 CARTON	10/15/2025	
3		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/30/2018	

**Labeler** - CVS Health (062312574)

**Registrant** - Sheffield Pharmaceuticals LLC (151177797)

## Establishment

Name	Address	ID/FEI	Business Operations
Sheffield Pharmaceutical LLC		151177797	manufacture(69842-315) , analysis(69842-315)

Revised: 9/2025

CVS Health