

ANTIFUNGAL- terbinafine hydrochloride cream
Meijer Distribution Inc

Antifungal Cream

Drug Facts

Active ingredient

Terbinafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.



- **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
- **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
- **for jock itch and ringworm:** apply once a day (morning or night) for **1 week** or as directed by a doctor
 - wash hands after each use
- children under 12 years: ask a doctor

1 week
between the toes



2 weeks on
the bottom
or sides of the foot

Other information

TAMPER EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE.

- store at controlled room temperature 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions?

call **1-866-923-4914**

**DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 30 g Tube Carton

Meijer ®

NDC 41250-080-02

FULL PRESCRIPTION STRENGTH

Antifungal Cream
For Athlete's Foot

TERBINAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL

Relieves Itching

NET WT 1 oz (30 g)

Pharmaco-
de
Read Direction

T333
B296.0
19.173

NO VARNISH/NO AQ
NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

5256914
1224
44

Drug Facts (continued)

Inactive ingredients:
benzyl alcohol, cetyl alcohol, cetyl
palmitate, isopropyl myristate,
polyorbate 60, purified water,
sodium hydroxide, sorbitan
monooleate, stearyl alcohol

Questions?
call 1-866-923-4914

*All trademarks are property of
their respective owners.



meijer.

FULL PRESCRIPTION
STRENGTH

**Antifungal
Cream**

TERBINAFINE
HYDROCHLORIDE
CREAM 1% | ANTIFUNGAL

COMPARE TO
LAMISIL AT[®]
ACTIVE INGREDIENT*

CLINICALLY PROVEN
TO CURE MOST ATHLETE'S
FOOT BETWEEN THE TOES

Relieves Itching

NET WT 1 oz (30 g)

NDC 41250-080-02

NDC 41250-080-02

COMPARE TO
LAMISIL AT[®]
ACTIVE INGREDIENT*

NET WT 1 oz (30 g)

meijer.
FULL PRESCRIPTION STRENGTH
Antifungal Cream
TERBINAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL
CLINICALLY PROVEN TO CURE MOST ATHLETE'S FOOT BETWEEN THE TOES
Relieves Itching

Drug Facts

Active ingredient Purpose
Terbinafine hydrochloride 1% Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eyes contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
 - on the bottom or sides of the feet: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
 - for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
 - wash hands after each use
 - children under 12 years: ask a doctor



1 week between the toes 2 weeks on the bottom or side of the foot

Other information

TAMPER EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE.

- store at controlled room temperature 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

5/8

PID 465517



Pharmaco-
de
Read Direction

ANTIFUNGAL

terbinafine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TERBINAFINE HYDROCHLORIDE (UNII: 012C11ZU6G) (TERBINAFINE - UNII:G7RIW8S0XP)	TERBINAFINE HYDROCHLORIDE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-080-02	1 in 1 CARTON	12/12/2012	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

Labeler - Meijer Distribution Inc (006959555)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(41250-080)

Revised: 7/2025

Meijer Distribution Inc