

BLT SKIN CREAM- benzocaine, lidocaine, tetracaine cream
M2B Pharma LLC

BLT Skin Cream

DRUG FACTS

Active ingredient

Benzocaine 20%

Purpose

Topical anesthetic

Active ingredient

Lidocaine 4%

Purpose

Topical analgesic

Active ingredient

Tetracaine 1%

Purpose

Topical analgesic

Uses

For temporary relief of pain

Warnings

For external use only

Do not use

- On wounds or damaged, broken or irritated skin
- In large quantities
- At the same time as other topical analgesics or anesthetics
- If you are currently taking medication to control heart rate or rhythm or if you have

any type of heart disease

- If you are allergic to PABA, benzocaine, lidocaine, tetracaine or other sulfonamides (sulfa) type drugs
- If you are under the age of 17

When using this product

- Use only as directed. Read and follow all directions and warnings on this label.
- Avoid contact with eyes or mucous membrane
- Do not bandage or cover with any type of clear occlusive dressing
- Do not apply local heat (such as heating pad) to area of use

Stop use and ask a doctor if

- If redness or skin irritation is present at application site
- Condition worsens
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You have any heart conditions

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 17 years of age:

- Apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing

Do not use on children 17 years and younger without consulting a doctor.

Other Information

- Store at 20-25 degrees C (68-77 degrees F).
- Store away from heat, sunlight, and excessive heat or humidity

Inactive Ingredients

behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water

Questions?

1-877-760-1881

www.bltskincream.com

Principal Display Panel

Lot# 21441
Expiration date: 11/24/2023
Distributed by:
M2B Pharma,
St. Petersburg, FL 33707



BLT SKIN CREAM

Benzocaine + Lidocaine + Tetracaine

Net Wt. 1 oz (30g)

NDC 73341-001-30

Drug Facts

Active Ingredients

Active Ingredients	Purpose
Benzocaine 20%	Topical anesthetic
Lidocaine 4%	Topical anesthetic
Tetracaine 1%	Topical anesthetic

Tamper evident: Do not use if seal is broken or missing



<p>Drug Facts (continued)</p> <p>Use For temporary relief of pain</p> <p>Warnings</p> <p>For external use only</p> <ul style="list-style-type: none"> on wounds or damaged, broken or irritated skin in large quantities at the same time as other topical analgesics or anesthetics if you are currently taking medication to control heart rate or rhythm or if you have any type of heart disease if you are allergic to PABA, benzocaine, lidocaine, tetracaine or other sulfonamides (sulfa) type drugs if you are under the age of 17 <p>When using this product</p> <ul style="list-style-type: none"> use only as directed. Read and follow all directions and warnings on this label avoid contact with eyes or mucous membranes do not bandage or cover with any type of occlusive dressing do not apply local heat (such as heating pad) to area of use <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> redness or skin irritation is present at application site condition worsens symptoms persist for more than 7 days or clear up and occur again within a few days you have any heart conditions <p>If pregnant or breastfeeding, ask a healthcare professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Directions</p> <p>Adults and children 17 years and over:</p> <ul style="list-style-type: none"> apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing <p>Do not use on children 17 years and younger, without consulting a doctor.</p> <p>Other information</p> <ul style="list-style-type: none"> store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity <p>Inactive ingredients</p> <p>behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water</p> <p>Questions? 1-877-760-1881 www.bltskincream.com</p>	<p>Directions</p> <p>Adults and children 17 years and over:</p> <ul style="list-style-type: none"> apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing <p>Do not use on children 17 years and younger, without consulting a doctor.</p> <p>Other information</p> <ul style="list-style-type: none"> store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity <p>Inactive ingredients</p> <p>behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water</p> <p>Questions? 1-877-760-1881 www.bltskincream.com</p>
---	---	---

Drug Facts (continued)

When using this product

- use only as directed. Read and follow all directions and warnings on this label
- avoid contact with eyes or mucous membrane
- do not bandage or cover with any type of occlusive dressing
- do not apply local heat (such as heating pad) to area of use

Stop use and ask a doctor if

- redness or skin irritation is present at application site
- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you have any heart conditions

If pregnant or breastfeeding, ask a healthcare professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

Adults and children 17 years and over:

- apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing

Do not use on children 17 years and younger, without consulting a doctor.

Other information

- store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity

Inactive ingredients

behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water

Questions? 1-877-760-1881
www.bltskincream.com

BLT SKIN CREAM

Benzocaine + Lidocaine + Tetracaine

Net Wt 1 oz (30 g)

NDC# 73341-001-30

M2B

Distributed by:
M2B Pharma
St. Petersburg, FL 33707
www.bltskincream.com



GTIN: 00373341001303
Lot/Batch: 21441
Expiration: 11-24-2023

BLT SKIN CREAM

benzocaine, lidocaine, tetracaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73341-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	0.2 g in 1 g
TETRACAINE (UNII: 0619F35CGV) (TETRACAINE - UNII:0619F35CGV)	TETRACAINE	0.01 g in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
POLYQUATERNIUM 37 (200 MPA.S) (UNII: 67C1D6YV24)	
BEHENTRIMONIUM CHLORIDE (UNII: X7GNG3S47T)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73341-001-30	30 g in 1 JAR; Type 0: Not a Combination Product	02/04/2020	
2	NDC:73341-001-01	454 g in 1 JAR; Type 0: Not a Combination Product	12/23/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/04/2020	

Labeler - M2B Pharma LLC (117182771)

Revised: 10/2024

M2B Pharma LLC