

BLT SKIN CREAM- benzocaine, lidocaine, tetracaine cream
M2B Pharma LLC

BLT Skin Cream

DRUG FACTS

Active ingredient

Benzocaine 20%

Purpose

Topical anesthetic

Active ingredient

Lidocaine 4%

Purpose

Topical analgesic

Active ingredient

Tetracaine 1%

Purpose

Topical analgesic

Uses

For temporary relief of pain

Warnings

For external use only

Do not use

- On wounds or damaged, broken or irritated skin
- In large quantities
- At the same time as other topical analgesics or anesthetics
- If you are currently taking medication to control heart rate or rhythm or if you have

any type of heart disease

- If you are allergic to PABA, benzocaine, lidocaine, tetracaine or other sulfonamides (sulfa) type drugs
- If you are under the age of 17

When using this product

- Use only as directed. Read and follow all directions and warnings on this label.
- Avoid contact with eyes or mucous membrane
- Do not bandage or cover with any type of clear occlusive dressing
- Do not apply local heat (such as heating pad) to area of use

Stop use and ask a doctor if

- If redness or skin irritation is present at application site
- Condition worsens
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You have any heart conditions

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 17 years of age:

- Apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing

Do not use on children 17 years and younger without consulting a doctor.

Other Information

- Store at 20-25 degrees C (68-77 degrees F).
- Store away from heat, sunlight, and excessive heat or humidity

Inactive Ingredients

behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water

Questions?

1-877-760-1881

www.bltskincream.com

Principal Display Panel

Lot# 21441
Expiration date: 11/24/2023
Distributed by:
M2B Pharma,
St. Petersburg, FL 33707



BLT SKIN CREAM

Benzocaine + Lidocaine + Tetracaine

Net Wt. 1 oz (30g)
NDC 73341-001-30

Drug Facts

Active Ingredients

Benzocaine 20%
Lidocaine 4%
Tetracaine 1%

Purpose

Topical anesthetic
Topical anesthetic
Topical anesthetic

Tamper evident: Do not use if seal is broken or missing



Drug Facts (continued)

Use

For temporary relief of pain

Warnings

For external use only

- on wounds or damaged, broken or irritated skin
- in large quantities
- at the same time as other topical analgesics or anesthetics
- if you are currently taking medication to control heart rate or rhythm or if you have any type of heart disease
- if you are allergic to PABA, benzocaine, lidocaine, tetracaine or other sulfonamides (sulfa) type drugs
- if you are under the age of 17

When using this product

- use only as directed. Read and follow all directions and warnings on this label
- avoid contact with eyes or mucous membranes
- do not bandage or cover with any type of occlusive dressing
- do not apply local heat (such as heating pad) to area of use
- do not bandage or cover with any type of occlusive dressing
- do not apply to oral, nasal, or genital (heating pad) in area of use

Stop use and ask a doctor if

- redness or skin irritation is present at application site
- condition worsens
- symptoms persist or more than 7 days or clear up and occur again within a few days
- you have any heart conditions

If pregnant or breast feeding, ask a healthcare professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 17 years and over:

- apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing
- do not use on children 17 years and younger, without consulting a doctor.

Other information

- Store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity

Inactive ingredients

behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water

Questions? 1-877-760-1881

www.bltskincream.com

Drug Facts (continued)

When using this product

- use only as directed. Read and follow all directions and warnings on this label
- avoid contact with eyes or mucous membrane
- do not bandage or cover with any type of occlusive dressing
- do not apply local heat (such as heating pad) to area of use

Stop use and ask a doctor if

- redness or skin irritation is present at application site
- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you have any heart conditions

If pregnant or breastfeeding, ask a healthcare professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

Adults and children 17 years and over:

- apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing

Do not use on children 17 years and younger, without consulting a doctor.

Other information

- store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity

Inactive ingredients

behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water

Questions? 1-877-760-1881

www.bltskincream.com

BLT SKIN CREAM

Benzocaine + Lidocaine + Tetracaine

Net Wt 1 oz (30 g)

NDC# 73341-001-30

M2B

Distributed by:
M2B Pharma
St. Petersburg, FL 33707
www.bltskincream.com



GTIN: 00373341001303
Lot/Batch: 21441
Expiration: 11-24-2023

BLT SKIN CREAM

benzocaine, lidocaine, tetracaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73341-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	0.2 g in 1 g
TETRACAINE (UNII: 0619F35CGV) (TETRACAINE - UNII:0619F35CGV)	TETRACAINE	0.01 g in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
POLYQUATERNIUM 37 (200 MPA.S) (UNII: 67C1D6YV24)	
BEHENTRIMONIUM CHLORIDE (UNII: X7GNG3S47T)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73341-001-30	30 g in 1 JAR; Type 0: Not a Combination Product	02/04/2020	
2	NDC:73341-001-01	454 g in 1 JAR; Type 0: Not a Combination Product	12/23/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/04/2020	

Labeler - M2B Pharma LLC (117182771)

Revised: 12/2025

M2B Pharma LLC