SCRUB, SCRUB-STAT, FOAM SAFE, MICRO-GUARD- chlorhexidine gluconate solution AVA, Inc.

Drug Facts

Active ingredient

Chlorhexidine gluconate, 2%

Purpose

Surgical hand scrub

Healthcare personnel handwash

Skin wound and general skin cleanser

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- skin wound and general cleanser: helps reduce bacteria on the skin

Warnings

For external use only

Allergy alert

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation
- as a properative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if
 placed or kept in the eye during surgical during surgical procedures or may cause
 deafness when instilled in the middle ear through perforated ear drums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if

• irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These product may cause irritation or chemical burns.
- use full strength
- do not dilute

Surgical hand scrub

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- washfor an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

Healthcare personnel handwash

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

Skin wound and general skin cleanser

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

Other information

- store between 20-25 °C (68-77 °F)
- avoid excessive heat (above 104 °F/40 °C)

- for additional information, see Material Safety Data Sheet (MSDS)
- if swallowed get medical help or contact a Poison Control Center immediately

Inactive ingredients

cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water

*contains one or more of these ingredients

Questions or comments?

call **1.800.581.2528**, 24 hours a day, 7days a week

Representative label and principal display panel

FOR EXTERNAL USE ONLY

AVA Inc, 7051 S Adams St, Willowbrook, IL 60527-7592, USA Distributed By:

Distributed To:

2% CHLORHEXIDINE GLUCONATE ANTISEPTIC FOAMING SOLUTION

Drug Facts Active ingredient **Purposes**Surgical hand scrub Healthcare personnel handwash Skin wound and general skin cleanser Uses surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care healthcare personnel handwash: handwash to help reduce bacteria that potentially can cause disease skin wound and general skin cleanser: helps reduce bacteria on the skin Warnings For external use only This product may cause a severe allergic reaction. Symptoms may include: wheezing/difficulty breathing shock facial swelling hives rash If an allergic reaction occurs, stop use and seek medical help right away. • if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation as a patient preoperative skin preparation (especially on the head or face) in contact with meninges in the genital area When using this product keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums. if contact occurs, rinse with cold water right away wounds which involve more than the superficial layers of the skin should not be routinely treated repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin Stop and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

use full strength

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Surgical hand scrub:

Directions

- remove iewelry wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- wash for an additional 3 minutes with 5 ml of the product and rinse under running water

dry thoroughly Healthcare personnel handwash: dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds wet hands with water Skin wound and general skin cleanser: thoroughly rinse the area to be cleansed with water apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water. Other information store between 20-25°C (68-77°F) avoid freezing and excessive heat above 40°C (104°F) for additional information, see Safety Data Sheet (SDS) If swallowed get medical help or contact a Poison Control Center immediately Inactive ingredients cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, Quaternium-60, water *contains one or more of these ingredients Questions or comments? call 1.800.581.2528, 24 hours a day, 7 days a week

MARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov Keep from freezing.

Lot Number: 002124001 Net Contents: 200 kgs
NDC Number: 42939-124-24 Drum Number: 1 of 12

AVA, Inc.

NDC 42939-124-24

SCRUB [™]

2% Chlorhexidine Gluconate Antiseptic Foaming Solution

Surgical Hand Scrub, Healthcare Personnel Handwash, and Skin Wound and General Skin Cleanser

Net Content: 200 kgs

WARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

Keep from freezing.

www.SCRUBchg.com

AVA, Inc.

7051 South Adams Street

Willowbrook, IL 60527-7592

SCRUB, SCRUB-STAT, FOAM SAFE, MICRO-GUARD

chlorhexidine gluconate solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:42939-124(NDC:47593-467)

Active Ingredient/Active Moiety

richite ingresient, richite richety			
Ingredient Name	Basis of Strength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII: R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	20 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
COCO DIETHANOLAMIDE (UNII: 92005F972D)		
COCAMINE OXIDE (UNII: QWA2IZI6FI)		
GLUCONIC ACID (UNII: R4R8J0Q44B)		
GLUCONOLACTONE (UNII: WQ29KQ9POT)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
PEG-75 LANOLIN (UNII: 091790X7TB)		
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
QUATERNIUM-33 (UNII: XPS4174QZJ)		
WATER (UNII: 059QF0KO0R)		

Packaging				
#	Item CodePackage DescriptionMarketing Start DateMarketing Date		Marketing End Date	
1	NDC:42939- 124-24	208000 mL in 1 DRUM; Type 0: Not a Combination Product	07/22/1986	
2	NDC:42939- 124-25	1134000 mL in 1 CONTAINER; Type 0: Not a Combination Product	07/22/1986	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019258	07/22/1986	

Labeler - AVA, Inc. (615317075)

Establishment			
Name	Address	ID/FEI	Business Operations
AVA, Inc.		615317075	analysis(42939-124), api manufacture(42939-124), manufacture(42939-124), repack(42939-124)

Revised: 12/2022 AVA, Inc.