

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray**  
**Rite Aid Corporation**

-----  
**Rite Aid D49.000/D49AA**  
**Sunscreen Spray SPF 50**

**Active Ingredients**

Avobenzone 3%

Homosalate 12%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable**

- Flammable: keep away from fire or flame.
- After application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use**

on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**

rash occurs

## **Keep out of reach of children.**

If swallowed, seek immediate medical attention or call a poison control center.

## **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/octylacrylamide copolymer, butyloctyl salicylate, neopentyl glycol diheptanoate, fragrance, tocopheryl acetate

## **Disclaimer**

May stain or damage some fabrics or surfaces

## **Adverse Reaction**

DISTRIBUTED BY:

RITE AID

200 NEWBERRY COMMONS

ETTERS, PA 17319

www.riteaid.com

SATISFACTION GUARENTEE:

if you're not satisfied, we'll happily refund your money.

## Principal display panel

SUNSCREEN SPRAY

WATER RESISTANT (80 MINUTES)

BROAD SPECTRUM SPF 50

Avobenzone 3%

Homosalate 12%

Octisalate 5%

50

NET WT 5.5 OZ (156 g)

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

**Uses**

- helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable:** Keep away from fire or flame. ■ after application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if** ■ rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun ■ hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions ■ use in a well-ventilated area and avoid inhalation
- reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients** alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/octylacrylamide copolymer, butylacetyl salicylate, neopentyl glycol diheptanoate, fragrance, tolophenyl acetate

May stain or damage some fabrics or surfaces

DISTRIBUTED BY: RITE AID  
200 NEWBERRY COMMONS  
ETTERS, PA 17319  
www.riteaid.com

SATISFACTION GUARANTEE:  
If you're not satisfied,  
we'll happily  
refund your money.

**SUNSCREEN SPRAY**

**WATER RESISTANT (80 MINUTES)**

**BROAD SPECTRUM SPF50**

**AVOBENZONE 3%,  
HOMOSALATE 12%,  
OCTISALATE 5%**

**50**

**NET WT  
5.5 OZ (156 g)**

**AVOBENZONE, HOMOSALATE, OCTISALATE**

avobenzone, homosalate, octisalate spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0949
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0949-1	156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	07/25/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/25/2023	

**Labeler** - Rite Aid Corporation (014578892)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(11822-0949)

