

DOVE- aluminum chlorohydrate aerosol, spray
Conopco, Inc. d/b/a Unilever

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dove Men plus Care Dry Spray Extra Fresh 48HR+Comfort Antiperspirant

DOVE MEN PLUS CARE DRY SPRAY EXTRA FRESH 48HR+COMFORT
ANTIPERSPIRANT - aluminum chlorohydrate aerosol, spray

Dove Men plus Care Dry Spray Extra Fresh 48HR+Comfort Antiperspirant

Drug Facts

Active ingredient

Aluminum Chlorohydrate (20.2%)

Purpose

antiperspirant

Uses

reduces underarm wetness

Warnings

- **FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH**
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.** Help stop inhalation abuse. For information visit www.inhalant.org
- **KEEP OUT OF REACH OF CHILDREN**

Directions

apply to underarms only

Inactive ingredients

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol.

Questions?

Call toll-free 1-800-761-3683

Packaging

NON-IRRITANT FORMULA **GOES ON INSTANTLY DRY**

Dove
MEN + CARE

DRY SPRAY

EXTRA FRESH

48 HR PROTECTION + COMFORT

ANTIPERSPIRANT

ALUMINUM CHLOROHYDRATE
NET WT. 3.8 OZ./107g

Drug Facts

| Active Ingredient | Purpose |
|--------------------------------|----------------|
| Aluminum Chlorohydrate (20.2%) | antiperspirant |

Uses

- reduces underarm wetness

Warnings

- **FLAMMABLE.** DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperature above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **KEEP OUT OF REACH OF CHILDREN.**
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.** Help stop inhalation abuse. For information visit www.inhalant.org.

Directions apply to underarms only **Drug Facts continued below ▼**

48 HR POWERFUL PROTECTION
NON-IRRITANT ANTIPERSPIRANT FORMULA

Cruelty-Free

Drug Facts (continued)

Inactive ingredients

Isotane Hydrofluorcarbon 152a, Dicapnasiloxane, Isobutane, PPG-10, Butyl Ethyl Fragrance (Parfum), Linalyl Acetate, Sunflower Seed Oil, Potassium Chloride, C12-15 Alkyl Benzoate, Propane, BHT, Octyl Methacrylate, Propylene Carbonate, Dimethicone.

Questions? Call toll-free 1-800-761-3683

smartlabel app enabled

79400 35069 5

DOVE

aluminum chlorohydrate aerosol, spray

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:64942-1705 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------|
| ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - | ALUMINUM | 20.2 g |

| | | | | |
|--|------------------|---|----------------------|--------------------|
| UNII:HPN8 MZW13M) | | CHLOROHYDRATE | in 100 g | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| BUTANE (UNII: 6LV4FOR43R) | | | | |
| 1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0) | | | | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | | | | |
| ISOBUTANE (UNII: BXR49TP611) | | | | |
| PPG-14 BUTYL ETHER (UNII: R199TJT95T) | | | | |
| SUNFLOWER OIL (UNII: 3WIJG795YI) | | | | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | | | | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | | | | |
| PROPANE (UNII: T75W9911L6) | | | | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | | | | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | | | | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | | | | |
| DIMETHICONOL (40 CST) (UNII: 343C7U75XW) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:64942-1705-1 | 107 g in 1 CAN; Type 0: Not a Combination Product | 03/20/2020 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph final | | part350 | 03/20/2020 | |

Labeler - Conopco, Inc. d/b/a Unilever (001375088)

Revised: 2/2020

Conopco, Inc. d/b/a Unilever