

DAYTIME NIGHTTIME CHEWABLE- dextromethorphan hbr doxylamine succinate
Walgreens

Drug Facts

Active ingredient (in each chewable gel) Daytime

Dextromethorphan HBr 10 mg

Active ingredients for (in each chewable gel) NIGHTTIME

Dextromethorphan HBr 10 mg

Doxylamine Succinate 6.25 mg

Purpose for Daytime

Cough suppressant

Purposes for Nighttime

Cough suppressant

Antihistamine

Uses

DAYTIME

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

NIGHTTIME

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- controls cough to help you get to sleep
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itching of the nose or throat
 - sneezing
 - itchy, watery eyes

Warnings

Do not use

DAYTIME

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

NIGHTTIME

- to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

Ask a doctor before use if you have

DAYTIME

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma or emphysema

NIGHTTIME

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

NIGHTTIME

taking sedatives or tranquilizers

When using this product

DAYTIME

do not use more than directed.

NIGHTTIME

- do not exceed recommended dosage
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

DAYTIME

cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

NIGHTTIME

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition,

If pregnant or breast-feeding,

DAYTIME NIGHTTIME

ask a health professional before use.

Keep out of reach of children.

DAYTIME / NIGHTTIME

In case of overdose, get medical help or contact a Poison Control Center(1-800-222-1222) right away.

Directions

DAYTIME / NIGHTTIME

- take every 4 hours or as directed by a doctor
- chew thoroughly before swallowing
- adults and children 12 years of age and over: 2 chewable gels every 4 hours, not to exceed 12 chewable gels in any 24-hour period
- children 6 to under 12 years of age: 1 chewable gel every 4 hours, not to exceed 6 chewable gels in any 24-hour period
- children under 6 years of age: do not use

Other information

DAYTIME

- **each chewable gel contains:** sodium 8 mg
- store between 20-25°C (68-77°F). Do not refrigerate

NIGHTTIME

- **each chewable gel contains** sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate

Inactive ingredient

DAYTIME

ammonium glycyrrhizate, anhydrous citric acid, corn syrup, FD&C red # 40, flavors, glycerin, glycyrrhizin, malic acid, maltodextrin, medium-chain triglycerides, pectin, propylene glycol, purified water, sorbitol solution, sucralose, sucrose, trisodium citrate dihydrate

NIGHTTIME

alcohol, ammonium glycyrrhizate, anhydrous citric acid, corn syrup, FD&C blue #1, FD&C Red #40, flavors, glycerin, glycyrrhizin, malic acid, maltodextrin, pectin, propylene glycol, purified water, sucralose, sucrose, trisodium citrate dihydrate

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Children's Mucinex® Daytime Mighty Chews & Children's Mucinex® Nighttime Mighty Chews††

Children's Cough

DEXTROMETHORPHAN HBr 10 mg /

COUGH SUPPRESSANT

Daytime

- Controls cough
- Up to 4-hours of relief

AGES 6+ YEARS

SOLID CHEWABLE GELS

Mixed Berry flavor

††This product is not manufactured or distributed by RB Health (US) LLC, distributor of Mucinex® Children's Mighty Chews Cough Daytime.

NightTime

Children's

Cough

DEXTROMETHORPHAN HBr 10 mg /

COUGH SUPPRESSANT

DOXYLAMINE SUCCINATE 6.25 mg /

ANTHISTAMINE

Nighttime

- Controls cough to help you get to sleep

AGES 6+ YEARS

SOLID CHEWABLE GELS

Mixed Berry flavor

††This product is not manufactured or distributed by RB Health (US) LLC, distributor of Mucinex® Children's Mighty Chews Cough Nighttime

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY WALGREEN CO.
DEERFIELD, IL 60015

Product Label

WALGREENS Childrens Daytime Nighttime Cough

DAYTIME NIGHTTIME CHEWABLE
dextromethorphan hbr doxylamine succinate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9393
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9393-32	1 in 1 KIT; Type 0: Not a Combination Product	04/30/2026	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	16
Part 2	1 BOTTLE, PLASTIC	16

Part 1 of 2

CHILDRENS DAYTIME MUCUS

dextromethorphan hbr chewable gel

Product Information

Item Code (Source) NDC:0363-9358

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
WATER (UNII: 059QF0KO0R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SUCROSE (UNII: C151H8M554)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
GLYCYRRHIZIN (UNII: 6FO62043WK)	
CORN SYRUP (UNII: 9G5L16BK6N)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PECTIN (UNII: 89NA02M4RX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
ALCOHOL (UNII: 3K9958V90M)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	
Flavor	BERRY (Mixed Berry)	Imprint Code	7
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9358-16	16 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/30/2026	

Part 2 of 2

CHILDRENS NIGHTTIME MUCUS

dextromethorphan hbr doxylamine succinate chewable gel

Product Information

Item Code (Source)	NDC:0363-9360
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
CORN SYRUP (UNII: 9G5L16BK6N)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUCROSE (UNII: C151H8M554)	
GLYCYRRHIZIN (UNII: 6FO62043WK)	
MALIC ACID (UNII: 817L1N4CKP)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
PECTIN (UNII: 89NA02M4RX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

Product Characteristics

Color	purple	Score	no score
Shape	ROUND	Size	
Flavor	BERRY (Mixed Berry)	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9360-16	16 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/30/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/30/2026	

Labeler - Walgreens (008965063)

Revised: 4/2026

Walgreens