

LAMISIL AT CREAM- terbinafine hydrochloride cream
Voyant Beauty Inc.

Formula# 39900

Terbinafine hydrochloride 1%

Antifungal

Uses

- cure most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany this condition

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
 - on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
 - for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
 - wash hands after each use
- children under 12 years: ask a doctor

Other Information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25C (68-77F)

Inactive Ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearic alcohol

Questions or comments?

call 1-800-330-9876

12 g Tube with Carton - For Jock Itch

Lamisil AT

Cream Terbinafine Hydrochloride Cream 1% - Antifungal

For JOCK ITCH

- cures most jock itch
- for effective relief of itching and burning

NET WT

12 g (0.42 oz)


Store at controlled room temperature 20-25°C (68-77°F)
 See crimp for lot number and expiration date
 Do not use if seal on tube is broken or is not visible

Dist. by: **GSK CH**, Warren, NJ 07059 Made in Canada
 Trademarks owned or licensed by GSK.
 ©2019 GSK or licensor. 13307

LAMISIL^{AT} CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
 FOR **JOCK ITCH**

NDC 0067-3999-42
 NET WT
 12 g (0.42 oz)

<p>Active ingredient Terbinafine hydrochloride 1%.....Antifungal</p>	<p>Purpose Antifungal</p>	<p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
<p>Uses</p> <ul style="list-style-type: none"> • cures most jock itch (tinea cruris) • relieves itching, burning, cracking and scaling which accompany this condition 		
<p>Warnings For external use only</p>		<p>Directions</p> <ul style="list-style-type: none"> • adults and children 12 years and over: <ul style="list-style-type: none"> • use the tip of the cap to break the seal and open the tube • wash the affected skin with soap and water and dry completely before applying • apply once a day (morning or night) for 1 week or as directed by a doctor • wash hands after each use • children under 12 years: ask a doctor
<p>Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections</p>		
<p>When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.</p>		
<p>Stop use and ask a doctor if too much irritation occurs or gets worse</p>		



12 g Tube with Carton - For Athlete's Foot
 Lamisil AT Cream
 Terbinafine Hydrochloride Creams 1% - Antifungal
 For Athlete's Foot

Net Wt

12 g (0.42 oz)

Store at controlled room temperature 20-25°C (68-77°F)
See crimp for lot number and expiration date
Do not use if seal on tube is broken or is not visible

Dist. by: **GSK CH**, Warren, NJ 07059 Made in Canada
Trademarks owned or licensed by GSK.
©2019 GSK or licensor. 13231

NDC 0067-3998-42

LAMISIL^{AT} CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR **ATHLETE'S FOOT**

NET WT
12 g (0.42 oz)

Active ingredient


Terbinafine hydrochloride 1% Antifungal

Purpose

Antifungal

Directions


- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
- on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
- for jock itch and ringworm:** apply once a day (morning or night) for **1 week** or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor



1 week
between the toes



2 weeks
on the bottom or sides of the foot



Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts

Active ingredient
Terbinafine hydrochloride 1% Antifungal

Uses
• cures most athlete's foot (tinea pedis) • cures most jock itch (tinea cruris) and ringworm (tinea corporis)
• relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only
Do not use • in or near the mouth or eyes • for vaginal yeast infections
When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or gets worse
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
adults and children 12 years and over:
• use the tip of the cap to break the seal and open the tube
• wash the affected skin with soap and water and dry completely before applying
• for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
• **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
• **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
• **for jock itch and ringworm:** apply once a day (morning or night) for **1 week** or as directed by a doctor
• wash hands after each use
• children under 12 years: ask a doctor

Other information
• do not use if seal on tube is broken or is not visible
• store at controlled room temperature 20-25°C (68-77°F)





Drug Facts (continued)

Inactive ingredients
benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions or comments? call 1-800-330-9876

Distributed by: GSK Consumer Healthcare, Warren, NJ 07059 Made in Canada
Trademarks owned or licensed by GSK. ©2019 GSK or licensor. 13309

NDC 0067-3998-42

LAMISIL^{AT} CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR **ATHLETE'S FOOT**

NET WT 12 g (0.42 oz)

GSK

FOR **ATHLETE'S FOOT**

LAMISIL^{AT} CREAM
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

RELIEVES ITCHING
CLINICALLY PROVEN TO CURE
BETWEEN THE TOES
FULL PRESCRIPTION STRENGTH



30 g Tube with Carton - For Athlete's Foot

Lamisil AT Cream

Terbinafine Hydrochloride Cream 1% - Antifungal

For Athlete's Foot

NET WT

30 g (1 oz)

Store at controlled room temperature 20-25°C (68-77°F)
See crimp for lot number and expiration date
Do not use if seal on tube is broken or is not visible

Dist. by: **GSK CH**, Warren, NJ 07059 Made in Canada
Trademarks owned or licensed by GSK.
©2019 GSK or licensor. 13230

LAMISIL^{AT}



CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

FOR ATHLETE'S FOOT

NDC 0067-3998-30

NET WT
30 g (1 oz)

<p>Active ingredient Terbinafine hydrochloride 1%</p> <p>Uses</p> <ul style="list-style-type: none"> • cures most athlete's foot (tinea pedis) • cures most jock itch (tinea cruris) and ringworm (tinea corporis) • relieves itching, burning, cracking and scaling which accompany these conditions 	<p>Purpose Antifungal</p>	<p>Directions</p> <ul style="list-style-type: none"> • adults and children 12 years and over: <ul style="list-style-type: none"> • use the tip of the cap to break the seal and open the tube • wash the affected skin with soap and water and dry completely before applying • for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily. • between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor • on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor • for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor • wash hands after each use • children under 12 years: ask a doctor
<p>Warnings For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections <p>When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.</p> <p>Stop use and ask a doctor if too much irritation occurs or gets worse</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶</p>		<div style="text-align: center;">  <p>1 week between the toes</p> </div> <div style="text-align: center;">  <p>2 weeks on the bottom or sides of the foot</p> </div> <div style="text-align: center;">  </div>

Drug Facts (continued)

- wash the affected skin with soap and water and dry completely before applying.
- Change shoes and socks at least once daily.
- between the toes only:** apply twice a day (morning and night) for 1 week or as directed by a doctor.
- on the bottom or sides of the foot:** apply twice a day (morning and night) for 2 weeks or as directed by a doctor.
- for jock itch and ringworm:** apply once daily for 1 week or as directed by a doctor.
- wash hands after each use.
- children under 12 years: ask a doctor.

Other information

- do not use if seal on tube is broken or is not visible.
- store at controlled room temperature 20-25°C (68-77°F).

Inactive ingredients: benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

Questions or comments? call 1-800-330-9876

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For external use only.
Do not use:
• on warts or scabs
• in or near the mouth or eyes
• for vaginal yeast infections.
When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or gets worse.

Use:
• cures most athlete's foot (tinea pedis)
• cures most jock itch (tinea cruris) and ringworm (tinea corporis)
• relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only.
Do not use:
• on warts or scabs
• in or near the mouth or eyes
• for vaginal yeast infections.
When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or gets worse.

Active ingredient
terbinafine hydrochloride 1%
Purpose
Antifungal

Drug Facts
Active ingredient
terbinafine hydrochloride 1%
Purpose
Antifungal

Uses
• cures most athlete's foot (tinea pedis)
• cures most jock itch (tinea cruris) and ringworm (tinea corporis)
• relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only
Do not use
• on warts or scabs
• in or near the mouth or eyes
• for vaginal yeast infections
When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or gets worse.

Directions
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.
Directions
For external use only.
Do not use:
• on warts or scabs
• in or near the mouth or eyes
• for vaginal yeast infections
When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or gets worse.

NET WT 30 g (1 oz)

gsk

LAMISIL AT CREAM
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR ATHLETE'S FOOT

LAMISIL AT CREAM
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR ATHLETE'S FOOT

FOR ATHLETES' FOOT

RELIEVES ITCHING
AND BURNING TO CURE
MOST ATHLETE'S FOOT
BETWEEN THE TOES
FULL PRESCRIPTION STRENGTH

8 05866 21900 3

1-800-330-9876
Distributed by: GSK Consumer Healthcare, Wilton, NJ 07095. Made in Canada
Trademarks owned or licensed by GSK. ©2015 GSK or licensee. 1338

LAMISIL AT CREAM

terbinafine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61047-120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TERBINAFINE HYDROCHLORIDE (UNII: 012C11ZU6G) (TERBINAFINE - UNII:G7RIW8S0XP)	TERBINAFINE HYDROCHLORIDE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBITAN MONOSTEARATE (UNII: NVZ410H58X)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61047-120-01	1 in 1 CARTON	02/24/2020	05/29/2025
1		12 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:61047-120-02	1 in 1 CARTON	03/02/2020	10/15/2025
2		12 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:61047-120-03	1 in 1 CARTON	02/20/2020	05/31/2027
3		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020980	02/20/2020	05/31/2027

Labeler - Voyant Beauty Inc. (243547333)

Establishment

Name	Address	ID/FEI	Business Operations
Voyant Beauty Inc.		243547333	manufacture(61047-120)

Revised: 11/2025

Voyant Beauty Inc.