

SENNA S- docusate sodium, sennosides tablet
Magno-Humphries, Inc.

Senna-S

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told do to so by a doctor
- if you are presently taking mineral oil unless told do to so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over
children 6 to under 12 years of age
children 2 to under 6 years of age
children under 2

take 2-4 tablets daily
take 1-2 tablets daily
take up to 1 tablet daily
ask a doctor

Other information

- each tablet contains: calcium 10 mg, sodium 3 mg
- store between 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, D&C Yellow #10, dicalcium phosphate, FD&C Yellow #6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide.

Questions?

call toll-free 1-800-935-6737

Package Labeling:

Compare to the active ingredients in Colace® 2-IN-1*

MHL

Senna-S
Stool Softener with Stimulant Laxative

- Gentle, Dependable
- Relief in 6-12 Hours

100 TABLETS
NDC 54257-089-02

0 43292 56535 2

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredients (in each tablet) Purpose
Docusate sodium 50 mg.....Stool softener
Sennosides 8.6 mg.....Stimulant laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 6 to 12 hours

Warnings
Do not use ■ laxative products for longer than 1 week unless told to do so by a doctor ■ if you are presently taking mineral oil unless told to do so by a doctor
Ask a doctor before use if you have:
■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over take 2-4 tablets daily

PEEL FOR DIRECTIONS
69108-100-01-1

LIFT HERE

Drug Facts (continued)

children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: calcium 10 mg, sodium 3 mg
- store between 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, D&C yellow #10, dicalcium phosphate, FD&C yellow #6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide.

Questions? call toll-free 1-800-835-6737

*This product is not manufactured or distributed by the owner of the registered trademark Colace® 2-M-1

Distributed by:

Magno-Humphries Labs
Tigard, OR 97223 U.S.A.

Visit our website: www.magno-humphries.com

SENNA S

docusate sodium, sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54257-089
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	PH32

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54257-089-02	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/24/2020	

Labeler - Magno-Humphries, Inc. (063251433)

Revised: 10/2023

Magno-Humphries, Inc.