

**DOVE- advanced care dry spray skin renew 48h antiperspirant  
deodorant aerosol, spray  
Conopco, Inc. d/b/a Unilever**

-----  
**Dove Advanced Care Dry Spray Skin Renew 48h Antiperspirant Deodorant**

**DOVE ADVANCED CARE DRY SPRAY SKIN RENEW 48H ANTIPERSPIRANT  
DEODORANT - aluminum chlorohydrate aerosol, spray**

Dove Advanced Care Dry Spray Skin Renew 48h Antiperspirant Deodorant

***Drug Facts***

***Active ingredient***

Aluminum Chlorohydrate (20.2%)

***Purpose***

antiperspirant

***Uses***

reduces underarm wetness

***Warnings***

- **FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH**
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.** Help stop inhalation abuse. For information visit [www.inhalant.org](http://www.inhalant.org)
- **KEEP OUT OF REACH OF CHILDREN**

***Directions***

apply to underarms only

## Inactive ingredients

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Helianthus Annuus (Sunflower) Seed Oil, Fragrance (Parfum), Disteardimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol.

## Questions?

Call toll-free 1-800-761-3683

## Packaging

Effective protection that feels instantly dry and is kind to skin

- Shake well before each use
- Hold can 6 inches from the underarm
- Spray to underarm to feel the difference
- For 48h protection plus soft and comfortable underarms

Helping 1/4 of a billion young people build self-esteem from 2004 to 2030. Download our tools for free at [dove.com/feelbetter](http://dove.com/feelbetter)

Drug Facts	
<b>Active ingredient</b> Aluminum Chlorhydrate (20.2%)	<b>Purpose</b> antiperspirant
<b>Uses</b> • reduces underarm wetness	
<b>Warnings</b> • <b>FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.</b> • Keep away from face and mouth to avoid breathing in • Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat. • Do not use on broken skin. Stop use if rash or irritation occurs. • Ask a doctor before using if you have kidney disease. • <b>KEEP OUT OF REACH OF CHILDREN.</b> • <b>USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit <a href="http://www.inhalant.org">www.inhalant.org</a>.</b>	
<b>Directions</b> apply to underarms only	
<b>Inactive ingredients</b> Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Helianthus Annuus (Sunflower) Seed Oil, Fragrance (Parfum), Disteardimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol.	
<b>Questions?</b> Call toll-free 1-800-761-3683	

NET WT. 3.8 OZ/107g  
ALUMINUM CHLORHYDRATE

NET WT. 3.8 OZ/107g  
ALUMINUM CHLORHYDRATE

DOT 2P M6555

Unilever 88125704

## DOVE

advanced care dry spray skin renew 48h antiperspirant deodorant aerosol, spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64942-1718
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM CHLOROHYDRATE</b> (UNII: HPN8MZ W13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZ W13M)	ALUMINUM CHLOROHYDRATE	20.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PPG-14 BUTYL ETHER</b> (UNII: R199TJT95T)	
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>1,1-DIFLUOROETHANE</b> (UNII: 0B1U8K2ME0)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PROPANE</b> (UNII: T75W9911L6)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>DIMETHICONOL (40 CST)</b> (UNII: 343C7U75XW)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1718-1	107 g in 1 CAN; Type 0: Not a Combination Product	04/20/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	04/20/2020	

**Labeler** - Conopco, Inc. d/b/a Unilever (001375088)