

CAREONE TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride ointment
American Sales Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

American Sales Company Triple Antibiotic Ointment Drug Facts

Active ingredient (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse

- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients in Neosporin[®] + Pain Relief

Maximum Strength

Triple Antibiotic Ointment

Long Lasting Infection Protection

First Aid Antibiotic Pain Relieving Ointment

Helps skin heal to look healthy/Plus Pain Relief

Bacitracin Zinc – Neomycin Sulfate

Polymyxin B Sulfate – Pramoxine HCl

OUR PHARMACISTS RECOMMEND

NET WT 1 OZ (28 g)

NDC 41520-679-64

CAREone®

Compare to the active ingredients in Neosporin® + Pain Relief*

Maximum Strength Triple Antibiotic Ointment

Long Lasting Infection Protection

CAREone®

Maximum Strength Triple Antibiotic Ointment

First Aid Antibiotic Pain Relieving Ointment
Helps skin heal to look healthy/Plus Pain Relief

Bacitracin Zinc • Neomycin Sulfate
Polymyxin B Sulfate • Pramoxine HCl



NET WT 1 OZ (28g)



*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

DISTRIBUTED BY FOODHOLD U.S.A., LLC
LANDOVER, MD 20785 • 1-877-846-9949
©2019 S&S Brands, LLC
Quality guaranteed or your money back.

Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc 500 units.....	First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfate.....	First aid antibiotic
Pramoxine HCl 10 mg.....	External analgesic

Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor:
■ cuts ■ scrapes ■ burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Drug Facts (continued)

- Stop use and ask a doctor if
 - you need to use longer than 1 week
 - condition persists or gets worse
 - symptoms persist for more than 1 week, or clear up and occur again within a few days
 - rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredient white petrolatum

Questions or comments? 1-800-719-9260

CODE AREA

CAREONE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-679	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	500 [USPU] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)		NEOMYCIN	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)		POLYMYXIN B	10000 [USPU] in 1 g	
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)		PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
PETROLATUM (UNII: 4T6H12BN9U)				
Product Characteristics				
Color	YELLOW (Translucent)		Score	
Shape			Size	
Flavor			Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-679-64	1 in 1 CARTON	09/26/2019	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	09/26/2019		

Labeler - American Sales Company (809183973)

Revised: 10/2019

American Sales Company