

SALICYLIC ACID- corn and callus remover liquid liquid
Harmon Store Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Harmon Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20° to 30°C (68° to 86°F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Core values

Liquid corn & Callus Remover

Salicylic Acid

- Removes corns & calluses
- Cushions provide pain & presure relief

3 CUSHIONS 1/3 FL OZ (9.8mL)

CORE VALUES™

Liquid Corn & Callus Remover Salicylic Acid

- Removes corns & calluses
- Cushions provide pain & pressure relief

FPO
Product Covers This Area

3 CUSHIONS 0.33 FL OZ (9.8 mL)

• Medicated liquid for safe removal of corns & calluses
• Soft adhesive cushions relieve shoe rubbing & pressure

Drug Facts

Active ingredient	Purpose
Salicylic acid 17%	Corn and callus remover

Uses ■ for the removal of corns and calluses
■ relieves pain by removing corns and calluses

Warnings
For external use only.

Flammable
■ keep away from fire or flame
■ cap bottle tightly and store at room temperature away from heat

Do not use ■ on irritated skin ■ on any area that is infected or reddened
■ if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product
■ avoid contact with eyes ■ avoid inhaling vapors
■ if product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor
if discomfort persists, see your doctor or podiatrist.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ wash the affected area and dry thoroughly
■ apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
■ use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
■ repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information store between 20° to 30°C (68° to 86 F°)

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Distributed by
Liberty Procurement, Inc.
Union, NJ 07083 USA
Visit us at: www.facevalues.com
Made in the USA

SATISFACTION GUARANTEED
Or Your Money Back

41.030HR-01

SALICYLIC ACID

corn and callus remover liquid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63940-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63940-021-13	9.8 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	09/24/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358F	09/24/2015	

Labeler - Harmon Store Inc. (804085293)

Revised: 11/2019

Harmon Store Inc.