

**DOVE POWDER SOFT DRY ANTIPERSPIRANT- aluminum chlorohydrate aerosol, spray**  
**Conopco Inc. d/b/a/ Unilever**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dove-Powder Soft Dry Spray Antiperspirant**

***Drug Facts***

***Active ingredient***

Aluminum Chlorohydrate (20.2%)

***Purpose***

anti-perspirant

***Uses***

- reduces underarm wetness

***Warnings***

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit [www.inhalant.org](http://www.inhalant.org)
- KEEP OUT OF REACH OF CHILDREN

***Directions***

apply to underarms only

***Inactive ingredients***

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Disteardimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol, Tocopheryl Acetate.

***Questions?***

Call toll-free **1-800-761-3683**

**48h** Antiperspirant

Non-irritant

Feels instantly dry with 1/4 moisturizers to care for your underarm skin

**Packaging**

**new**

**Dove**



**dry spray**



powder soft

**1/4**  
48h  
Antiperspirant  
Non-irritant

NET WT. 3.8 OZ/107g  
ALUMINUM CHLOROHYDRATE

Feels instantly dry with 1/4 moisturizers to care for your underarm skin



- Shake well before each use
- Hold can 6 inches from the underarm



- Spray to underarm to feel the difference
- 48h protection plus softer, smoother underarms

**Drug Facts**

Active ingredient	Purpose
Aluminum Chlorohydrate (20.2%)	anti-perspirant

**Uses**

- reduces underarm wetness

**Warnings:**

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- KEEP OUT OF REACH OF CHILDREN.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit [www.inhalant.org](http://www.inhalant.org).

**Directions** apply to underarms only



DOT- 2P M6084

**Inactive ingredients:**  
Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol, Tocopheryl Acetate.

**Questions?**  
Call toll-free 1-800-761-3683

Dove is a Registered Trademark  
Dist. by ©Unilever  
Trumbull, CT 06611  
**Made in Mexico**  
83327253  
83330462



**DOVE POWDER SOFT DRY ANTIPERSPIRANT**

aluminum chlorohydrate aerosol, spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64942-1449
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZW13M)	ALUMINUM CHLOROHYDRATE	20.2 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-14 BUTYL ETHER (UNII: R199TJT95T)	
SUNFLOWER OIL (UNII: 3W1JG795Y)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PROPANE (UNII: T75W9911L6)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DIMETHICONOL (40 CST) (UNII: 343C7U75XW)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1449-1	107 g in 1 CAN; Type 0: Not a Combination Product	09/07/2016	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	09/07/2016	

**Labeler** - Conopco Inc. d/b/a/ Unilever (001375088)**Establishment**

Name	Address	ID/FEI	Business Operations
Unilever Manufacturera S. de R.L. de C.V.		812625061	manufacture(64942-1449)

Revised: 9/2016

Conopco Inc. d/b/a/ Unilever