

AZZURX- melissa officinalis leaf, thuja occidentalis leaf, geranium maculatum, calendula officinalis liquid
Outbreaks, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts

Active ingredients

Purpose

Lemon Balm 3X HPUS	Antiviral
White Cedar 3X HPUS	Anti-itch, Pain Reliever
Spotted Geranium 3X HPUS	Antiseptic
Pot Marigold 3X HPUS	Healing

Uses

For treatment of cold sores and fever blisters.

Warnings

For external use only.
Flammable, keep away from fire or flame.

Do not use

- if you are allergic to any ingredient in this product
- over large areas of the body

When using this product

- apply only to affected area
- do not use in or near eyes
- avoid applying directly inside the mouth
- you may feel a brief burning sensation when you apply it. It should go away in a short time.
- do not share or reuse an applicator, as spreading or reinfection may occur.
- do not remove cardboard sleeve after crushing, as cuts from glass may occur.

Stop use and ask a doctor if – the cold sore worsens or the cold sore lasts for more than 7 days,

or condition clears up and occurs again within a few days

Ask a doctor if – you are pregnant or nursing

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center.

Directions

Application instructions

- Remove and reverse cardboard sleeve on applicator to expose swab.
- Crush applicator to activate by squeezing on the “X” (in AZZURX) between thumb and forefinger until you hear a snap.
- Rotate applicator with swab pointing downward and squeeze gently until the swab is saturated.
- Discard after use.

At the first sign of cold sore/fever blister (tingle):

- Clean the area of the tingle before applying.
- Apply directly to face or lips at the site of the tingle.
- Repeat every 12 hours until all applicators are used.

After cold sore/fever blister erupts (skin broken):

- Clean the area of the outbreak before applying.
- Apply directly to the affected area of the face or lips.
- Repeat every 24 hours as needed

Children under 12: Ask a doctor

Other information

Store in a cool dry place away from sunlight.

Inactive ingredients

Fractionated coconut oil, essential oil blend of chamomile, lavender, eucalyptus, and peppermint

Questions or Comments?

Call 833-373-4020 or visit azzurx.com

Product label

QUICK-DOSE



AZZURX™

Cold Sore/Fever Blister Treatment



STOPS outbreaks before they erupt*

SHORTENS active outbreaks*

SOOTHES & promotes healing

3 Single Use Applicators
Net wt. .05 fl oz. (1.5mL) Total



AZZURX™

Drug Facts		Drug Facts (cont.)	
Active ingredients	Purpose	Directions	
Lemon Balm 3X HPUS.....	Antiviral	Application instructions	
White Cedar 3X HPUS.....	Anti-itch, Pain Reliever	- Remove and reverse cardboard sleeve on applicator to expose swab.	
Spotted Geranium 3X HPUS.....	Antiseptic	- Crush applicator to activate by squeezing on the "X" (in AZZURX) between thumb and forefinger until you hear a snap.	
Pot Marigold 3X HPUS.....	Healing	- Rotate applicator with swab pointing downward and squeeze gently until the swab is saturated.	
Uses For treatment of cold sores and fever blisters.		- Discard after use.	
Warnings		At the first sign of cold sore/fever blister (tingle):	
For external use only. Flammable, keep away from fire or flame.		- Clean the area of the tingle before applying.	
Do not use		- Apply directly to face or lips at the site of the tingle.	
- if you are allergic to any ingredient in this product		- Repeat every 12 hours until all applicators are used.	
- over large areas of the body		After cold sore/fever blister erupts (skin broken):	
When using this product		- Clean the area of the outbreak before applying.	
- apply only to affected area		- Apply directly to the affected area of the face or lips.	
- do not use in or near eyes		- Repeat every 24 hours as needed.	
- avoid applying directly inside the mouth		Children under 12: Ask a doctor	
- you may feel a brief burning sensation when you apply it. It should go away in a short time.		Other information	
- do not share or reuse an applicator, as spreading or reinfection may occur.		Store in a cool dry place away from sunlight.	
- do not remove cardboard sleeve after crushing, as cuts from glass may occur.		Inactive ingredients	
Stop use and ask a doctor if – the cold sore worsens or the cold sore lasts for more than 7 days, or condition clears up and occurs again within a few days		Fractionated coconut oil, essential oil blend of chamomile, lavender, eucalyptus, and peppermint	
Ask a doctor if – you are pregnant or nursing		Questions or Comments?	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center.		Call 833-373-4020 or visit azzurx.com	

HOMEOPATHIC MEDICINE Distributed By: Outbreaks Inc., Cary, NC 27519

* There is no known cure for the cold sore virus. AZZURX works on your outbreak and its symptoms only. AZZURX, or any other medicine, cannot prevent you from spreading the virus or having outbreaks in the future. Viral infections are contagious. Individual results may vary.

**Satisfaction Guarantee: To find out more, please visit www.azzurx.com/guarantee



AZZURX

melissa officinalis leaf, thuja occidentalis leaf, geranium maculatum, calendula officinalis liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83243-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

MELISSA OFFICINALIS LEAF (UNII: 50D2ZE9219) (MELISSA OFFICINALIS LEAF - UNII:50D2ZE9219)	MELISSA OFFICINALIS LEAF	3 [hp_X] in 0.5 mL
THUJA OCCIDENTALIS LEAF (UNII: 0T0DQN8786) (THUJA OCCIDENTALIS LEAF - UNII:0T0DQN8786)	THUJA OCCIDENTALIS LEAF	3 [hp_X] in 0.5 mL
GERANIUM MACULATUM ROOT (UNII: 93IXI5B6OJ) (GERANIUM MACULATUM ROOT - UNII:93IXI5B6OJ)	GERANIUM MACULATUM ROOT	3 [hp_X] in 0.5 mL
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD)	CALENDULA OFFICINALIS FLOWER	3 [hp_X] in 0.5 mL

Inactive Ingredients

Ingredient Name	Strength
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83243-001-01	3 in 1 PACKAGE	02/13/2023	
1		0.5 mL in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/13/2023	

Labeler - Outbreaks, Inc. (118810120)

Revised: 2/2023

Outbreaks, Inc.