

**AZZURX- melissa officinalis leaf, thuja occidentalis leaf, geranium maculatum, calendula officinalis liquid**  
**Outbreaks, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Drug Facts**

**Active ingredients**

**Purpose**

|                          |                          |
|--------------------------|--------------------------|
| Lemon Balm 3X HPUS       | Antiviral                |
| White Cedar 3X HPUS      | Anti-itch, Pain Reliever |
| Spotted Geranium 3X HPUS | Antiseptic               |
| Pot Marigold 3X HPUS     | Healing                  |

**Uses**

For treatment of cold sores and fever blisters.

**Warnings**

**For external use only.**  
**Flammable, keep away from fire or flame.**

**Do not use**

- if you are allergic to any ingredient in this product
- over large areas of the body

**When using this product**

- apply only to affected area
- do not use in or near eyes
- avoid applying directly inside the mouth
- you may feel a brief burning sensation when you apply it. It should go away in a short time.
- do not share or reuse an applicator, as spreading or reinfection may occur.
- do not remove cardboard sleeve after crushing, as cuts from glass may occur.

**Stop use and ask a doctor if** – the cold sore worsens or the cold sore lasts for more than 7 days,

or condition clears up and occurs again within a few days

**Ask a doctor if** – you are pregnant or nursing

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center.

## ***Directions***

### **Application instructions**

- Remove and reverse cardboard sleeve on applicator to expose swab.
- Crush applicator to activate by squeezing on the “X” (in AZZURX) between thumb and forefinger until you hear a snap.
- Rotate applicator with swab pointing downward and squeeze gently until the swab is saturated.
- Discard after use.

### **At the first sign of cold sore/fever blister (tingle):**

- Clean the area of the tingle before applying.
- Apply directly to face or lips at the site of the tingle.
- Repeat every 12 hours until all applicators are used.

### **After cold sore/fever blister erupts (skin broken):**

- Clean the area of the outbreak before applying.
- Apply directly to the affected area of the face or lips.
- Repeat every 24 hours as needed

### **Children under 12: Ask a doctor**

## ***Other information***

Store in a cool dry place away from sunlight.

## ***Inactive ingredients***

Fractionated coconut oil, essential oil blend of chamomile, lavender, eucalyptus, and peppermint

## ***Questions or Comments?***

Call 833-373-4020 or visit [azzurx.com](http://azzurx.com)

## **Product label**

QUICK-DOSE



# AZZURX™

Cold Sore/Fever Blister Treatment



**STOPS** outbreaks before they erupt\*

**SHORTENS** active outbreaks\*

**SOOTHES** & promotes healing

3 Single Use Applicators  
Net wt. .05 fl oz. (1.5mL) Total



# AZZURX™

## Drug Facts

| Active ingredients            | Purpose                  |
|-------------------------------|--------------------------|
| Lemon Balm 3X HPUS.....       | Antiviral                |
| White Cedar 3X HPUS.....      | Anti-itch, Pain Reliever |
| Spotted Geranium 3X HPUS..... | Antiseptic               |
| Pot Marigold 3X HPUS.....     | Healing                  |

**Uses** For treatment of cold sores and fever blisters.

### Warnings

**For external use only.**  
**Flammable, keep away from fire or flame.**

#### Do not use

- if you are allergic to any ingredient in this product
- over large areas of the body

#### When using this product

- apply only to affected area
- do not use in or near eyes
- avoid applying directly inside the mouth
- you may feel a brief burning sensation when you apply it. It should go away in a short time.
- do not share or reuse an applicator, as spreading or reinfection may occur.
- do not remove cardboard sleeve after crushing, as cuts from glass may occur.

**Stop use and ask a doctor if** – the cold sore worsens or the cold sore lasts for more than 7 days, or condition clears up and occurs again within a few days

**Ask a doctor if** – you are pregnant or nursing

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center.

## Drug Facts (cont.)

### Directions

#### Application instructions

- Remove and reverse cardboard sleeve on applicator to expose swab.
- Crush applicator to activate by squeezing on the "X" (in AZZURX) between thumb and forefinger until you hear a snap.
- Rotate applicator with swab pointing downward and squeeze gently until the swab is saturated.
- Discard after use.

#### At the first sign of cold sore/fever blister (tingle):

- Clean the area of the tingle before applying.
- Apply directly to face or lips at the site of the tingle.
- Repeat every 12 hours until all applicators are used.

#### After cold sore/fever blister erupts (skin broken):

- Clean the area of the outbreak before applying.
- Apply directly to the affected area of the face or lips.
- Repeat every 24 hours as needed.

**Children under 12: Ask a doctor**

### Other information

Store in a cool dry place away from sunlight.

### Inactive ingredients

Fractionated coconut oil, essential oil blend of chamomile, lavender, eucalyptus, and peppermint

### Questions or Comments?

Call 833-373-4020 or visit [azzurx.com](http://azzurx.com)

**HOMEOPATHIC MEDICINE** Distributed By: Outbreaks Inc., Cary, NC 27519

\* There is no known cure for the cold sore virus. AZZURX works on your outbreak and its symptoms only. AZZURX, or any other medicine, cannot prevent you from spreading the virus or having outbreaks in the future. Viral infections are contagious. Individual results may vary.

\*\*Satisfaction Guarantee: To find out more, please visit [www.azzurx.com/guarantee](http://www.azzurx.com/guarantee)



## AZZURX

melissa officinalis leaf, thuja occidentalis leaf, geranium maculatum, calendula officinalis liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:83243-001 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|   |                              |                    |
|---|------------------------------|--------------------|
| <b>MELISSA OFFICINALIS LEAF</b> (UNII: 50D2ZE9219) (MELISSA OFFICINALIS LEAF - UNII:50D2ZE9219)         | MELISSA OFFICINALIS LEAF     | 3 [hp_X] in 0.5 mL |
| <b>THUJA OCCIDENTALIS LEAF</b> (UNII: 0T0DQN8786) (THUJA OCCIDENTALIS LEAF - UNII:0T0DQN8786)           | THUJA OCCIDENTALIS LEAF      | 3 [hp_X] in 0.5 mL |
| <b>GERANIUM MACULATUM ROOT</b> (UNII: 93IXI5B6OJ) (GERANIUM MACULATUM ROOT - UNII:93IXI5B6OJ)           | GERANIUM MACULATUM ROOT      | 3 [hp_X] in 0.5 mL |
| <b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD) | CALENDULA OFFICINALIS FLOWER | 3 [hp_X] in 0.5 mL |

### Inactive Ingredients

| Ingredient Name                                      | Strength |
|--|----------|
| <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U) |          |
| <b>CHAMOMILE FLOWER OIL</b> (UNII: 60F80Z61A9)       |          |
| <b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)               |          |
| <b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)             |          |
| <b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)             |          |

### Packaging

| # | Item Code        | Package Description                                       | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:83243-001-01 | 3 in 1 PACKAGE  | 02/13/2023           |                    |
| 1 |                  | 0.5 mL in 1 APPLICATOR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 02/13/2023           |                    |

**Labeler** - Outbreaks, Inc. (118810120)

Revised: 1/2025

Outbreaks, Inc.