

**SOLRX SPORT SPF 50 C-SPRAY- avobenzone, homosalate, octisalate, octocrylene aerosol, spray
Cross Brands Contract Filling**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SolRX Sport SPF 50 C-Spray



**SPORT
SUNSCREEN
DRY-SPRAY
REEF FRIENDLY**

SPF 50

**OXYBENZONE FREE
OCTINOXATE FREE
BROAD SPECTRUM SPF 50
ANTI-AGING
UVA/UVB PROTECTION
WATER RESISTANT
(80 MINUTES)**

NET WT. 6 OZ | 170 G

TURN TO LOCK/UNLOCK



OXYBENZONE & OCTINOXATE FREE SPORT SPF 50
REEF FRIENDLY SUNSCREEN

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 5.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

• **For external use only** • **Do not use** on damaged or broken skin • **When using this product** ■ keep away from face to avoid breathing it ■ keep out of eyes. Rinse with water to remove • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. • **Caution: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

• spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches from the skin to apply. Rub in. • do not spray directly into face. Spray on hands and then apply to face. Rub in. • do not apply in windy conditions • use in a well-ventilated area • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information

• protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only.

Inactive ingredients

acrylates/octylacrylamide copolymer, alcohol denatured, aloe barbadensis leaf juice, butylene glycol, neopentyl glycol diheptanoate, simmondsia chinensis (jojoba) extract

Questions or comments?

Call 800.728.7873 or visit www.solrx.com



Distributed by:
SolRx Global, Inc.
Atlanta, GA
www.solrx.com



TC/DOT-2P M5703

SOLRX SPORT SPF 50 C-SPRAY

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:73440-6050 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 5.1 g in 170 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 8.5 g in 170 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 25.5 g in 170 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 13.6 g in 170 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|------------------|
| ALCOHOL (UNII: 3K9958V90M) | 104.6 g in 170 g |

Product Characteristics

| | | | |
|-----------------|-------------------|---------------------|--|
| Color | white (off white) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:73440-6050-1 | 170 g in 1 CAN; Type 0: Not a Combination Product | 01/04/2017 | |

TURN TO LOCK/UNLOCK



OXYBENZONE & OCTINOXATE FREE SPORT SPF 50
REEF FRIENDLY SUNSCREEN



**SPORT
SUNSCREEN
DRY-SPRAY
REEF FRIENDLY**

SPF **50**

OXYBENZONE FREE

OCTINOXATE FREE

BROAD SPECTRUM SPF 50

ANTI-AGING

UVA/UVB PROTECTION

**WATER RESISTANT
(80 MINUTES)**

NET WT. 6 OZ | 170 G

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 5.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

• **For external use only** • **Do not use** on damaged or broken skin • **When using this product** ■ keep away from face to avoid breathing it ■ keep out of eyes. Rinse with water to remove • **Stop use and ask a doctor if rash occurs** • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. • **Caution: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120 F (48 C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches from the skin to apply. Rub in. • do not spray directly into face. Spray on hands and then apply to face. Rub in. • do not apply in windy conditions • use in a well-ventilated area • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only.

Inactive ingredients

acrylates/octylacrylamide copolymer, alcohol denatured, aloe barbadensis leaf juice, butylene glycol, neopentyl glycol diheptanoate, simmondsia chinensis (jojoba) extract

Questions or comments?

Call **800.728.7873** or visit **www.solrx.com**



Distributed by:
SolRx Global, Inc.
Atlanta, GA
www.solrx.com



TC/001-2P/M5703

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352 | 01/04/2017 | |

Labeler - Cross Brands Contract Filling (117871824)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------|----------------|---------------|--|
| Cross Brands Contract Filling | | 117871824 | label(73440-6050) , manufacture(73440-6050) , pack(73440-6050) |

Revised: 2/2021

Cross Brands Contract Filling