SHOPRITE ANTACID- aluminum hydroxide, magnesium hydroxide, simethicone suspension Wakefern Food Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ShopRite ANTACID Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg Magnesium hydroxide 400 mg Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- measure with dosing cup provided
- adults and children 12 years and over: 10 mL 20 mL between meals, at bedtime or as directed by a doctor
- do not take more than 120 mL in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor
- mL = milliliter

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F), do not freeze

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-SHOPRITE

Principal Display Panel

REGULAR STRENGTH ANTACID ANTACID/ANTI-GAS Works on Contact Tough on Heartburn ALCOHOL 0.2% Classic Flavor 12 FL OZ (355 mL)



SHOPRITE ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Informat	ion							
Product Type		HUMAN OTC DRUG	Item C	ode (Source)		NDC:41190-357		
Route of Administra	tion	ORAL						
Active Ingredient	/Active Moi	ety						
Ingradiant Nama						sis of ength	Strengt	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0) ALUMI HYDRO							400 mg in 10 mL	
MAGNESIUM HYDRO XIDE (UNII: NBZ3Q Y004S) (MAGNESIUM CATION - UNII: T6 V3LHY838, HYDRO XIDE ION - UNII: 9159 UV381P) MAGNESIUM CATION - UNII: T6 V3LHY838,							400 mg in 10 mL	
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) DIMETH					ICONE	40 mg in 10 mL		
Inactive Ingredie	nts							
Ingredient Name							Strength	
BUTYLPARABEN (UNII: 3QPI1U3FV8)								
HYPROMELLOSES (U	NII: 3NXW29V3	WO)						
CELLULOSE, MICRO	CRYSTALLINE	(UNII: OP1R32D61U)						
CARBOXYMETHYLC	ELLULOSE SO	DIUM (UNII: K679OBS311)						
PEPPERMINT OIL (UN								
PROPYLPARABEN (U		H)						
WATER (UNII: 059QF0								
SORBITOL (UNII: 506	T60A25R)							
Product Characte	ristics							
WHITE (opaque)			S	Score				
Shape				Size				
Flavor	MINT, L	EMON	Ŀ	mprint Code				
Contains								
De alta alta a								
Packaging								
# Item Code		Package Description		Marketing Sta	rt Date	Marketi	ng End Da	
	355 mL in 1 BOT	TLE; Type 0: Not a Combinatio	on Product	08/28/2013				
1 NDC:41190-357-40								
	ormation							
1 NDC:41190-357-40		on Number or Monograph (Citation	Marketing Star	t Date	Marketi	ng End Date	

Labeler - Wakefern Food Corporation (069722418)

Revised: 12/2018

Wakefern Food Corporation