

**OPTASE- glycerin solution/ drops**  
**Scope Health Inc**

-----  
**Optase Dry Eye Intense Drops**

Inactive ingredients

Hydrochloric acid, Sodium hyaluronate, Sorbitol, Tromethamine, Water.

Warnings

- For external use only.
- Once opened, use within 3 months and within the stated expiry date.
- Discard any unused product after 3 months.
- To avoid contamination do not touch, wipe or clean the tip of the nozzle. Replace cap tightly after using.

Do not use

- If this product changes color or becomes cloudy.
- If the bottle or the tamper evident seal is damaged.
- If you puncture, pierce or otherwise tamper with the applicator tip or bottle.
- If you are sensitive to any ingredient in this product.

When using this product

- To avoid contamination do not touch, wipe or clean the tip of the nozzle.
- Do not squeeze the bottle when removing and replacing the cap.

Stop use and ask doctor if

- You feel eye pain, changes in vision occur, continued redness or irritation of the eye occurs.
- Conditions worsen or persist for more than 72 hours.

Keep out of reach and sight of children.

If swallowed get medical help or contact a Poison Control Center right away.

Uses

- To relieve dryness of the eye.
- For use as a lubricant or protectant to prevent further irritation.

Directions

- Shake well before use.
- Before first use, remove the cap, hold the bottle upside down and discard one drop of product.
- To deliver the drop, gently squeeze and release the bottle once.
- Put one or two drops in the affected eye(s) as needed.
- After use, flick/shake the bottle (vigorously) downwards, ensuring no residual drop is left. Multiple flicks/shakes may be required before

replacing the cap. See diagram 1 below.

- Do not deliver more than 25 drops per 24h period, and do not deliver more than 25 drops consecutively.
- For additional information, please refer to leaflet.

Glycerin 0.2 %

Eye Lubricant

Keep out of reach and sight of children.

If swallowed get medical help or contact a Poison Control Center right away.

## **Insert/Instructions**

# **Instructions for use**

**Please read this information carefully  
as it will help you to use OPTASE® Dry Eye  
INTENSE Drops properly**

## **OPTASE® DRY EYE INTENSE DROPS**


### **What is OPTASE® Dry Eye INTENSE Drops?**

OPTASE® Dry Eye INTENSE Drops is a sterile, preservative free eye solution for use as an eye lubricant, to be used within 3 months of opening.


OPTASE® Dry Eye INTENSE Drops is for use as a lubricant to relieve symptoms of dry eyes such as irritation and burning sensations. It also may be used as a protectant against further irritation from dry eyes.

OPTASE® Dry Eye INTENSE Drops contains Glycerin. Glycerin is a humectant (moistening effect) that comes from plant sources. Glycerin protects the surface of the eye against cell damage and provides relief for symptoms of dry eye. OPTASE® Dry Eye INTENSE Drops contain no alcohol, no preservatives, and are contact lens compatible.


### **Instructions for use**



Before use please ensure the tamper evident seal is intact.  
Do not squeeze the bottle in an upright position.




Wash hands well with soap and water, and dry before use.



Hold the bottle just below the cap and twist the cap to open.  
Place the cap on a clean surface.  
Hold the bottle upside down and gently squeeze to release the first drop. Discard this first drop.



Tilt your head backwards and hold the bottle above your eye.  
Pull the lower eyelid down and look up.  
Squeeze the bottle gently and let a drop fall into your eye. Blink a few times so that the drop spreads over the eye.




Avoid contact between the tip of the bottle and your eye or eyelids.




After use. flick/shake the bottle





After use, flick/shake the bottle (vigorously) downwards, ensuring no residual drop is left. Multiple flicks/shakes may be required before replacing the cap. Do not touch, wipe or clean the tip of the nozzle.



When replacing the cap, do not squeeze the bottle. To avoid contamination when replacing the cap, do not touch, wipe or clean the tip of the nozzle.

65NOT8480/A

## Insert/Instructions - Page 2

### Precautions and warnings

- For external use only.
- Once opened, **use within 3 months**, and within the stated expiry date on the bottle/carton.
- Discard any unused product after 3 months.
- To avoid contamination, please wash and dry hands before use, do not touch, wipe or clean the top of the nozzle. Avoid contact between the tip of the bottle and your eye or eyelids.
- The OPTASE® Dry Eye Intense Drop bottle is for single person use only, do not share bottles.
- Do not deliver more than 25 drops per 24h period, and do not deliver more than 25 drops consecutively.
- Do not drain the bottle in a single use. Do not refill the bottle.
- After use, flick/shake the bottle (vigorously) downwards, ensuring no residual drop is left. Multiple flicks/shakes may be required before replacing the cap.
- Always replace the cap tightly with a clean, dry hand, and without squeezing the bottle.





## HYDRATE

**SCOPE**

### Manufactured for:

**Scope Health Inc.**

79 Madison Ave. 8th Floor, New York,  
NY 10016, USA

For any questions, complaints or adverse event reporting,  
please contact our Customer Care team at:

**Ph:** +1 917 7954227

**Email:** [hello@optase.com](mailto:hello@optase.com)


**[www.optase.com](http://www.optase.com)**

The OPTASE® brand and Scope logo are trademarks of  
Scope Ophthalmics Ltd.


Product of France

OPI.PLU.4

**Optase Intense MDU**



**Immediate label**



## OPTASE

glycerin solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72972-002
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

**HYDROCHLORIC ACID** (UNII: QTT17582CB)

**WATER** (UNII: 059QF0KO0R)

**TROMETHAMINE** (UNII: 023C2WHX2V)

**SORBITOL** (UNII: 506T60A25R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72972-002-01	1 in 1 BOX	02/14/2020	
1		9.75 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	02/14/2020	

**Labeler** - Scope Health Inc (116778693)

**Registrant** - Regulatory Matters Consulting (080711165)

Revised: 1/2026

Scope Health Inc