

ANTICAVITY- sodium fluoride mouthwash
Meijer Distribution, Inc

Meijer 435.000/435AA
Glowing White Anticavity Mouthrinse

Tamper Evident Statement

SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION

Active Ingredient

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warnings

For this product

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older:

- use twice a day after brushing your teeth with a toothpaste
- vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision
- children under 6 years of age: consult a dentist or doctor

Other information

- store at room temperature (59°-77°F)

Inactive ingredients

water, alcohol (8%), hydrogen peroxide, poloxamer 407, sodium saccharin, sucralose, menthol, phosphoric acid, disodium phosphate, flavor

Questions?

1-888-593-0593

Disclaimer

*This product is not manufactured or distributed by Johnson & Johnson Corporation, distributor of Listerine® HealthyWhite® Vibrant Anticavity Fluoride Mouthrinse.

Claims

Contains peroxide which releases oxygen while whitening. This may cause the bottle to inflate slightly or release air when opened.

Adverse Reactions

DISTRIBUTED BY

MEIJER DISTRIBUTION, INC

GRAND RAPIDS, MI 49544

www.meijer.com

OUR QUALITY GUARANTEE

The Meijer Family

WWW.MEIJER.COM/SATISFACTION

DSP-TN-15000

DSP-MO-34

SDS-TN-15012

Principal display panel

NDC 41250-435-45

COMPARE TO LISTERINE® HEALTHYWHITE VIBRANT ANTICAVITY MOUTHRINSE*

meijer®

ANTICAVITY

Mouth Rinse

SODIUM FLUORIDE AND ACIDULATED PHOSPHATE TOPICAL SOLUTION

FRESH MINT

Begins working on contact

5 days to whiter teeth

Helps strengthen teeth

Kills germs that cause bad breath

IMPORTANT: READ DIRECTIONS FOR PROPER USE.

32 FL OZ (946 mL)



SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION

Drug Facts

Active Ingredient	Purpose
Sodium fluoride 0.02% (0.01% w/v fluoride ion).....	Anticavity

Use aids in the prevention of dental cavities

Warning

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older:
- use twice a day after brushing your teeth with a toothpaste
 - vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
 - do not swallow the rinse
 - do not eat or drink for 30 minutes after rinsing
 - instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
 - supervise children as necessary until capable of using without supervision
 - children under 6 years of age: consult a dentist or doctor

Inactive ingredients water, alcohol (8%), hydrogen peroxide, poloxamer 407, sodium saccharin, sucralose, menthol, phosphoric acid, disodium phosphate, flavor

Other information

- store at room temperature (59°-77° F)

Questions? 1-888-593-0593

* This product is not manufactured or distributed by Johnson & Johnson Healthcare Products, distributor of Listerine® HealthyWhite Vibrant Anticavity Mouthrinse.

Contains peroxide which releases oxygen while whitening. This may cause the bottle to inflate slightly or release air when opened.



DISTRIBUTED BY
MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

PID 412946



www.meijer.com/satisfaction

DSP-TN-15000 DSP-MO-34 SDS-TN-15012

L0015084BC

ANTICAVITY

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-435
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
HYDROGEN PEROXIDE (UNII: BBX060AN9V)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
MENTHOL (UNII: L7T10EIP3A)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-435-45	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/09/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	09/09/2015	

Labeler - Meijer Distribution, Inc (006959555)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(41250-435)

Revised: 4/2025

Meijer Distribution, Inc