

LYMPHASTAT V- echinacea (angustifolia), lomatium dissectum, hydrastis canadensis, sambucus nigra, aconitum napellus, anas barbariae, hepatis et cordis extractum, arsenicum album, belladonna, bryonia (alba), eupatorium perfoliatum, gelsemium sempervirens, influenzinum (2021-2022), lachesis mutus, rhus tox, pyrogenium liquid
Energique, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in each drop):

Aconitum Napellus 12X 7.68%, Anas Barbariae 12X 7.68%, Arsenicum Album 12X 7.68%, Belladonna 12X 7.68%, Bryonia (Alba) 12X 7.68%, Eupatorium Perfoliatum 12X 7.68%, Gelsemium Sempervirens 12X 7.68%, Hydrastis Canadensis 6X 7.68%, Influenzinum (2021-2022) 12X 7.68%, Lachesis Mutus 12X 7.68%, Pyrogenium 30X 7.68%, Rhus Tox 12X 7.68%, Sambucus Nigra 6X 7.68%; Echinacea (Angustifolia) 3X 0.10%, Lomatium Dissectum 3X 0.10%.

PURPOSE:

Aconitum Napellus – Chills,** Anas Barbariae, Hepatis Et Cordis Extractum - minor colds, ** Arsenicum Album - restlessness, ** Belladonna – swelling, ** Bryonia (Alba) - cough, ** Eupatorium Perfoliatum - aches, ** Gelsemium Sempervirens - headache, ** Hydrastis Canadensis – mucous discharge, ** Influenzinum (2021-2022) - fatigue, ** Lachesis Mutus – sore throat, ** Pyrogenium – fever, ** Rhus Tox - soreness, ** Sambucus Nigra – runny nose, ** Echinacea (Angustifolia) - dullness, ** Lomatium Dissectum – rash. **

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult physician promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by physician.

Stop use and ask a doctor if symptoms persist for more than 2 days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. Consult a physician for use in children under 12 years of age.

INDICATIONS:

May temporarily relieve fever, runny nose, achiness, or rash.**

**Claims based on traditional homeopathic practice. Not FDA evaluated.

INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

QUESTIONS:

Dist. by Energique, Inc.

201 Apple Blvd.

Woodbine, IA 51579 **800-869-8078**

PACKAGE LABEL DISPLAY:

ENERGIQUE

SINCE 1987

HOMEOPATHIC REMEDY

LYMPHASTAT V

1 fl. oz. (30 ml)



HOMEOPATHIC REMEDY

LYMPHASTAT

V™

1 fl. oz. (30 ml) 20% Ethanol

DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each drop)	Purposes
Aconitum Nap 12X 7.68%	chills**
Anas Barbariae 12X 7.68%	minor colds**
Arsenicum Alb 12X 7.68%	restlessness**
Belladonna 12X 7.68%	swelling**
Bryonia 12X 7.68%	cough**
Eupatorium Perf 12X 7.68%	aches**
Gelsemium 12X 7.68%	headache**
Hydrastis 6X 7.68%	mucous discharge**
Influenzinum 12X 7.68%	fatigue**

Drug Facts (continued under label)



Dist. by Enbridge, Inc.
201 Apple Blvd.
Woodbine, IA 51579
800-869-8078

Unlaminated Area

PEEL HERE

Drug Facts (continued) Lachesis 12X 7.68%..... sore throat** Pyrogenium 30X 7.68%..... fever** Rhus Tox 12X 7.68%..... soreness** Sambucus Nig 6X 7.68%..... runny nose** Echinacea 3X 0.10%..... dullness** Lomatium Dissectum 3X 0.10%..... rash** Uses May temporarily relieve fever, runny nose, achiness, or rash.** Warnings Sore throat warning: Severe or persistent ▶	Drug Facts (continued) sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult physician promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by physician. Stop use and ask a doctor if symptoms persist for more than 2 days. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case ▶	TIEDOWN AREA NO TEXT HERE
--	---	--

Drug Facts (continued) of overdose, get medical help or contact a Poison Control Center right away. Directions - Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. - Consult a physician for use in children under 12 years of age. Other information Store in a cool, dry place. ▶	Drug Facts (continued) Inactive ingredients Demineralized water, 20% Ethanol. Questions? 1-800-869-8078 **Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.	TIEDOWN AREA NO TEXT HERE
--	--	--

LYMPHASTAT V

echinacea (angustifolia), lomatium dissectum, hydrastis canadensis, sambucus nigra, aconitum napellus, anas barbariae, hepatis et cordis extractum, arsenicum album, belladonna, bryonia (alba), eupatorium perfoliatum, gelsemium sempervirens, influenzzinum (2021-2022), lachesis mutus, rhus tox, pyrogenium liquid

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:44911-0657
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ECHINACEA ANGUSTIFOLIA WHOLE (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)			ECHINACEA ANGUSTIFOLIA WHOLE	3 [hp_X] in 1 mL
LOMATIUM DISSECTUM ROOT (UNII: 5329928G5N) (LOMATIUM DISSECTUM ROOT - UNII:5329928G5N)			LOMATIUM DISSECTUM ROOT	3 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)			GOLDENSEAL	6 [hp_X] in 1 mL
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)			SAMBUCUS NIGRA FLOWERING TOP	6 [hp_X] in 1 mL
ACONITUM NAPELLUS WHOLE (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)			ACONITUM NAPELLUS WHOLE	12 [hp_X] in 1 mL
CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE (UNII: RN2HC612GY) (CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE - UNII:RN2HC612GY)			CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE	12 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)			ARSENIC TRIOXIDE	12 [hp_X] in 1 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)			ATROPA BELLADONNA	12 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)			BRYONIA ALBA ROOT	12 [hp_X] in 1 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)			EUPATORIUM PERFOLIATUM FLOWERING TOP	12 [hp_X] in 1 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)			GELSEMIUM SEMPERVIRENS ROOT	12 [hp_X] in 1 mL
INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: WD5E5VYM2E) (INFLUENZA A VIRUS A/VICTORIA/361/2011 IVR-165 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:W762BRG698)			INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: V529EJB2CX) (INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CYN792B8TR)			INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
INFLUENZA B VIRUS B/WASHINGTON/02/2019 ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: VEH9U90EHX) (INFLUENZA B VIRUS B/WASHINGTON/02/2019 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:1G2CU2LIB5)			INFLUENZA B VIRUS B/WASHINGTON/02/2019 ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: B93BQX9789) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)			INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)			LACHESIS MUTA VENOM	12 [hp_X] in 1 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)			TOXICODENDRON PUBESCENS LEAF	12 [hp_X] in 1 mL
RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)			RANCID BEEF	30 [hp_X] in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
WATER (UNII: 059QF0KO0R)				

ALCOHOL (UNII: 3K9958V90M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0657-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	07/20/2022	09/08/2027
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			07/20/2022	09/08/2027

Labeler - Energique, Inc. (789886132)

Registrant - Apotheca Company (844330915)

Establishment			
Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0657) , api manufacture(44911-0657) , label(44911-0657) , pack(44911-0657)

Revised: 3/2025

Energique, Inc.