

PAIN RELIEVER- aspirin tablet, coated
Spirit Pharmaceuticals LLC

Pain Reliever

Drug Facts

Active Ingredient (in each tablet)

Aspirin 81 mg (NSAID)**

****nonsteroidal anti-inflammatory drug**

Purpose

Pain reliever

Uses

• for the temporary relief of minor aches and pains or as recommended by your doctor. Because of its delayed action, this product will not provide fast relief of headaches, fever or other symptoms needing immediate relief. • ask your doctor about other uses for Aspirin 81 mg

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include: • hives • facial swelling • asthma (wheezing) • shock

Stomach bleeding warning: This product contains an NSAID, which may cause stomach bleeding. The chance is higher if you: • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or non-prescription NSAIDs [aspirin, ibuprofen, naproxen, or others] • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed

Do not use:

• if you are allergic to aspirin or any other pain reliever/fever reducer • if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you

• stomach bleeding warning applies to you • you have a history of stomach problems, such as heartburn • you have high blood pressure, heart disease, liver cirrhosis, or kidney disease • you are taking a diuretic • you have asthma

Ask a doctor or pharmacist before use if you are

taking a prescription drug for: • gout • diabetes • arthritis

Stop use and ask a doctor if

• an allergic reaction occurs. Seek medical help right away. • you experience any of the following signs of stomach bleeding: • feel faint • vomit blood • have bloody or black stools • fever gets worse or lasts more than 3 days • have stomach pain that does not get better • pain gets worse or lasts more than 10 days • redness or swelling is present • new symptoms occur • ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding,

ask a health professional before use. It is **especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

drink a full glass of water with each dose

adults & children 12 years & over	take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
children under 12 years	consult a doctor

Other information

• store at room temperature • avoid excessive heat above 40°C (104°F)

Inactive ingredients

Acrycoat, colloidal silicon dioxide, croscarmellose sodium, D&C Yellow No. 10, lactose,

microcrystalline cellulose, polysorbate 80, sodium hydroxide, talc, titanium dioxide, triethyl citrate, yellow oxide of iron

Questions or comments?

1-888-333-9792

Distributed by:

Cabinet Health P.B.C.

Pouch

PACKAGE NOT CHILD-RESISTANT



CABINET:

Pain Reliever

Compare to the active ingredient in:
Bayer® Low Dose Aspirin Regimen*

Active ingredient:
ASPIRIN 81 MG (NSAID)**
**NONSTEROIDAL ANTI-INFLAMMATORY DRUG

Relieves Minor Aches and Pains
Safety Coated
Delayed Release
Low Dose Aspirin Regimen

COMPOSTABLE REFILL POUCH

Includes:

120 x  Coated Tablets

1 x Magnetic Label

1 x Drug Facts Booklet

Certified



CABINET: The Sustainable Healthcare Co.™

PAIN RELIEVER

aspirin tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68210-4177
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	81
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68210-4177-1	120 in 1 POUCH; Type 0: Not a Combination Product	11/22/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/22/2021	

Labeler - Spirit Pharmaceuticals LLC (179621011)

