

OXYGEN- oxygen gas
Oz Arc/gas Equipment & Supply, Inc.

oxygen

OXYGEN, COMPRESSED USP

UN1072

C.A.S. NO. 7782-44-7

OZARC GAS

1021 Southern Expressway

Cape Girardeau, MO 63703

(573) 334-2848

NO SMOKING

NO VAPING

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size Contents Size Contents

M6 170 Liters E 682 Liters

C 248 Liters H 6910 Liters

D 415 Liters Other Liters

**OXYGEN,
COMPRESSED
USP
UN1072**

C.A.S. NO. 7782-44-7




OZARCGAS

1021 Southern Expressway
Cape Girardeau, MO 63703
(573) 334-2848

⚠ DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

⚠ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx required.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	_____ Liters

OXYGEN

oxygen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:10073-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10073-011-01	420 L in 1 CYLINDER		
2	NDC:10073-011-02	690 L in 1 CYLINDER		
3	NDC:10073-011-03	3160 L in 1 CYLINDER		
4	NDC:10073-011-04	3470 L in 1 CYLINDER		
5	NDC:10073-011-05	7060 L in 1 CYLINDER		
6	NDC:10073-011-06	8510 L in 1 CYLINDER		
7	NDC:10073-011-07	113 L in 1 CYLINDER		

8	NDC:10073-011-08	164 L in 1 CYLINDER		
9	NDC:10073-011-09	139 L in 1 CYLINDER		
10	NDC:10073-011-10	1723 L in 1 CYLINDER		
11	NDC:10073-011-12	180 L in 1 DEWAR		
12	NDC:10073-011-13	200 L in 1 DEWAR		
13	NDC:10073-011-15	46 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141365	01/01/1964	

Labeler - Oz Arc/gas Equipment & Supply, Inc. (167023597)

Establishment

Name	Address	ID/FEI	Business Operations
Oz Arc/gas Equipment & Supply, Inc.		167023597	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oz Arc/gas Equipment & Supply, Inc.		029714920	manufacture

Revised: 11/2025

Oz Arc/gas Equipment & Supply, Inc.