

ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment
Kareway Product, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Soundbody Antibiotic Plus

Active Ingredients (in each gram)

- Bacitracin Zinc 500units
- Neomycin 3.5mg
- Polymyxin B Sulfate 10,000 units
- Pramoxine HCl 10mg

Purpose

Active ingredients

(each gram contains)

- Bacitracin zinc 500 units
- Neomycin sulfate 3.5 mg
- Polymyxin B sulfate 10,000 units
- Pramoxine HCl 10 mg

Purpose

- First aid antibiotic
 - First aid antibiotic
 - First aid antibiotic
 - External analgesic
-

Uses

First aid to help prevent infection and provide temporary relief of pain or discomfort in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- condition persists for more than 1 week, or clear up and occur again within a few days
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 2 years of age and older:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

children under 2 years of age: consult a physician

Other information

store at 20°-25°C (68°-77°F)

Inactive ingredients

petrolatum

PRINCIPAL DISPLAY PANEL

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl

First Aid Antibiotic Ointment

Maximum Strength

NET WT 1 oz (28.3 g)



Compare to
NEOSPORIN® + Pain Relief
Ointment active ingredients*

MAXIMUM STRENGTH Antibiotic + Pain Relief

Soothes painful cuts, scrapes and burns
while preventing infection

MAXIMUM STRENGTH Antibiotic + Pain Relief

Bacitracin Zinc-Neomycin Sulfate-Polymyxin B Sulfate-Pramoxine HCl
FIRST AID ANTIBIOTIC / Pain Relieving Ointment

MAXIMUM STRENGTH Antibiotic + Pain Relief

Bacitracin Zinc-Neomycin Sulfate-Polymyxin B Sulfate-Pramoxine HCl
FIRST AID ANTIBIOTIC / Pain Relieving Ointment

NET WT 1 OZ (28.3 G)

MAXIMUM STRENGTH
ANTIBIOTIC
+ PAIN RELIEF
PAIN RELIEVING OINTMENT

LOT & EXP.



<p>Drug Facts (continued)</p> <p>■ rash or other allergic reaction develops</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Drug Facts</p> <p>Active ingredients Bacitracin Zinc 500 units.....First aid antibiotic Polymyxin B Sulfate 10,000 units.....First aid antibiotic Neomycin Sulfate 3.5 mg.....First aid antibiotic Pramoxine HCl 10 mg.....External analgesic</p> <p>Purposes First aid to help prevent infection and for the temporary relief of pain in minor: ■ cuts ■ scrapes ■ burns</p>
<p>Directions adults and children 2 years of age and older: ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage</p> <p>children under 2 years of age: ask a doctor</p>	<p>Warnings For external use only</p> <p>Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body</p> <p>Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns</p> <p>Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition persists or gets worse ■ symptoms persist for more than 1 week, or clear up and occur again within a few days</p>
<p>Other information store at 20° to 25°C (68° to 77°F)</p> <p>Inactive ingredient petrolatum</p>	<p>Uses First aid to help prevent infection and for the temporary relief of pain in minor: ■ cuts ■ scrapes ■ burns</p>
<p><small>*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark NEOSPORIN® + Pain Relief Ointment. Manufactured for Big Lots Stores, Inc. By Kareway Product Inc. 2550 S. Dominguez Hills Dr. Compton, CA 90220 USA V#100684 MADE IN CHINA ITEM#0682</small></p>	

ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0682
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0682-1	1 in 1 CARTON	02/17/2020	
1		28.3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/17/2020	

Labeler - Kareway Product, Inc. (121840057)

Revised: 2/2023

Kareway Product, Inc.