# LIDOCAINE CREME- lidocaine hcl and menthol cream Kareway Product, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **SOUNDYBODY Lidocaine Creme**

**SOUNDBODY** 

**LIDOCAINE** 

PAIN RELIEVING CREAM

**Drug Facts** 

#### **Active Ingredients**

Lidocaine HCI 4%

#### **Purposes**

Topical anesthetic

#### Uses

Temporarily relieves minor pain

#### Warnings

#### For external use only

#### Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

## When using this product

- Use only as directed. Read and follow all directions and warnings on this label
- rare cases of serious burns have been reported with products of this type
- do not bandage tightly or apply local heat (such as heating pads) to the area of use or use with a medicated patch
- avoid contact with eyes and mucous membranes
- a transient burning sensation may occur upon application but generally disappears in several days

## Stop use and ask a doctor if

condition worsens

- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

#### adults and children over 12 years:

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- AFTER APPLYING, WASH HANDS WITH SOAP AND WATER

#### children 12 years or younger: ask a doctor

### Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, aminomethyl propanol, cetearyl alcohol(and)dicetyl phosphate(and)ceteth-10 phosphate, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, phenoxyethanol, SD alcohol 40 (15%), steareth-21, water

#### PRINCIPAL DISPLAY PANEL

**SOUNDBODY** 

Lidocaine

Plus Menthol

Pain Relieving Cream





## **Maximum Strength Lidocaine**

#### **NUMBS AWAY PAIN**

Penetrates to Desensitize Aggravated Nerves ■ No Irritation ■ No Burning ■ Non-Greasy



Back, Neck & Shoulder





Hand & Wrist



Foot, Ankle & Leg



Compare to Aspercreme® Lidocaine Pain Relieving Cream active ingredient\*

docaine ODOR FREE

**ODOR FREE** MAXIMUM STRENGTH

pain relieving creme

NET WT 1.75 OZ (49.6 g)



LOT & EXP.

Manufactured for Big Lots Stores, Inc. By: Kareway Product Inc. 2550 S. Domingues Hills Dr. Compton, CA 90220 USA V#5004534 MADE IN CHINA ITEM#2479



Child-resistant packing. Keep carton as it contains important information.

"This product is not manufactured or distributed by Chattem, Inc. owner of the registered trademark Aspercreme®.

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, aminomethyl propanol, cetearyl alcohol(and)dicetyl phosphate(and)ceteth-10 phosphate, cyclopentasiloxane, dimethicone, dimethicone, crosspolymer, disodium EDTA, ethylhexylglycerin, glyceryl stearate, methyparaben, SD alcohol 40 (15%), steareth-21, water

children 12 years and younger: ask a doctor

acults and children over 12 years: a spply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period

Directions

Keep out of reach of children and pets. If swallowed, get medical help or contact a Polson Control Center right away. If pregnant or breast-feeding, ask a health professional before use.

■ coudițiou worsenz = s\u00e4mbfours bersist tor more than 7 days or clear up and occur again within a few days

When using this product
■ use only as directed. Read and follow all directions and warmings on this carton. ■ do not allow contact with the eyes
■ do not bandage or apply local heat (such as heating pads) to the area of use

■ for more than one week without consulting a doctor on large areas of the body or on cut, irritated or swollen skin

For external use only **SprimaW** 

Use temporarily relieves minor pain

Active ingredient Lidocaine HCl 4%.....

Drug Facts

Purpose Topical anesthetic

## LIDOCAINE CREME

lidocaine hcl and menthol cream

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:67510-0680

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

I	Ingredient Name	Basis of Strength	Strength
I	LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g in 1 g

## **Inactive Ingredients**

mactive myredients		
Ingredient Name	Strength	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)		
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)		
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)		
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
ISOHEXADECANE (UNII: 918X1OUF1E)		
POLYSORBATE 60 (UNII: CAL22UVI4M)		
ALCOHOL (UNII: 3K9958V90M)		
STEARETH-21 (UNII: 53J3F32P58)		
WATER (UNII: 059QF0KO0R)		

## **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510- 0680-1	1 in 1 CARTON	02/17/2020	
1		49.6 g in 1 TUBE; Type 0: Not a Combination Product		

## **Marketing Information**

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC monograph not final	part348	02/17/2020	

## Labeler - Kareway Product, Inc. (121840057)

Revised: 1/2023 Kareway Product, Inc.