

**BRUSH AND GO ALL SKIN TYPES- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder**

**BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 1- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder**

**BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 2- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder**

**Noon Aesthetics M.R. Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Brush and Go™**  
**All Skin types**

### **Drug Facts**

#### **Active Ingredients**

Titanium Dioxide 25%

Ethylhexyl Methoxycinnamate 4.7%

Octocrylene 4.5%

Ethylhexyl Salicylate 2.7%

Butyl Methoxydibenzoylmethane 1.5%

Benzophenone 1.5%

#### **Purpose**

Sunscreen

#### **Use**

help prevent sunburn

#### **Warnings**

**For external use only**

**Do not use** on damage or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a poison control center right away.

## **Directions**

Apply generously 15 minutes before sun exposure.

Children under 6 months of age: Ask a doctor for sunscreen use

## **Inactive Ingredients**

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus ( Dead sea mineral Mud), CI 77492,Hydrogenated Lecithin, CI 77491, CI 77499.

## **Other information**

Protect this product from excessive heat and direct sun.

## **Questions or comments?**

Visit [www.nooaesthetics.com](http://www.nooaesthetics.com) or call toll free1-833-666-6246

## **PRINCIPAL DISPLAY PANEL - 5 g Bottle Label**

Brush&Go™

All skin Types

Drug Facts:

Purpose: Sunscreen

Active Ingredients:

- Titanium Dioxide 25%
- Ethylhexyl Methoxycinnamate 4.7%
- Octocrylene 4.5%
- Ethylhexyl Salicylate 2.7%
- Butyl Methoxydibenzoylmethane 1.5%
- Benzophenone 1.5%

Use: Help prevent sunburn

# Brush&Go™

All skin Types

Drug Facts:

Purpose: Sunscreen

Active Ingredients:

- Titanium Dioxide 25%
- Ethylhexyl Methoxycinnamate 4.7%
- Octocrylene 4.5%
- Ethylhexyl Salicylate 2.7%
- Butyl Methoxydibenzoylmethane 1.5%
- Benzophenone 1.5%

---

Use: Help prevent sunburn

---

## Warnings:

- **For external use only**
- **Do not use** on damage or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove

## Inactive Ingredients:

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice BHT, Silica, Maris Limus (Dead Sea Mineral Mud), CI 77492, Hydrogenated Lecithin, CI 77491, CI 77499

---

- Stop use and ask a doctor if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a poison control center right away.

---

**Directions:**

Apply generously 15 minutes before sun exposure.

Children under 6 months of age:  
Ask a doctor for sunscreen use

**Other information:**

Protect this product from excessive heat and direct sun.

---

Questions or comments?

Visit **[www.noonaesthetics.com](http://www.noonaesthetics.com)**

or call Toll Free:

**1-833-666-6246**

**PRINCIPAL DISPLAY PANEL - 5 gr Bottle Carton - Tone no. 01**

noon™ AESTHETICS

Brush  
& Go™

SPF 50

For All Skin Types  
Matte Finish

Tone  
no. 01

2 x 5 gr / 0.17 Oz e



NOON<sup>™</sup> AESTHETICS

# Brush & Go<sup>™</sup>

SPF 50

For All Skin Types  
Matte Finish

2 x 5 gr / 0.17 Oz e

Tone  
no. 01

## Drug Facts

### Active Ingredients

Titanium Dioxide 25% .....	Sunscreen
Ethylhexyl Methoxycinnamate 4.7% .....	Sunscreen
Octocrylene 4.5% .....	Sunscreen
Ethylhexyl Salicylate 2.7%.....	Sunscreen
Butyl Methoxydibenzoylmethane 1.5% .....	Sunscreen
Benzophenone 1.5% .....	Sunscreen

### Purpose

Tone  
no. 01

### Uses

Helps prevent  
sunburn.

PEEL HERE FOR CONTINUED DRUG FACTS ►

## Drug Facts (continued)

### Warnings

#### For external use only.

#### Do not use

- On damaged or broken skin.

#### When using this product

- Keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor if

- Rash or irritation develops and lasts.

#### Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

## Drug Facts (continued)

**Directions** • Apply liberally 15 minutes before sun exposure and as needed. • Use a water-resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. •

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

## ***Drug Facts (continued)***

### ***Inactive Ingredients***

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus (Dead Sea Mineral Mud), CI 77492, Hydrogenated Lecithin, CI 77491, CI 77499.

## ***Drug Facts (continued)***

***Comments and Questions*** Call +1-833-666-6246



**3 X 5 ml / 0.17 fl Oz e**

### **PRINCIPAL DISPLAY PANEL - 5 gr Bottle Carton - Tone no. 02**

noon™ AESTHETICS

Brush  
& Go™

SPF 50

For All Skin Types  
Matte Finish

Tone  
no. 02

2 x 5 gr / 0.17 Oz e



NOON<sup>™</sup> AESTHETICS

# Brush & Go<sup>™</sup>

SPF 50

For All Skin Types  
Matte Finish

2 x 5 gr / 0.17 Oz e

Tone  
no. 02



## Drug Facts

### Active Ingredients

Titanium Dioxide 25% .....	Sunscreen
Ethylhexyl Methoxycinnamate 4.7% .....	Sunscreen
Octocrylene 4.5% .....	Sunscreen
Ethylhexyl Salicylate 2.7%.....	Sunscreen
Butyl Methoxydibenzoylmethane 1.5% .....	Sunscreen
Benzophenone 1.5% .....	Sunscreen

### Purpose

Tone  
no. 02

### Uses

Helps prevent  
sunburn.

PEEL HERE FOR CONTINUED DRUG FACTS ►

## Drug Facts (continued)

### Warnings

**For external use only.**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- Rash or irritation develops and lasts.

**Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away.

## Drug Facts (continued)

**Directions** • Apply liberally 15 minutes before sun exposure and as needed. • Use a water-resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

## Drug Facts (continued)

### Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus (Dead Sea Mineral Mud), CI 77492, Hydrogenated Lecithin, CI 77491, CI 77499.

## Drug Facts (continued)

**Comments and Questions** Call +1-833-666-6246



3 X 5 ml / 0.17 fl Oz e

## BRUSH AND GO ALL SKIN TYPES

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78863-1010
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.075 g in 5 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

## Inactive Ingredients

Ingredient Name	Strength
<b>MICA</b> (UNII: V8A1AW0880)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>Aloe Vera Leaf</b> (UNII: ZY81Z83H0X)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Product Characteristics

<b>Color</b>	BROWN (light brown)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1010-1	5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	05/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/01/2020	

## BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 1

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78863-1011
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g

<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.075 g in 5 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

## Inactive Ingredients

Ingredient Name	Strength
<b>MICA</b> (UNII: V8A1AW0880)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>Aloe Vera Leaf</b> (UNII: ZY81Z83H0X)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Product Characteristics

<b>Color</b>	BROWN (light brown)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1011-1	2 in 1 CARTON	01/01/2023	
1		5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:78863-1011-3	3 in 1 CARTON	01/01/2023	
2		5 g in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2023	

## BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 2

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78863-1013
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
<b>Avobenzene</b> (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	0.075 g in 5 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

### Inactive Ingredients

Ingredient Name	Strength
<b>MICA</b> (UNII: V8A1AW0880)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>Aloe Vera Leaf</b> (UNII: ZY81Z83H0X)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Product Characteristics

<b>Color</b>	BROWN (light brown)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1013-1	2 in 1 CARTON	01/01/2023	
1		5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:78863-1013-3	3 in 1 CARTON	01/01/2023	
2		5 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC MONOGRAPH NOT FINAL	part352	01/01/2023	
-------------------------	---------	------------	--

**Labeler** - Noon Aesthetics M.R. Ltd (600185560)

## Establishment

Name	Address	ID/FEI	Business Operations
NOON Aesthetics M.R Ltd		600185560	MANUFACTURE(78863-1010, 78863-1011, 78863-1013)

Revised: 9/2023

Noon Aesthetics M.R. Ltd