

BRUSH AND GO ALL SKIN TYPES- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 1- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 2- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

Noon Aesthetics M.R. Ltd

Brush and Go™
All Skin types

Drug Facts

Active Ingredients

Titanium Dioxide 25%

Ethylhexyl Methoxycinnamate 4.7%

Octocrylene 4.5%

Ethylhexyl Salicylate 2.7%

Butyl Methoxydibenzoylmethane 1.5%

Benzophenone 1.5%

Purpose

Sunscreen

Use

help prevent sunburn

Warnings

For external use only

Do not use on damage or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

Directions

Apply generously 15 minutes before sun exposure.

Children under 6 months of age: Ask a doctor for sunscreen use

Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus (Dead sea mineral Mud), CI 77492,Hydrogenated Lecithin, CI 77491, CI 77499.

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

Visit www.nooaesthetics.com or call toll free1-833-666-6246

PRINCIPAL DISPLAY PANEL - 5 g Bottle Label

Brush&Go™

All skin Types

Drug Facts:

Purpose: Sunscreen

Active Ingredients:

- Titanium Dioxide 25%
- Ethylhexyl Methoxycinnamate 4.7%
- Octocrylene 4.5%
- Ethylhexyl Salicylate 2.7%
- Butyl Methoxydibenzoylmethane 1.5%
- Benzophenone 1.5%

Use: Help prevent sunburn

Brush&Go™

All skin Types

Drug Facts:

Purpose: Sunscreen

Active Ingredients:

- Titanium Dioxide 25%
- Ethylhexyl Methoxycinnamate 4.7%
- Octocrylene 4.5%
- Ethylhexyl Salicylate 2.7%
- Butyl Methoxydibenzoylmethane 1.5%
- Benzophenone 1.5%

Use: Help prevent sunburn

Warnings:

- **For external use only**
- **Do not use** on damage or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove

Inactive Ingredients:

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice BHT, Silica, Maris Limus (Dead Sea Mineral Mud), CI 77492, Hydrogenated Lecithin, CI 77491, CI 77499

- Stop use and ask a doctor if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a poison control center right away.

Directions:

Apply generously 15 minutes before sun exposure.

Children under 6 months of age:
Ask a doctor for sunscreen use

Other information:

Protect this product from excessive heat and direct sun.

Questions or comments?

Visit **www.nooonaesthetics.com**

or call Toll Free:

1-833-666-6246

PRINCIPAL DISPLAY PANEL - 5 gr Bottle Carton - Tone no. 01

noon™ AESTHETICS

Brush
& Go™

SPF 50

For All Skin Types
Matte Finish

Tone
no. 01

2 x 5 gr / 0.17 Oz e



NOON[™] AESTHETICS

Brush & Go[™]

SPF 50

For All Skin Types
Matte Finish

2 x 5 gr / 0.17 Oz e

Tone
no. 01

Drug Facts

Active Ingredients

Titanium Dioxide 25%	Sunscreen
Ethylhexyl Methoxycinnamate 4.7%	Sunscreen
Octocrylene 4.5%	Sunscreen
Ethylhexyl Salicylate 2.7%.....	Sunscreen
Butyl Methoxydibenzoylmethane 1.5%	Sunscreen
Benzophenone 1.5%	Sunscreen

Purpose

Tone
no. 01

Uses

Helps prevent
sunburn.

PEEL HERE FOR CONTINUED DRUG FACTS ►

Drug Facts (continued)

Warnings

For external use only.

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions • Apply liberally 15 minutes before sun exposure and as needed. • Use a water-resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. •

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus (Dead Sea Mineral Mud), CI 77492, Hydrogenated Lecithin, CI 77491, CI 77499.

Drug Facts (continued)

Comments and Questions Call +1-833-666-6246



3 X 5 ml / 0.17 fl Oz e

PRINCIPAL DISPLAY PANEL - 5 gr Bottle Carton - Tone no. 02

noon™ AESTHETICS

Brush
& Go™

SPF 50

For All Skin Types
Matte Finish

Tone
no. 02

2 x 5 gr / 0.17 Oz e



NOON[™] AESTHETICS

Brush & Go[™]

SPF 50

For All Skin Types
Matte Finish

2 x 5 gr / 0.17 Oz e

Tone
no. 02

Drug Facts

Active Ingredients

Titanium Dioxide 25%	Sunscreen
Ethylhexyl Methoxycinnamate 4.7%	Sunscreen
Octocrylene 4.5%	Sunscreen
Ethylhexyl Salicylate 2.7%.....	Sunscreen
Butyl Methoxydibenzoylmethane 1.5%	Sunscreen
Benzophenone 1.5%	Sunscreen

Purpose

Tone
no. 02

Uses

Helps prevent
sunburn.

PEEL HERE FOR CONTINUED DRUG FACTS ►

Drug Facts (continued)

Warnings

For external use only.

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions • Apply liberally 15 minutes before sun exposure and as needed. • Use a water-resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus (Dead Sea Mineral Mud), CI 77492, Hydrogenated Lecithin, CI 77491, CI 77499.

Drug Facts (continued)

Comments and Questions Call +1-833-666-6246



3 X 5 ml / 0.17 fl Oz e

BRUSH AND GO ALL SKIN TYPES

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78863-1010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.075 g in 5 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
Aloe Vera Leaf (UNII: ZY81Z83H0X)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Product Characteristics

Color	BROWN (light brown)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1010-1	5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	05/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2020	

BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 1

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78863-1011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g

Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g		
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.075 g in 5 g		
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g		
Inactive Ingredients				
Ingredient Name		Strength		
MICA (UNII: V8A1AW0880)				
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)				
Aloe Vera Leaf (UNII: ZY81Z83H0X)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
Silicon Dioxide (UNII: ETJ7Z6XBU4)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERROSFERRIC OXIDE (UNII: XM0M87F357)				
Product Characteristics				
Color	BROWN (light brown)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1011-1	2 in 1 CARTON	01/01/2023	
1		5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:78863-1011-3	3 in 1 CARTON	01/01/2023	
2		5 g in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	01/01/2023		

BRUSH AND GO ALL SKIN TYPES MATTE FINISH TONE 2			
titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78863-1013

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
Avobenzene (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	0.075 g in 5 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
Aloe Vera Leaf (UNII: ZY81Z83H0X)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z94N)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Product Characteristics

Color	BROWN (light brown)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1013-1	2 in 1 CARTON	01/01/2023	
1		5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:78863-1013-3	3 in 1 CARTON	01/01/2023	
2		5 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2023	

Labeler - Noon Aesthetics M.R. Ltd (600185560)

Establishment

Name	Address	ID/FEI	Business Operations
NOON Aesthetics M.R Ltd		600185560	MANUFACTURE(78863-1010, 78863-1011, 78863-1013)

Revised: 1/2025

Noon Aesthetics M.R. Ltd