

**DOLCE AND GABBANA EVERLAST FOUNDATION SPF 20 19W MEDIUM-
octisalate, octocrylene, titanium dioxide, zinc oxide emulsion
Dolce & Gabbana Beauty S.R.L**

Dolce & Gabbana Everlast Foundation SPF 20 - 19W Medium

Drug Facts

Active ingredients

Octisalate 3.5%

Octocrylene 5%

Titanium dioxide 0.5%

Zinc Oxide 1.88%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUIOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUIOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL; +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Package Labelling:



24H WEAR*

ALL DAY SHINE CONTROL* WATERPROOF*

83% AGREE IT IS MOISTURIZING FOR 24H** 83% AGREE IT HAS A BLURRING AND SMOOTHING EFFECT**



With Italian Prickly Pear, known to enhance the appearance of skin firmness



With Sicilian Avocado, to support deep hydration



With Italian Pomegranate, to help shield the skin barrier from environmental aggressors

Non-comedogenic* Dermatologically tested

* Clinical/Instrumental test ** Self evaluation test

DOUCE & GABBANA

EVERLAST FOUNDATION

24H FULL COVERAGE 3D MATTE NO TRANSFER SUNSCREEN BROAD SPECTRUM SPF 20


FOND DE TEINT COUVRANCE TOTALE 24H MAT 3D SANS TRANSFERT PROTECTION SOLAIRE LARGE SPECTRE FPS 20

MADE IN ITALY

27ml e 0.91 FL. OZ.

DOUCEGABBANA.COM/BEAUTY

DISTRIBUTED BY DOUCE & GABBANA BEAUTY S.R.L. VIA CARLO GOLDONI 10 - MILANO - ITALY IN USA: 3915 BISCAYNE BLVD SUITE 401 MIAMI, FLORIDA 33137-3737 REGULATORY.US.BEAUTY@DOUCEGABBANA.IT



Ref. P3DV1M19

Info-médicament

Table with 2 columns: Ingrédients actifs, Utilité. Rows include Octisalate 3.5%, Octocrylene/Octocrylene 5%, Titanium dioxide 0.5%, Zinc oxide 1.88%.

Usages •Préviens les coups de soleil •Si utilisé comme indiqué avec d'autres mesures de protection solaire (voir les instructions) diminue le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil.

Mises en garde À usage externe uniquement. Ne pas utiliser sur une peau abîmée ou en cas de lésion cutanée. Lors de l'utilisation de ce produit, tenir à l'écart des yeux. Rincer à l'eau en cas de contact. En cas d'éruption cutanée, cesser l'utilisation et consulter un médecin.

Garder hors de la portée des enfants. En cas d'ingestion, demander de l'aide médicale ou contacter immédiatement un centre antipoison.

Mode d'emploi • Appliquer généreusement 15 minutes avant l'exposition au soleil. • Réappliquer au moins toutes les 2 heures • Utiliser une protection solaire résistante à l'eau en cas de baignade ou de transpiration. • Mesures de protection solaire: Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Pour réduire ce risque, utilisez régulièrement une protection solaire avec un indice de protection FPS 15 ou plus à large spectre, et d'autres mesures de protection solaire, notamment: • En limitant le temps passé au soleil, en particulier entre 10h et 14h • En portant des vêtements à manches longues, des pantalons, des chapeaux et des lunettes de soleil • Pour les enfants de moins de 6 mois: demander l'avis d'un médecin BIEN AGITER AVANT EMPLOI

Autres renseignements Garder le produit dans cet emballage à l'abri de la chaleur excessive et de la lumière directe du soleil.

Ingrédients inactifs WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL. --MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Table with 2 columns: Active Ingredients, Purpose. Rows include Octisalate 3.5%, Octocrylene 5%, Titanium dioxide 0.5%, Zinc Oxide 1.88%.

Uses • Helps prevent sunburn • If used directed with others sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply generously 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age: ask a doctor SHAKE WELL BEFORE USE

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL. --MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

P3DV1M19



Package Labelling:



19W
MEDIUM



ALL DAY SHINE CONTROL*
WATERPROOF*

83% AGREE IT IS MOISTURIZING FOR 24H**

83% AGREE IT HAS A BLURRING AND
SMOOTHING EFFECT**



With Italian Prickly Pear,
known to enhance the
appearance of skin firmness



With Sicilian Avocado,
to support deep
hydration



With Italian Pomegranate, to help
shield the skin barrier from
environmental aggressors

Non-comedogenic*
Dermatologically tested

* Clinical/Instrumental test
** Self evaluation test

DOLCE & GABBANA

EVERLAST FOUNDATION

24H FULL COVERAGE
3D MATTE NO TRANSFER
SUNSCREEN BROAD SPECTRUM SPF 20

FOND DE TEINT COUVRANCE TOTALE 24H
MAT 3D SANS TRANSFERT
PROTECTION SOLAIRE
LARGE SPECTRE FPS 20

MADE IN ITALY

27ml e 0.91 FL. OZ.

DOLCEGABBANA.COM/BEAUTY
DISTRIBUTED BY
DOLCE & GABBANA BEAUTY S.R.L.
VIA CARLO GOLDONI 10-MILANO-ITALY
IN USA: 3915 BISCAYNE BLVD
SUITE 401 MIAMI, FLORIDA 33137-3737
REGULATORY.US.BEAUTY@DOLCEGABBANA.IT



Ref. P3DV8M18

Info-médicament

Ingrédients actifs	Utilité
Octisalate 3.5%.....	Écran Solaire
Octocrylène/Octocrylène 5%.....	Écran Solaire
Titanium dioxyde 0.5%.....	Écran Solaire
Zinc oxide 1.88%.....	Écran Solaire

Usages •Prévient les coups de soleil •Si utilisé comme
indiqué avec d'autres mesures de protection solaire (voir les
instructions) diminue le risque de cancer de la peau et de
vieillesse prématurée de la peau causé par le soleil.

Mises en garde

À usage externe uniquement.

Ne pas utiliser sur une peau abîmée ou en cas de lésion
cutanée.

Lors de l'utilisation de ce produit, tenir à l'écart des yeux.
Rincer à l'eau en cas de contact.

En cas d'éruption cutanée, cesser l'utilisation et consulter
un médecin.

Garder hors de la portée des enfants.
En cas d'ingestion, demander de l'aide médicale ou contacter
immédiatement un centre antipoison.

Mode d'emploi

• Appliquer généreusement 15 minutes avant l'exposition au
soleil. • Réappliquer au moins toutes les 2 heures • Utiliser
une protection solaire résistante à l'eau en cas de baignade
ou de transpiration.

• Mesures de protection solaire: Passer du temps au soleil
augmente le risque de cancer de la peau et de vieillissement
prématuré de la peau. Pour réduire ce risque, utilisez
régulièrement une protection solaire avec un indice de
protection FPS 15 ou plus à large spectre, et d'autres
mesures de protection solaire, notamment:

• En limitant le temps passé au soleil, en particulier entre 10h
et 14h • En portant des vêtements à manches longues, des
pantalons, des chapeaux et des lunettes de soleil • Pour les
enfants de moins de 6 mois: demander l'avis d'un médecin

BIEN AGITER AVANT EMPLOI

Autres renseignements

Garder le produit dans cet emballage à l'abri de la chaleur
excessive et de la lumière directe du soleil.

Ingrédients inactifs

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE,
TRIMETHYLSILOXYLICATE, METHYL TRIMETHICONE,
POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12
DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE
ETHOXY GLUCOSIDE, POLYMBE-1, CETEARYL DIMETHICONE/VINYL
DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE,
PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN,
SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE,
ALUMINA, TRITHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA,
TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT
EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL
DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL, +/- MAY
CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON
OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients	Purpose
Octisalate 3.5%.....	Sunscreen
Octocrylene 5%.....	Sunscreen
Titanium dioxide 0.5%.....	Sunscreen
Zinc Oxide 1.88%.....	Sunscreen

Uses • Helps prevent sunburn • If used directed
with others sun protection measures (see **Directions**)
decreases the risk of skin cancer and early skin aging
caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse
with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison
Control Center right away.

Directions

• Apply generously 15 minutes before sun exposure

• Reapply at least every 2 hours

• Use a water resistant sunscreen if swimming or
sweating

• Sun Protection Measures: Spending time in the sun
increases your risk of skin cancer and early skin aging.
To decrease this risk, regularly use a sunscreen with a
Broad Spectrum SPF 15 or higher and other sun
protection measures including:

• Limit time in the sun, especially from 10 a.m. - 2 p.m.
• Wear long-sleeved shirts, pants, hats, and
sunglasses
• Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive
heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE,
TRIMETHYLSILOXYLICATE, METHYL TRIMETHICONE,
POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL
DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10
DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER,
CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYMBE-1,
CETEARYL DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER, POLYPHENYLSILSESQUOXANE,
PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE,
GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM
DEHYDROACETATE, ALUMINA, TRITHOXYCAPRYLYLSILANE,
C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA
GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM
PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA
FRUIT EXTRACT, TOCOPHEROL, +/- MAY CONTAIN: TITANIUM
DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI
77492), IRON OXIDES (CI 77499)



P3DV8M18

TESTER
NOT FOR SALE

EVERLAST FOUNDATION

19W - MEDIUM
MADE IN ITALY

DOLCEGABBANA.COM/BEAUTY

DOLCE & GABBANA BEAUTY S.R.L.
VIA CARLO GOLDONI 10 - MILANO - ITALY
IN USA: 3915 BISCAYNE BLVD
SUITE 401 MIAMI, FLORIDA 33137-3737
regulatory.us.beauty@dolcegabbana.it



BATCH NUMBER



EXPIRING DATE

DOLCE AND GABBANA EVERLAST FOUNDATION SPF 20 19W MEDIUM

octisalate, octocrylene, titanium dioxide, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84003-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	35 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	18.8 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE (UNII: DAC8GQQ57F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
AVOCADO (UNII: SDS87L369F)	
POMEGRANATE FRUIT RIND (UNII: RS999V57DU)	
OPUNTIA TUNA FRUIT (UNII: 75UY509K9B)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER (UNII: 965K72OQXO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84003-019-00	1 in 1 CARTON	05/01/2024	
1		27 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:84003-019-01	1 in 1 CARTON	05/01/2024	
2		27 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2024	

Labeler - Dolce & Gabbana Beauty S.R.L (442254105)