

**CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride tablet  
RETAIL BUSINESS SERVICES,LLC.**

-----  
**24h**

**Allergy Relief**

**Cetirizine Hydrochloride Tablets, USP 10 mg**

**Antihistamine**

**INDOOR & OUTDOOR ALLERGIES**

**Active ingredient (in each tablet)**

Cetirizine HCl 10 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks

- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

### **If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

### **Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away. **(1-800-222-1222)**

### **Directions**

adults and children 6 years and over

- one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours.
- A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over

- ask a doctor

children under 6 years of age

- ask a doctor

consumers with liver or kidney disease

- ask a doctor

### **Other information**

- store between 20° to 25°C (68° to 77°F)
- contains no ingredient made from a gluten-containing grain (Wheat, barley or rye)

### **Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

### **Questions?**

call **1-877-770-3183**: Weekdays 9:00 AM to 4:30 PM EST.

### **Principal Display Panel**

CAREONE®

# Allergy Relief

Cetirizine Hydrochloride Tablets USP, 10 mg

CAREONE®

24h

# Allergy Relief

Cetirizine Hydrochloride Tablets USP, 10 mg  
Antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Actual Size



**14**  
TABLETS  
(2 x 7 Unit-dose)

**Do not use if redness, itching, or a rash is present.**  
Important: Read the directions and warnings before use.  
Keep the cap on. It contains important information.

### Drug Facts

**Active ingredient (in each tablet):** Cetirizine HCl 10 mg

**Purpose:** Antihistamine

### Drug Facts (continued)

Does not usually relieve nasal congestion. Do not use if you have had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

### Warnings

Take a doctor's advice when you use it with heart or kidney disease, low blood pressure, or if you are taking other medicines containing hydroxyzine.

When using this product: **Do not drink alcohol.** Alcohol, medicines, and other drugs may increase drowsiness.

**Do not use if you are pregnant or breastfeeding.** If you are pregnant, use only if your doctor says it is necessary.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.


**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.

**Do not use if you are taking other medicines containing hydroxyzine.** Some medicines may increase drowsiness.



Lot  
Exp.



300000538  
551000010  
R-00

Principal Display Panel





code # :	
size :	1+3/4 X 1+3/4 X 3+3/8
ref # :	PP180604B
material :	.016 SBS

**Drug Facts (continued)**  
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
 Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.  
 When using this product:  
 ■ drowsiness may occur  
 ■ avoid alcoholic drinks  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ be careful when driving a motor vehicle or operating machinery  
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.  
 If pregnant or breast-feeding:  
 ■ if breast-feeding, not recommended  
 ■ if pregnant, ask a health professional before use  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
 (1-800-222-1222)

**Drug Facts (continued)**  
**Directions**  
 Adults and children 6 years and over  
 one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.  
 ask a doctor  
 Children under 6 years of age  
 ask a doctor  
 Consumers with liver or kidney disease  
 ask a doctor  
**Other Information**  
 ■ store between 20° and 25° C (68° and 77° F)  
 ■ contains no ingredient made from a gluten-containing grain (wheat, barley or rye)  
**Inactive ingredients** calcium silicate dihydrate, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polybutylene glycol, titanium dioxide.  
**Questions?** call 1-877-776-3183, weekdays 9:00 AM to 4:30 PM EST.

\* This product is not manufactured or distributed by McKel Consumer Healthcare, Division of McKel-PPC Inc., distributor of Zyrtec® Tablets.  
 DISTRIBUTED BY:  
 FOODCOLD U.S.A. LLC  
 LANGFORD, NJ 07033  
 MADE IN INDIA  
 For product questions or concerns, contact us at 1-877-448-9988  
 © 2008 Abbott Healthcare Licensing Ltd  
 All rights reserved or your money back.

NDC 30409-784-93  
 Compare to the active ingredient in Zyrtec® Tablets\*  
**CAREone®**  
**24h**  
**Allergy Relief**  
**Cetirizine Hydrochloride**  
 Tablets, USP 10 mg  
 Antihistamine  
**INDOOR & OUTDOOR ALLERGIES**  
**24 HOUR RELIEF OF:**  
 • Sneezing • Runny Nose  
 • Itchy, Watery Eyes  
 • Itchy Throat or Nose  
  
**70 TABLETS**

Do not use if imprinted foil inner seal on bottle is broken or missing.

Important: Read the directions and warnings before use. Keep the carton. It contains important information.

**Drug Facts**  
**Active ingredient (in each tablet)**  
 Cetirizine HCl 10 mg  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat  
**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

300000541  
 551000012  
 R-00

3 41520 00132 1

Lot  
 Exp.


COATING  
 FREE AREA

Principal Display Panel

code # :	
size :	1=3/4 X 1+3/4 X 3+3/8
ref # :	PP180604B
material :	.016 SBS

**COATING FREE AREA**

R • 0 • 0  
551000013  
300000543



**CAREone®**

**24h**

**Allergy Relief**

**Cetirizine Hydrochloride**  
Tablets, USP 10 mg  
Antihistamine

**INDOOR & OUTDOOR ALLERGIES**

**24 HOUR RELIEF OF:**

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

**90 TABLETS**

Actual Size



**COATING FREE AREA**

Lot  
Exp.

**COATING FREE AREA**

**Drug Facts (continued)**

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- avoid swimming and transpiration may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**

**Directions**

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° and 25°C (68° and 77°F)
- contains no ingredient made from a gluten-containing grain (wheat, barley or rye)

**Inactive ingredients** colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

**Questions?** call 1-877-776-3183; weekdays 9:00 AM to 4:30 PM EST.

**Drug Facts**

**Active ingredient (in each tablet)**

Cetirizine HCl 10 mg

**Purpose**

Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Drug Facts (continued)**

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- avoid swimming and transpiration may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**

**Directions**

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° and 25°C (68° and 77°F)
- contains no ingredient made from a gluten-containing grain (wheat, barley or rye)

**Inactive ingredients** colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

**Questions?** call 1-877-776-3183; weekdays 9:00 AM to 4:30 PM EST.

**Drug Facts**

**Active ingredient (in each tablet)**

Cetirizine HCl 10 mg

**Purpose**

Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Principal Display Panel



code #	:		dat
size	:	1+3/4 X 1+3/4 X 3+3/8	
ref #	:	PP180604B	vis
material	:	.016 SBS	

CETIRIZINE HYDROCHLORIDE			
cetirizine hydrochloride tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72476-764
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	white (White to off-white)	<b>Score</b>	2 pieces
<b>Shape</b>	RECTANGLE (round-off rectangular shaped tablets)	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	G;4
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-764-16	14 in 1 BLISTER PACK; Type 0: Not a Combination Product	04/21/2020	
2	NDC:72476-764-09	90 in 1 BOTTLE; Type 0: Not a Combination Product	04/21/2020	12/31/2024
3	NDC:72476-764-23	120 in 1 BOTTLE; Type 0: Not a Combination Product	04/21/2020	
4	NDC:72476-764-03	30 in 1 BOTTLE; Type 0: Not a Combination Product	04/21/2020	
5	NDC:72476-764-70	70 in 1 BOTTLE; Type 0: Not a Combination Product	04/21/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209274	04/21/2020	

**Labeler** - RETAIL BUSINESS SERVICES,LLC. (967989935)

Revised: 12/2025

RETAIL BUSINESS SERVICES,LLC.