

**INFANTS GAS RELIEF NON-STAINING FORMULA- dimethicone liquid**  
**CVS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Infant's Gas Relief**  
**Non-Staining Formula**

**Drug Facts**

**Active ingredient (in each 0.3 mL)**

Simethicone 20 mg

**Purpose**

Anti-gas

**Uses**

Relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods.

**Warnings**

**Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- shake well before using
- all doses may be repeated as needed, after meals and at bedtime or as directed by a physician. Do not exceed 12 doses per day
- fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek
- dosage can be mixed with 1 oz. of cool water, infant formula or other suitable liquids
- for best results, clean dropper after each use and replace original cap

Age (yr)	Weight (lb)	Dose
infants under 2	under 24	0.3 mL
children over 2	over 24	0.6 mL

**Other information**

- **do not use if printed foil seal under cap is torn or missing**
- store at room temperature
- do not freeze
- see bottom panel for lot number and expiration date

**Inactive ingredients**

Carbomer 934-P, Citric Acid, Hydroxypropyl Methylcellulose, Natural Flavors, Purified Water,

Sodium Benzoate, Sodium Citrate, Sucralose

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton**

**CVS  
pharmacy<sup>®</sup>**

Compare to the  
active ingredient in  
Infants' MYLICON<sup>®</sup> Drops\*

***Infants'***

***GAS***

***RELIEF***

***NON-STAINING FORMULA***

***SIMETHICONE/ANTIGAS***

- ***No alcohol***
- ***No saccharin***
- ***No artificial flavor***

**100 Doses**

**1 FL OZ (30 mL)**

**CVS**  
pharmacy

# Infants' **GAS RELIEF**

**NON-STAINING FORMULA**

**SIMETHICONE/ANTIGAS** 100 Doses  
1 FL OZ (30 mL)

**CVS**  
pharmacy

Compare to the  
active ingredient in  
Infants' MYLICON® Drops\*

# Infants' **GAS RELIEF**

**NON-STAINING FORMULA**

**SIMETHICONE/ANTIGAS**

- **No alcohol**
- **No saccharin**
- **No artificial flavor**



100 Doses  
1 FL OZ (30 mL)

LOT

**CVS**  
pharmacy

# Infants' **GAS RELIEF**

**NON-STAINING FORMULA**

**SIMETHICONE/ANTIGAS**

**Dropper enclosed**  
This bottle contains  
100 doses (0.3 mL/dose)

**CHILDREN: 0.6 mL**



**INFANTS**  
(under 2 years): 0.3 mL

EXP

Glue

### Drug Facts

Active ingredient (in each 0.3 mL)	Purpose
Simethicone 20 mg.....	Anti-gas

#### Uses

Relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods.

#### Warnings

**Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### Directions

- shake well before using
- all doses may be repeated as needed, after meals and at bedtime or as directed by a physician. Do not exceed 12 doses per day
- fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek
- dosage can be mixed with 1 oz. of cool water, infant formula or other suitable liquids
- for best results, clean dropper after each use and replace original cap

Age (yr)	Weight (lb)	Dose
infants under 2	under 24	0.3 mL
children over 2	over 24	0.6 mL

#### Other information

- do not use if printed foil seal under cap is torn or missing
- store at room temperature
- do not freeze
- see bottom panel for lot number and expiration date

#### Inactive ingredients

Carbomer 934-P, Citric Acid, Hydroxypropyl Methylcellulose, Natural Flavors, Purified Water, Sodium Benzoate, Sodium Citrate, Sucralose

Keep this carton for future reference on full labeling.

\*This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., the distributor of Infants' MYLICON® Drops.

CVS  
pharmacy

# Infants' GAS RELIEF

NON-STAINING FORMULA

SIMETHICONE/ANTIGAS

- No alcohol
- No saccharin
- No artificial flavor

#### IMPORTANT:

Keep this carton for future reference on full labeling.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2012 CVS/pharmacy  
www.cvs.com 1-800-shop-CVS

Made in the U.S.A.  
V-10808




CVS Quality  
Money Back Guarantee

# 511386



0 50428 43425 3

Glue



## INFANTS GAS RELIEF NON-STAINING FORMULA

dimethicone liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-704
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 0.3 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CARBOMER HOMO POLYMER TYPE B (ALLYL SUCROSE CROSSLINKED) (UNII: Z135WT9208)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
VANILLIN (UNII: CH1530446X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	VANILLA, STRAWBERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-704-01	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, DROPPER		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	02/03/2013	

**Labeler** - CVS (062312574)

**Registrant** - davAgen Pharmaceutical, LLC (967545935)

## Establishment

Name	Address	ID/FEI	Business Operations
davAgen Pharmaceutical, LLC		967545935	MANUFACTURE(59779-704) , PACK(59779-704) , LABEL(59779-704) , ANALYSIS(59779-704)

Revised: 12/2013

CVS