

**SNAP ON RACING SUNSCREEN KIT- avobenzone, octinoxate, octocrylene, octisalate, homosalate, octocrylene, octisalate, avobenzone  
Greater Pacific Industries, Inc.**

-----  
**Snap-On Racing Sunscreen Kit**

***Dug Facts***

***Active ingredients(Sunscreen Lip Balm)***

Avobenzone 0.5%

Octyl Methoxycinnamate 5%

Octocrylene 3%

Octyl Salicylate 2.2%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- Higher SPF gives more sunburn protection

***Warnings***

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product**

Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally 15 minutes before use exposure.
- Use a water resistant sunscreen if swimming or sweating.

- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses

### ***Inactive ingredients(Sunscreen Lip Balm)***

Alpha-Tocopherol Acetate, Bis-Diglyceryl Polyacyladipate-2, Coconut Oil, Ethylhexyl Palmitate, Fragrance(3-(3,4-Methylenedioxyphenyl)-2 methylpropanal, Ethyl Vanillin, Propylene glycol, Vanillin), Hydrogenated Soybean Oil, Microcrystalline Wax, Olive Oil, Polysibutene(2300 MW), Stevioside, Synthetic Wax(1200 MW)

### ***Other information***

- Protect from excessive heat and direct sun.

### ***Drug Facts***

#### ***Active ingredients(Sunscreen)***

Homosalate 8%

Octocrylene 8%

Octisalate 5%

Avobenzone 3%

#### ***Purpose***

Sunscreen

#### ***Uses***

- Helps prevent sunburn
- Higher SPF gives more sunburn protection

#### ***Warnings***

**For external use only.**

#### **Do not use**

on damaged or broken skin.

#### **When using this product**

keep out of eyes. Rinse with water to remove.

### Stop use and ask a doctor

if rash occurs.

### Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses


### Inactive ingredients(Sunscreen)

Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, Ceresine, Microcrystalline Wax, Hydrogenated Vegetable Oil, Hydrogenated Soybean Oil, Olea Europaea Fruit Oil, Butyrospermum Parkii Butter, VP/Eicosene Copolymer

### Other information

- Protect from excessive heat and direct sun.

### Package Labeling



Under Wrap

**Drug Facts**

| Active ingredients        | Purpose        |
|---------------------------|----------------|
| (Sunscreen)               |                |
| Homosalate 8%             | } Sunscreen    |
| Octocrylene 8%            |                |
| Octisalate 5%             |                |
| Avobenzone 3%             |                |
| <b>Active ingredients</b> | <b>Purpose</b> |
| (Sunscreen Lip Balm)      |                |
| Avobenzone 0.5%           | } Sunscreen    |
| Octyl Methoxycinnamate 5% |                |
| Octocrylene 3%            |                |
| Octyl Salicylate 2.2%     |                |

**Uses**

- Helps prevent sunburn
- Higher SPF gives more sunburn protection

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses

**Inactive ingredients (Sunscreen)**  
Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, Ceresine, Microcrystalline Wax, Hydrogenated Vegetable Oil, Hydrogenated Soybean Oil, Olea Europaea Fruit Oil, Butyrospermum Parkii Butter, VP/Eicosene Copolymer

**Inactive ingredients (Sunscreen Lip Balm)**  
Alpha-Tocopherol Acetate, Bis-Diglyceryl Polyacryladipate-2, Coconut Oil, Ethylhexyl Palmitate, Fragrance(3-(3,4-Methylenedioxyphenyl)-2-methylpropanal, Ethyl vanillin, Propylene glycol, Vanillin), Hydrogenated Soybean Oil, Microcrystalline Wax, Olive Oil, Polyisobutylene(2300 MW), Stevioside, Synthetic Wax(1200 MW)

**Other information**

- Protect from excessive heat and direct sun.

Greater Pacific Industries, Inc. Made in China  
5828 221st PL, SE, Issaquah, WA 98027 USA

## SNAP ON RACING SUNSCREEN KIT

avobenzone, octinoxate, octocrylene, octisalate, homosalate, octocrylene, octisalate, avobenzone kit

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:85204-000

## Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:85204-000-01 | 1 in 1 KIT          | 01/25/2025           |                    |

## Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 1 TUBE           | 4.2 g                  |
| Part 2 | 1 TUBE           | 2 g                    |

## Part 1 of 2

### SNAP-ON RACING SUNSCREEN LIP BALM

avobenzone, octinoxate, octocrylene, octisalate stick

## Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:85204-001 |
| Route of Administration | TOPICAL       |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)                  | AVOBENZONE        | 5 mg in 1 g  |
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51) | OCTINOXATE        | 50 mg in 1 g |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)                | OCTOCRYLENE       | 30 mg in 1 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)       | OCTISALATE        | 22 mg in 1 g |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                      |          |
| <b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)              |          |
| <b>COCONUT OIL</b> (UNII: Q9L0O73W7L)                                   |          |
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)                          |          |
| <b>3-(3,4-METHYLENEDIOXYPHENYL)-2-METHYLPROPANAL</b> (UNII: L65EG8H6PA) |          |
| <b>ETHYL VANILLIN</b> (UNII: YC9ST449YJ)                                |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)                              |          |
| <b>VANILLIN</b> (UNII: CHI530446X)                                      |          |
| <b>HYDROGENATED SOYBEAN OIL</b> (UNII: A2M91M918C)                      |          |
| <b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)                          |          |

|   |  |
|---|--|
| <b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)                 |  |
| <b>STEVIOSIDE</b> (UNII: 0YON5MXJ9P)                |  |
| <b>SYNTHETIC WAX (1200 MW)</b> (UNII: Q3Z4BCH099)   |  |
| <b>POLYISOBUTYLENE (2300 MW)</b> (UNII: DSQ2V1DD1K) |  |

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:85204-001-01 | 4.2 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 01/25/2025           |                    |

## Part 2 of 2

### SNAP-ON RACING SUNSCREEN

homosalate, octocrylene, octisalate, avobenzone stick

## Product Information

|                                |               |
|--------------------------------|---------------|
| <b>Item Code (Source)</b>      | NDC:85204-002 |
| <b>Route of Administration</b> | TOPICAL       |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)            | HOMOSALATE        | 80 mg in 1 g |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)          | OCTOCRYLENE       | 80 mg in 1 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W) | OCTISALATE        | 50 mg in 1 g |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)            | AVOBENZONE        | 30 mg in 1 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)         |          |
| <b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U) |          |
| <b>SODIUM DICHLOROACETATE</b> (UNII: 42932X67B5)       |          |
| <b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)         |          |
| <b>HYDROGENATED SOYBEAN OIL</b> (UNII: A2M91M918C)     |          |
| <b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)                    |          |

**Packaging**

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:85204-002-01 | 2 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 01/25/2025           |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 01/25/2025           |                    |

**Labeler** - Greater Pacific Industries, Inc. (962000253)

Revised: 1/2025

Greater Pacific Industries, Inc.