

**SUPERDEFENSE AGE DEFENSE MOISTURIZER BROAD SPECTRUM SPF 25 VERY DRY TO DRY- octisalate, oxybenzone, and avobenzone cream  
CLINIQUE LABORATORIES INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**SUPERDEFENSE AGE DEFENSE MOISTURIZER BROAD SPECTRUM SPF 25 VERY DRY TO DRY**

***Drug Facts***

**Active ingredients**

Avobenzone 3.0%  
Octisalate 5.0%  
Oxybenzone 5.0%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

**Inactive ingredients**

water\aquaeau • dimethicone • petrolatum • butylene glycol • butyloctyl salicylate • polyglyceryl-2 triisostearate • caprylic/capric/myristic/stearic triglyceride • polyester-8 • glyceryl stearate • peg-100 stearate • coffea robusta seed extract • echinacea pallida (coneflower) extract • rosmarinus officinalis (rosemary) extract • sea whip extract • isopropyl ppg-2-isodeceth-7 carboxylate • padina pavonica (thallus) extract • micrococcus lysate • disodium nadh • trehalose • creatine • sodium rna • caffeine • nordihydroguaiaretic acid • sodium dna • astrocaryum murumuru seed butter • phytosphingosine • linoleic acid • cholesterol • ascorbyl tocopheryl maleate • algae extract • sodium hyaluronate • aminopropyl ascorbyl phosphate • tocopheryl acetate • adenosine phosphate • laurdimonium hydroxypropyl hydrolyzed soy protein • chamomilla recutita (matricaria) • decarboxy carnosine hcl • ethylhexyl stearate • caprylyl glycol • isohexadecane • polyethylene • zeolite • lecithin • behenyl alcohol • xanthan gum • potassium sulfate • polysorbate 80 • steareth-21 • acrylamide/sodium acryloyldimethyltaurate copolymer • ammonium acryloyldimethyltaurate/vp copolymer • sucrose • tromethamine • carbomer • glycerin • ethylhexyl palmitate • arginine ferulate • propylene glycol dicaprate • hexylene glycol • disodium edta • phenoxyethanol [iln36954]

### **Other information**

protect the product in this container from excessive heat and direct sun

### **PRINCIPAL DISPLAY PANEL - 50 ml Jar Carton**

**C**

### **CLINIQUE**

superdefense

age defense moisturizer

broad spectrum SPF 25

VERY DRY TO DRY

POIDS NET WT. 1.7 OZ./50 ml e



# CLINIQUE

superdefense  
age defense moisturizer  
broad spectrum SPF 25

VERY DRY TO DRY

POIDS NET WT. 1.7 OZ./50 ml e

**Allergy Tested.**  
**100% Fragrance Free.**  
**U.S. and International Patented Technology.**

Skin's most complete defense against the visible signs of aging in a daily moisturizer. Arms it to fight the visible effects of emotional stress—which research confirms damages skin, like sun and pollution. Helps neutralize UVA and UVB. Improves barrier strength. Keeps skin looking better, longer. See enclosure.



### Drug Facts

#### Active ingredients

Avobenzone 3.0%  
Octisalate 5.0%  
Oxybenzone 5.0%

#### Purpose

Sunscreen

#### Use

helps prevent sunburn

#### Warnings

For external use only.

Do not use on damaged or broken skin



#### Drug Facts (continued)

#### Other information

protect the product in this container from excessive heat and direct sun.



© CLINIQUE LABORATORIES, DIST. NEW YORK, N.Y. 10022  
NEW YORK • LONDON W1K 3BD • PARIS  
MADE IN U.S.A. 686K

clinique.com



↓  
SKIN TYPE  
VERY DRY TO DRY

68GK-01-1116



SDMC32 1922203

#### Drug Facts (continued)

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

#### Drug Facts (continued)

##### Inactive ingredients

water/aqua/eau · dimethicone · petrolatum · butylene glycol · butyloctyl salicylate · polyglyceryl-2 triisostearate · caprylic/capric/myristic/stearic triglyceride · polyester-8 · glyceryl stearate · peg-100 stearate · coffea robusta seed extract · echinacea pallida (coneflower) extract · rosmarinus officinalis (rosemary) extract · sea whip extract · isopropyl ppg-2-isodeceth-7 carboxylate · padina pavonica (thallus) extract · micrococcus lysate · disodium nadh · trehalose · creatine · sodium rna · caffeine · nordihydroguaiaric acid · sodium dna · astrocaryum murumuru seed butter · phytosphingosine · linoleic acid · cholesterol · ascorbyl tocopheryl maleate · algae extract · sodium hyaluronate · aminopropyl ascorbyl phosphate · tocopheryl acetate · adenosine phosphate · laurdimonium hydroxypropyl hydrolyzed soy protein · chamomilla recutita (matricaria) · decarboxy carnosine hcl · ethylhexyl stearate · caprylyl glycol · isohexadecane · polyethylene · zeolite · lecithin · behenyl alcohol · xanthan gum · potassium sulfate · polysorbate 80 · steareth-21 · acrylamide/sodium acryloyldimethyltaurate copolymer · ammonium acryloyldimethyltaurate/vp copolymer · sucrose · tromethamine · carbomer · glycerin · ethylhexyl palmitate · arginine ferulate · propylene glycol dicaprate · hexylene glycol · disodium edta · phenoxyethanol [In36954]

68GK-01-1116

**SUPERDEFENSE AGE DEFENSE MOISTURIZER BROAD SPECTRUM SPF 25  
VERY DRY TO DRY**

octisalate, oxybenzone, and avobenzone cream

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:49527-034 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b>  |
|---|--------------------------|------------------|
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE               | 0.0508 g in 1 mL |
| <b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE               | 0.0508 g in 1 mL |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE               | 0.0305 g in 1 mL |

## Inactive Ingredients

| <b>Ingredient Name</b>                                      | <b>Strength</b> |
|---|-----------------|
| <b>water</b> (UNII: 059QF0KO0R)                             |                 |
| <b>dimethicone</b> (UNII: 92RU3N3Y1O)                       |                 |
| <b>petrolatum</b> (UNII: 4T6H12BN9U)                        |                 |
| <b>butylene glycol</b> (UNII: 3XUS85K0RA)                   |                 |
| <b>butyloctyl salicylate</b> (UNII: 2EH13UN8D3)             |                 |
| <b>glyceryl monostearate</b> (UNII: 230OU9XXE4)             |                 |
| <b>peg-100 stearate</b> (UNII: YD01N1999R)                  |                 |
| <b>robusta coffee bean</b> (UNII: V5032728L7)               |                 |
| <b>echinacea pallida</b> (UNII: 904CK3270L)                 |                 |
| <b>rosemary</b> (UNII: IJ67X351P9)                          |                 |
| <b>pseudopterogorgia elisabethae</b> (UNII: UDY3H1OUX5)     |                 |
| <b>padina pavonica</b> (UNII: 177U06NHZI)                   |                 |
| <b>trehalose</b> (UNII: B8WCK70T7I)                         |                 |
| <b>creatine</b> (UNII: MU72812GK0)                          |                 |
| <b>caffeine</b> (UNII: 3G6A5W338E)                          |                 |
| <b>masoprocol</b> (UNII: 7B08G1BYQU)                        |                 |
| <b>astrocaryum murumuru seed butter</b> (UNII: 12V64UPU6R)  |                 |
| <b>phytosphingosine</b> (UNII: GIN46U9Q2Q)                  |                 |
| <b>linoleic acid</b> (UNII: 9KJL21T0QJ)                     |                 |
| <b>cholesterol</b> (UNII: 97C5T2UQ7J)                       |                 |
| <b>ascorbyl tocopheryl maleate</b> (UNII: D2G6259XR5)       |                 |
| <b>hyaluronate sodium</b> (UNII: YSE9PPT4TH)                |                 |
| <b>aminopropyl ascorbyl phosphate</b> (UNII: 290O2PQ83R)    |                 |
| <b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)        |                 |
| <b>adenosine phosphate</b> (UNII: 415SHB25A)                |                 |
| <b>decarboxy carnosine Hydrochloride</b> (UNII: 6X7K9I5QR7) |                 |
| <b>ethylhexyl stearate</b> (UNII: EG3PA2K3K5)               |                 |
| <b>caprylyl glycol</b> (UNII: 00YIU5438U)                   |                 |
| <b>isohexadecane</b> (UNII: 918X1OUF1E)                     |                 |
| <b>high density polyethylene</b> (UNII: UG00KM4WR7)         |                 |
| <b>docosanol</b> (UNII: 9G1OE216XY)                         |                 |
| <b>xanthan gum</b> (UNII: TTV12P4NEE)                       |                 |

|   |  |
|---|--|
| <b>potassium sulfate</b> (UNII: 1K573LC5TV)                             |  |
| <b>polyorbate 80</b> (UNII: 6OZP39ZG8H)                                 |  |
| <b>steareth-21</b> (UNII: 53J3F32P58)                                   |  |
| <b>sucrose</b> (UNII: C151H8M554)                                       |  |
| <b>ammonium acryloyldimethyltaurate/vp copolymer</b> (UNII: W59H9296ZG) |  |
| <b>tromethamine</b> (UNII: 023C2WHX2V)                                  |  |
| <b>glycerin</b> (UNII: PDC6A3C0OX)                                      |  |
| <b>ethylhexyl palmitate</b> (UNII: 2865993309)                          |  |
| <b>propylene glycol dicaprato</b> (UNII: U783H9JHWY)                    |  |
| <b>hexylene glycol</b> (UNII: KEH0A3F75J)                               |  |
| <b>edetate disodium</b> (UNII: 7FLD91C86K)                              |  |
| <b>phenoxyethanol</b> (UNII: HIE492ZZ3T)                                |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:49527-034-01 | 1 in 1 CARTON       |                      |                    |
| 1 |                  | 50 mL in 1 JAR      |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 06/01/2010           |                    |

**Labeler** - CLINIQUE LABORATORIES INC. (173047747)

### Establishment

| Name      | Address | ID/FEI    | Business Operations                    |
|-----------|---------|-----------|--|
| ELGC K.K. |         | 712808195 | RELABEL(49527-034) , REPACK(49527-034) |

### Establishment

| Name   | Address | ID/FEI    | Business Operations   |
|--|---------|-----------|---|
| Estee Lauder Pennsylvania Distribution Center 2 (PADC 2) |         | 828534516 | MANUFACTURE(49527-034) , RELABEL(49527-034) , REPACK(49527-034) |

### Establishment

| Name                                       | Address | ID/FEI    | Business Operations                    |
|--|---------|-----------|--|
| ESTEE LAUDER COSMETICS DISTRIBUTION CENTER |         | 208579636 | REPACK(49527-034) , RELABEL(49527-034) |

### Establishment

| Name                        | Address | ID/FEI    | Business Operations    |
|-----------------------------|---------|-----------|------------------------|
| ESTEE LAUDER COSMETICS, LTD |         | 244669714 | MANUFACTURE(49527-034) |

### Establishment

| Name                         | Address | ID/FEI    | Business Operations    |
|------------------------------|---------|-----------|------------------------|
| ESTEE LAUDER COSMETICS, LTD. |         | 205952385 | MANUFACTURE(49527-034) |

## Establishment

| Name              | Address | ID/FEI    | Business Operations    |
|-------------------|---------|-----------|------------------------|
| ESTEE LAUDER N.V. |         | 370151326 | MANUFACTURE(49527-034) |

## Establishment

| Name   | Address | ID/FEI    | Business Operations    |
|--|---------|-----------|------------------------|
| LEN-RON MANUFACTURING DIVISION OF ARAMIS INC |         | 809771152 | MANUFACTURE(49527-034) |

## Establishment

| Name            | Address | ID/FEI    | Business Operations   |
|-----------------|---------|-----------|---|
| NORTEC KEYSTONE |         | 943871157 | MANUFACTURE(49527-034) , RELABEL(49527-034) , REPACK(49527-034) |

## Establishment

| Name             | Address | ID/FEI    | Business Operations   |
|------------------|---------|-----------|---|
| NORTHTEC BRISTOL |         | 959338336 | MANUFACTURE(49527-034) , RELABEL(49527-034) , REPACK(49527-034) |

## Establishment

| Name              | Address | ID/FEI    | Business Operations   |
|-------------------|---------|-----------|---|
| NORTHTEC KEYSTONE |         | 949264774 | MANUFACTURE(49527-034) , RELABEL(49527-034) , REPACK(49527-034) |

## Establishment

| Name                       | Address | ID/FEI    | Business Operations    |
|----------------------------|---------|-----------|------------------------|
| WHITMAN LABORATORIES, LTD. |         | 216866277 | MANUFACTURE(49527-034) |

## Establishment

| Name              | Address | ID/FEI    | Business Operations    |
|-------------------|---------|-----------|------------------------|
| Aveda Corporation |         | 071352058 | MANUFACTURE(49527-034) |

## Establishment

| Name                          | Address | ID/FEI    | Business Operations                    |
|-------------------------------|---------|-----------|--|
| Pennsylvania Logistics Center |         | 078364654 | REPACK(49527-034) , RELABEL(49527-034) |

Revised: 4/2013

CLINIQUE LABORATORIES INC.