ULTRA-SHIELD- chlorhexidine gluconate solution **IBA**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ULTRA-SHIELD SANITIZING BARRIER TEAT DIP A PREMIUM, "TRUE" BARRIER TEAT DIP CONTAINING AN ADVANCED DUEL INGREDIENT EMOLLIENT SYSTEM WHICH LEAVES TEATS SOFT AND SUPPLE. PRODUCT IS LABORATORY CERTIFIED AS PATHOGEN FREE PRIOR TO **SHIPMENT**

ACTIVE INGREDIENT

Chlorhexidine gluconate...... 0.55%

INERT INGREDIENTS:	
Humectants and Skin Conditioners	9.00%
Other inert ingredients	90.45%
(Including Surfactants and Barrier Forming Agents)	
TOTAL	100.00%

INDICATIONS AND USAGE

GENERAL RECOMMENDATIONS

- 1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
- 2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
- 3. Do not use this product for cleaning or sanitizing equipment
- 4. Wash Teat Dip cups after each milking.

A. POST-MILKING (POST DIPPING)

Immediately after milking dip all teats full length with ULTRA-SHIELD Teat Dip Ensure good coverage of all sides of the teats and teat orifices.

UNIVERSITY TESTED AND PASSED USING NATIONAL MASTITIS COUNCIL PROTOCOLS.

Ã, Ã, Ã, Ã, Ã, Ã, Ã, Ã, PROVEN EFFECTIVE IN REDUCING NEW INTRAMAMMARY INFECTIONS.

PART OF THE COMPLETE IBA SANITATION PROGRAM

WARNING

DO NOT DILUTE THIS PRODUCT DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.

FIRST AID PROCEDURES

EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: FOR CONTACT WITH CONCENTRATED PRODUCTS, FLUSH THOROUGHLY WITH FRESH, TEPID WATER, DISCARD CONTAMINATED CLOTHING AND FOOTWEAR OR WASH BEFORE REUSE. FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300


ULTRA-SHIELD

NO MIXING

- EASY TO REMOVE
 - NON IRRITATING TO COWS AND MILKERS
 - PROVEN SAFE AND EFFECTIVE GERMICIDE
 - COMPATIBLE WITH IODINE AND CHLORHEXIDINE PRE-DIPS AND UDDER WASHES



NDC # 29983-0017-4



SANITIZING BARRIER TEAT D

A Premium, "True" Barrier Teat Dip Containing an Advanced Dual Ingredient Emollient System Which Leaves Teats Soft and Supple

This Product Is Laboratory Certified As Pathogen Free Prior 76 Shipment

ACTIVE INGREDIENT: Chlorhexidine gluconate. INERT INGREDIENTS: ... 0.55% 9.00% Humectants and Skin Conditioners.... . 100.00%

GENERAL RECOMMENDATIONS

- Use teat din applicators made of pisstic or other non-corros ve materials. Do not use cups made of aluminum.
 When solution in the test dip cup becomes dirty and/or noticeably loses oolor, discard remaining contents and refill cup with fresh test dip.
 Do not use this product for cleaning or sanitizing equipment.
- Wash test dip cups after each milking.

FIRST AID PROCEDURES

EYE CHITACT: AVOID CONTACT WITH EYES, IF CONTACT OCCURS, R-USH EYE WITH LARGE QUANTITIES OF FRESH, TEPIO WATER FOR 15 MINUTES, HOLD CYCLID OP'DN TO ENSUINE COMPLETE RRIGATION OF EYE AND LOD TISSUE. THIS HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE CUTSICE OF THE FACE. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

SKIN CONTACT: FOR CONTACT WITH CONCENTRATED PRODUCTS, FLUSH THOROUGHLY WITH FRESH, TEPID WATER, DISCARD CONTAMINATED CLOTHING AND FOOTWEAR OR WASH BEFORE REUSE. FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS

INCESTION: DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. POST-MILKING (POST-DIPPING)

1. Immodiately after milking, dip all tests full length with Ultra-Shield Test Dip. Ensure good coverage of all sides of the tests and test orifices.



WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER. ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.

CAUTION

KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

U.S. PATENT NUMBER 5,641,498

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE:

LOT NO .:

NET CONTENTS: 5 GALLONS

IBA STOCK # 160111

706E


MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 27 PROVIDENCE ROAD, MILLBURY, MA 01527



EASY TO REMOVE

- NON IRRITATING TO COWS AND MILKERS
 - PROVEN SAFE AND EFFECTIVE GERMICIDE
 - COMPATIBLE WITH IODINE AND CHLORHEXIDINE PRE-DIPS AND UDDER WASHES





SANITIZING BARRIER TEAT D

A Premium, "True" Barrier Teat Dip Containing an Advanced Dual Ingredient Emollient System Which Leaves Teats Soft and Supple

This Product Is Laboratory Certified As Pathogen Free Prior 76 Shipment

ACTIVE INGREDIENT: Chlorhexidine gluconate. INERT INGREDIENTS: ... 0.55% 9.00% Humectants and Skin Conditioners. 100.00%

GENERAL RECOMMENDATIONS

- 1. Use test dip applicators made of pisstic or other non-corros ve materials. Do not use cups made of aluminum.
 2. When solution in the test dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh test dip.
 3. Do not use this product for cleaning or sanitizing equipment.
- Wash test dip cups after each milking.

FIRST AID PROCEDURES

EYE CONTACT: AVOID CONTACT WITH EYES, IF CONTACT OCCURS, RLUSH EYE WITH LARGE DUANTHES OF PRESH, TEPD WATER FOR 15 MINUTES, HOLD CYCLID OP'DN TO EXSURE COMPLETE RRIGATION OF EYE AND LOT ISSUE THIS HEAD TO THE SIDE AND RRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE CUTSICE OF THE FACE. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

SKIN CONTACT: FOR CONTACT WITH CONCENTRATED PRODUCTS, FLUSH THOROUGHLY WITH FRESH, TEPID WATER, DISCARD CONTAMINATED CLOTHING AND FOOTWEAR OR WASH BEFORE REUSE. FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS

INCESTION: DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. POST-MILKING (POST-DIPPING)

1. Immodiately after milking, dip all tests full length with Ultra-Shield Test Dip. Ensure good coverage of all sides of the tests and test crifices.



WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER. ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.

CAUTION

KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

U.S. PATENT NUMBER 5,641,498

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE:

LOT NO .:

NET CONTENTS: 5 GALLONS

IBA STOCK # 160111

706E

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 27 PROVIDENCE ROAD, MILLBURY, MA 01527

ULTRA-SHIELD

chlorhexidine gluconate solution

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:29983-0017

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Basis of Strength Strength Ingredient Name

CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE -

UNII:R4KO0DY52L)

CHLORHEXIDINE GLUCONATE

2.75 g in 1 L

Inactive Ingredients

Ingredient Name

Strength

WATER (UNII: 059QF0KO0R)

Product Characteristics					
Color	blue	Score			
Shape		Size			
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:29983-0017-1	3.78 L in 1 DRUM				
2	NDC:29983-0017-4	18.9 L in 1 DRUM				
3	NDC:29983-0017-6	56.7 L in 1 DRUM				
4	NDC:29983-0017-7	113.4 L in 1 DRUM				
5	NDC:29983-0017-8	207.9 L in 1 DRUM				

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	12/31/2024				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

Labeler - IBA (019494160)

Revised: 12/2024 IBA