

SKY PEG3350- polyethylene glycol 3350 powder, for solution
McKesson Corporation dba SKY Packaging

McKesson Corporation dba Sky Packaging PEG3350 Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **do not take more than directed unless advised by your doctor**
- adults and children 17 years of age and older:
- use once a day
- stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil pouch is open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

SKY

Compare to MiraLAX® active ingredient

PEG3350

Polyethylene Glycol 3350 Powder for Solution, Osmotic Laxative

- Relieves Occasional Constipation (Irregularity) -

- Softens Stool -

Unflavored Powder ● Grit Free

Unflavored Powder Dissolves In Any Beverage!

30 Once-Daily Doses

30 Packets – NET WT 0.5 OZ (17g) Each




- Relieves Occasional Constipation (Irregularity) —
- Softens Stool —
- Unflavored Powder • Grit Free
- Unflavored Powder Dissolves In Any Beverage!

Polyethylene Glycol 3350
Powder for Solution,
Osmotic Laxative

PEG3350

NDC 63739-198-61
Compare to MiraLAX®
active ingredient



NDC 63739-198-61

Compare to MiraLAX®
active ingredient

PEG3350

Polyethylene Glycol 3350
Powder for Solution,
Osmotic Laxative

- Relieves Occasional Constipation (Irregularity) —
- Softens Stool —

Unflavored Powder • Grit Free

Unflavored Powder Dissolves In Any Beverage!



30 Once-Daily Doses

30 Packets - NET WT 0.5 OZ (17g) Each



NDC 63739-198-61

Compare to MiraLAX®
active ingredient

PEG3350

Polyethylene Glycol 3350
Powder for Solution,
Osmotic Laxative

- Relieves Occasional Constipation (Irregularity) —
- Softens Stool —

Unflavored Powder • Grit Free

Unflavored Powder Dissolves In Any Beverage!



30 Once-Daily Doses

30 Packets
NET WT 0.5 OZ (17g) Each



3 63739 19861 6
30839 SK C5

No copy area

Glue area
No print
No varnish

Drug Facts

Active ingredient (in each dose) Purpose
Polyethylene Glycol 3350, 17 g.....Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than directed unless advised by your doctor

- adults and children 17 years of age and older:

- use once a day

- stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink

- do not combine with starch-based thickeners used for difficulty swallowing

- ensure that the powder is fully dissolved before drinking

- do not drink if there are any clumps

- do not use more than 7 days

- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

- tamper-evident: do not use if printed foil pouch is open or broken

Inactive ingredients none**Questions or comments?**

1-800-719-9260

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX®.

**GLUTEN FREE****Unflavored
Sugar Free****Dissolves In Any Beverage****30 Pre-Measured
Unflavored Single Doses****Travel Size Packets**

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool.



Distributed By:
McKesson Corporation dba SKY Packaging
Memphis, TN 38141

REV. 03/2022

**Glue area
No print
No varnish**

No copy area

SKY PEG3350

polyethylene glycol 3350 powder, for solution

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:63739-198
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)			POLYETHYLENE GLYCOL 3350	17 g in 17 g
Product Characteristics				
Color		WHITE	Score	
Shape			Size	
Flavor			Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63739-198-61	30 in 1 CARTON	06/08/2020	01/01/2026
1	NDC:63739-198-62	17 g in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA090685		06/08/2020	01/01/2026

Labeler - McKesson Corporation dba SKY Packaging (140529962)