ASPIRIN 325 MG EC- aspirin tablet Proficient Rx LP

ASPIRIN 325 MG EC TABLET

Drug Facts

Aspirin USP, 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Pain Reliever/Fever Reducer

temporarily relieves

- headache
- menstrual pain
- minor pain of arthritis
- muscle pain
- toothache
- pain and fever of colds

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this prodcut, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning: This prodcut contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (ibuprofen, naproxen, or others)
- take more or for a longer time than directed
- have 3 or more alcoholic drinks every day while using this product

Drug Facts continued on back of label

Do not use if you have ever had an allergic reaction to any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout or arthritis
- under a doctor's care for any serious condition
- taking any other drug

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
 - pain gets worse or lasts more than 10 days
 - fever gets worse or lasta more than 3 days
 - redness or swelling is present in the painful area
 - any new symptoms appear
 - ringing in the ears or loss of hearing occurs

These could be sings of a serious condition

If pregnant or breast-feeding, ask a health professional before use. It is especially imporant not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

DRINK A FULL GLASS OF WATER WITH EACH DOSE

- adults and children 12 years and over: 1-2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

• store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, D&C yellow #10 (Al-lake), FD&C yellow #6 (Al-lake), HPMC, methacrylic acid copolymer, polyethylene glycol, propylene glycol, povidone, sodium lauryl sulfate, starch, stearic acid, talc, titanium dioxide

Questions or comments?

Questions or comments ? call 516-341-0666, 8:30 am - 4:30 pm ET, Monday -Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Ecotrin ${f \mathbb B}$.

Distributed by: Reliable 1 Laboratories LLC, Valley Stream, NY 11580

Repackaged by: Proficient Rx LP Thousand Oaks, CA 91320

www.reliable1labs.com



Aspirin USP 325 mg (NSAID)

PAIN RELIEVER

FEVER REDUCER

60 TABLETS

*Compare to Active Ingredients in Ecotrin®

ASPIRIN 325 MG EC

i iouuce iiiio	rmation							
Product Type		HUMAN OTC D	RUG Item Code	le (Source) NDC:71205-31		318(ND	18(NDC:69618-015)	
Route of Admir	nistration	ORAL						
Active Ingred	lient/Active	Moiety						
	Ingred		Bas	is of Streng	ath	Strength		
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO			05Y76E)	ASPIRIN			325 mg	
Inactive Ingr	edients							
		Ingredient	Name				Strength	
POVIDONE, UNSI	PECIFIED (UNII:	FZ989GH94E)						
METHACRYLIC A	CID (UNII: 1CSO	2G8656)						
STEARIC ACID (U	NII: 4ELV7Z65A	P)						
STARCH, CORN (UNII: 08232NY3	SJ)						
CROSCARMELLO	SE SODIUM (UI	NII: M28OL1HH48)					
FD&C YELLOW N	IO. 6 (UNII: H77	VEI93A8)						
D&C YELLOW NO	D. 10 (UNII: 355	W5USQ3G)						
HYPROMELLOSE	, UNSPECIFIED	(UNII: 3NXW29V3	3WO)					
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)								
TITANIUM DIOXII	DE (UNII: 15FIX9	V2JP)						
TALC (UNII: 7SEV7	/J4R1U)							
SODIUM LAURYL	SULFATE (UNII	: 368GB5141J)						
POLYETHYLENE	GLYCOL 1000	(UNII: U076Q6Q6	21)					
Product Chai	racteristics							
		ange	Score		n	0 SCORE	2	
Color	ora	ange	Score			o score Omm	2	
Color Shape	ora	ange UND	Size		1	0mm	2	
Color Shape Flavor	ora	5			1		2	
Product Cha i Color Shape Flavor Contains	ora	5	Size		1	0mm	2	
Color Shape Flavor	ora	5	Size		1	0mm	2	
Color Shape Flavor	ora	5	Size		1	0mm	2	
Color Shape Flavor Contains Packaging	ora RO	5	Size Imprint Code		1	0mm P;110		
Color Shape Flavor Contains Packaging # Item Code	P	UND ackage Desc E, PLASTIC; Type	Size Imprint Code ription		ing Start	0mm P;110	keting End	
Color Shape Flavor Contains Packaging # Item Code 1 NDC:71205- 318-20	Ora RO 20 in 1 BOTTL Combination F	ackage Desc E, PLASTIC; Type Product E, PLASTIC; Type	Size Imprint Code ription 0: Not a	D	2	0mm P;110	keting End	
Color Shape Flavor Contains Example Flave Shape	20 in 1 BOTTL Combination F 30 in 1 BOTTL Combination F 60 in 1 BOTTL Combination F	ackage Desc E, PLASTIC; Type roduct E, PLASTIC; Type roduct E, PLASTIC; Type E, PLASTIC; Type	Size Imprint Code ription 0: Not a 0: Not a 0: Not a	D 08/01/202	2 9	0mm P;110	keting End	

ASPIRIN 325mg EC Tablet

Marketing Information

Marketing
CategoryApplication Number or Monograph
CitationMarketing Start
DateMarketing End
DateOTC Monograph DrugM01311/01/2015

Labeler - Proficient Rx LP (079196022)

Establishment								
Name	Address	ID/FEI	Business Operations					
Proficient Rx LP		079196022	REPACK(71205-318), RELABEL(71205-318)					

Revised: 1/2024

Proficient Rx LP