

FIREFLY ANTICAVITY FLUORIDE- sodium fluoride rinse
Ranir LLC

FIREFLY Anticavity Fluoride Rinse L.O.L. Surprise! Drug Facts

Active ingredient

Sodium Fluoride 0.05%

Purpose

Anticavity rinse

Use

aids in the prevention of dental cavities.

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- **DO NOT SWALLOW THE RINSE**
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

Children under 6 years of age: consult a dentist or doctor.

Other Information

- recommended storage temperature 59°-86°F(15°-30°C)
- do not use if printed plastic neckband is broken or missing

Inactive Ingredients

purified water, sorbitol, propylene glycol, xylitol, sodium benzoate, PEG-40 hydrogenated castor oil, flavor, sucralose, cetylpyridinium chloride, poloxamer 407, citric acid, disodium EDTA, sodium phosphate, disodium phosphate, D&C red #33

Questions?

Toll Free: **1-866-373-7374**

Principal Display Panel

FIREFLY® ANTICAVITY Fluoride Rinse

L.O.L. SURPRISE!™

WILD MELON

Helps PREVENT CAVITIES

ADA Accepted American Dental Association®

Helps prevent cavities

Alcohol FREE

IMPORTANT: Read directions for proper use.

16 FL OZ (473 mL)

Drug Facts	
Active ingredient Sodium fluoride 0.05%	Purpose Anticavity rinse
Use aids in the prevention of dental cavities.	
Warnings Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
Directions Adults and children 6 years of age and older: <ul style="list-style-type: none"> ■ use once a day after brushing your teeth with a toothpaste ■ vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out ■ DO NOT SWALLOW THE RINSE ■ do not eat or drink for 30 minutes after rinsing ■ instruct children under 12 years of age in good rinsing habits (to minimize swallowing) ■ supervise children as necessary until capable of using without supervision Children under 6 years of age: consult a dentist or doctor.	
Other information ■ recommended storage temperature 59°-86°F(15°-30°C) <ul style="list-style-type: none"> ■ do not use if printed plastic neckband is broken or missing 	
Inactive ingredients purified water, sorbitol, propylene glycol, xylitol, sodium benzoate, PEG-40 hydrogenated castor oil, flavor, sucralose, cetylpyridinium chloride, poloxamer 407, citric acid, disodium EDTA, sodium phosphate, disodium phosphate, D&C red #33	
Questions? Toll Free: 1-866-373-7374	

Distributed by Rinir, LLC
 A Perrigo Company
 4701 East Paris Ave, SE
 Grand Rapids, MI 49512 USA
 Directions? Comments?
 1-866-373-7374
 consumer.plm@perrigo.com
 www.fireflytoothbrush.com
 ©2024 Rinir, LLC
 www.perrigo.com/patients

lol Surprise | mgae.com
 © MGA Entertainment, Inc.
 L.O.L. SURPRISE!™ is a trademark
 of MGA in the U.S. and other
 countries. All logos, names, characters,
 likenesses, images, slogans, and
 packaging appearance are the
 property of MGA. Used under license
 by Rinir, LLC, A Perrigo Company.

Made in USA with ingredients from around the world FAS43FUB2C



FIREFLY ANTICAVITY FLUORIDE

sodium fluoride rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66923-007
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XYLITOL (UNII: VCQ006KQ1E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66923-007-00	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/16/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/16/2021	

Labeler - Ranir LLC (364567615)