

## **MOTION SICKNESS- meclizine hcl tablet**

### **Hy-Vee**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredient (in each tablet)**

Meclizine HCl 25 mg

#### **Purpose**

Antiemetic

#### **Uses**

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness.

#### **Warnings**

##### **Do not use**

for children under 12 years of age unless directed by a doctor.

##### **Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to an enlargement of the prostate gland

##### **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

##### **When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- to prevent motion sickness, the first dose should be taken 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor
- do not exceed 2 tablets in 24 hours

**Other information**

- store at room temperature 20°-25°C (68°-77°F)

**Inactive ingredients**

anhydrous lactose, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminium lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

**Questions or comments?**

Call toll free **1-800-289-8343 Monday-Friday 9AM-4PM CST**

**Principal Display Panel**

†**Compare to** the Active Ingredient of **Dramamine® Less Drowsy Formula**

**Motion Sickness**

MECLIZINE HYDROCHLORIDE, 25 mg

ANTIEMETIC UNCOATED TABLETS

Less Drowsy Formula

Prevents Up to 24 Hours of Motion Sickness

Tablets

†This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Dramamine® Less Drowsy Formula.

DISTRIBUTED BY HY-VEE, INC.

5820 WESTOWN PARKWAY

WEST DES MOINES, IA 50266

[www.hy-vee.com](http://www.hy-vee.com)

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS  
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**Product Label**

**HyVee**

†Compare to  
the Active Ingredient of  
**Dramamine® Less  
Drowsy Formula**

NDC 42507-620-08

# Motion Sickness

MECLIZINE HYDROCHLORIDE, 25 mg  
ANTIEMETIC UNCOATED TABLETS

**Less Drowsy Formula**

# Motion Sickness

MECLIZINE HYDROCHLORIDE, 25 mg  
ANTIEMETIC UNCOATED TABLETS

**Less Drowsy Formula**

**Prevents Up to 24 Hours of Motion Sickness**



ACTUAL SIZE

**8**

**Tablets**

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

† This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Dramamine® Less Drowsy Formula.

DISTRIBUTED BY HY-VEE, INC.  
5820 WESTOWN PARKWAY  
WEST DES MOINES, IA 50266

SATISFACTION GUARANTEED  
CALL 1-800-289-8343  
www.hy-vee.com

PLD-B50I  
FC001821



**Directions**

- to prevent motion sickness, the first dose should be taken 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor
- do not exceed 2 tablets in 24 hours


**Other information**

- store at room temperature 20°-25°C (68°-77°F)

**Inactive ingredients** anhydrous lactose, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

**Questions or comments?**  
Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST

**Keep out of reach of children.** In case of overdose, get medical help or contact a poison control center right away.



Hy-Vee Motion Sickness Tablet

## MOTION SICKNESS

meclizine hcl tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-620
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
ALUMINUM OXIDE (UNII: LM26O6933)	

### Product Characteristics

Color	YELLOW (White)	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	TCL086
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-620-08	8 in 1 CARTON	03/28/2014	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	03/28/2014	

**Labeler** - Hy-Vee (006925671)

Revised: 12/2019

Hy-Vee