

MEDIFIRST BURN- lidocaine hydrochloride spray
Unifirst First Aid Corporation

Medi-First Burn Spray

Drug Facts

Active ingredient

Lidocaine HCl 2.0%

Purpose

Topical pain relief

Uses

Temporary pain relief associated with minor burns

Warnings

For external use only.

Do not use

- In large quantities, particularly over raw or blistered areas
- near eyes, if this happens rinse thoroughly with water

Stop use and ask doctor if

condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

- spray an even layer of burn spray over cleaned affected area not more than 3-4 times daily
- not to be used on children under 12 years of age

Inactive ingredients

aloe vera, germaben II, propylene glycol, purified water

Questions or Comments?

1-800-634-7680

Medi-First Burn Spray Label

MEDI-FIRST®

Burn Spray

Pump Spray

Analgesic

- Relieves pain in minor burns
- Washable
-

2 FL OZ (59.1ML)

MEDI-FIRST®

Burn Spray

Pump Spray

Analgesic

- Relieves pain in minor burns
- Washable

2 FL OZ (59.1ML)

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2.0%	Topical pain relief

Uses Temporary pain relief associated with minor burns

Warnings
For external use only.

Do not use ■ in large quantities, particularly over raw or blistered areas ■ near eyes, if this happens rinse thoroughly with water

Stop use and ask a doctor if condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions ■ spray an even layer of burn spray over cleaned affected area not more than 3-4 times daily ■ not to be used on children under 12 years of age

Inactive ingredients
aloe vera, germaben II, propylene glycol, purified water

Questions or comments? 1-800-634-7680



3 47682 22502 5

Reorder #22502
Mfg. for Medique Products
Fort Myers, FL 33967 USA
www.mediqueproducts.com
MEETS ANSI Z308.1-2014

MEDIFIRST BURN			
lidocaine hydrochloride spray			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-225
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 g in 1 L	
Inactive Ingredients				
Ingredient Name			Strength	
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)				
WATER (UNII: 059QF0KO0R)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-225-17	0.09 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/12/2013	04/02/2018
2	NDC:47682-225-02	0.0591 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/12/2013	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M015	04/12/2013		

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation