

FIRSTCARE CHILDRENS PAIN FEVER ACETAMINOPHEN- acetaminophen 80 mg tablet, chewable
USpharma Ltd

Firstcare Children's Pain + Fever Acetaminophen 80 mg Chewable Tablets

Active ingredient (in each chewable tablet)

Acetaminophen 80 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache
- temporarily reduces fever

Warnings

Liver warning: this product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not Use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning).

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- **Instruct child to chew each piece thoroughly before swallowing**
- find right dose on chart below. If possible, use weight to dose; otherwise, use age
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lbs.)	Age (yrs.)	Dose (chewable tablet)*
Under 24	Under 2 years	Ask a doctor
24-35	2-3 years	2 chewable tablets
36-47	4-5 years	3 chewable tablets
48-59	6-8 years	4 chewable tablets
60-71	9-10 years	5 chewable tablets
72-95	11 years	6 chewable tablets

* or as directed by a doctor

Other information

- **each chewable tablet contains:** calcium 5 mg, magnesium 5 mg, potassium 10 mg, sodium 5 mg.

low sodium

- Store in a cool dry place between 20-25°C (68-77°F).
- **Child Resistant Container**; do not use if printed seal under cap is broken or missing.

Inactive ingredients

artificial flavors, corn syrup, D&C red no. 33, geleol mono and diglycerides, hydroxypropyl betadex, maltodextrin, monobasic potassium phosphate, pregelatinized starch, purified water, seaweed extract (carrageenan), sodium chloride, stevia sweetener, sucralose, sucrose.

Questions or comments?

Call **1-800-227-6151**

Patents: www.uspharmaltd.com/patent

Principal Display Panel - Firstcare Children's Pain + Fever Acetaminophen 80 mg

NDC 71594-702-13

FIRSTCARE

CHILDREN'S

Pain + Fever

ACETAMINOPHEN 80 mg

Pain Reliever

Fever Reducer

24 Chewable

Cherry Flavor

Tablets

NDC 71594-702-13

FIRSTCARE

CHILDREN'S
Pain + Fever
ACETAMINOPHEN **80 mg**

Pain Reliever
 Fever Reducer

24 Chewable Tablets

Cherry Flavor



Drug Facts

Active ingredient (in each chewable tablet) Purpose
Acetaminophen 80 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold ■ flu ■ headache ■ sore throat
- toothache
- temporarily reduces fever

Warnings

Liver warning: this product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Continued Under Label



8 50010 27649 6
54859127

US Pharmacist
13900 NW 57th Court
Miami Lakes, FL 33014
1-800-227-6151
www.uspharmacist.com
Patents:
www.uspharmacist.com/ysakent

Drug Facts
(continued)

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: if sore throat is severe, persists more than 2 days, is accompanied or followed by a fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not Use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use.
- do not give more than directed (see overdose warning)
- instruct child to chew each chewable tablet thoroughly before swallowing
- find right dose on chart below. If possible, use

weight to dose, otherwise, use age

- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lbs.)	Age (yrs.)	Dose (chewable tablet)*
Under 24	Under 2 years	Ask a doctor
24-35	2-3 years	2 chewable tablets
36-47	4-5 years	3 chewable tablets
48-59	6-8 years	4 chewable tablets
60-71	9-10 years	5 chewable tablets
72-95	11 years	6 chewable tablets

*or as directed by a doctor

Other information

- each chewable tablet contains: calcium 5 mg, magnesium 5 mg, potassium 10 mg, sodium 5 mg, low sodium
- store in a cool dry place between 20-25°C (68-77°F).
- **Child Resistant Container;** do not use if printed seal under cap is broken or missing.

Inactive ingredients:
artificial flavors, corn syrup, D&C red no. 33, gelcol mono and diglycerides, hydroxypropyl betadex, maltodextrin, monobasic potassium phosphate, pregelatinized starch, purified water, seaweed extract (carrageenan), sodium chloride, stevia sweetener, sucralose, sucrose.

Questions or comments?
Call 1-800-227-6151

FIRSTCARE CHILDRENS PAIN FEVER ACETAMINOPHEN			
acetaminophen 80 mg tablet, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71594-702
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	80 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYPROPYL BETADEX (UNII: 1I96OHX6EK)	
GLYCERYL MONO AND DIPALMITOSTEARATE (UNII: KC98RO82HJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
STEVIA LEAF (UNII: 6TC6NN0876)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MONOBASIC POTASSIUM PHOSPHATE (UNII: 4J9FJ0HL51)	
WATER (UNII: 059QF0KO0R)	
SUCROSE (UNII: C151H8M554)	
CORN SYRUP (UNII: 9G5L16BK6N)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	14mm
Flavor	CHERRY	Imprint Code	7
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71594-702-13	24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/23/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/23/2026	

Labeler - USpharma Ltd (080664601)**Registrant** - USpharma Ltd (080664601)**Establishment**

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

USpharma Ltd		080664601	manufacture(71594-702) , pack(71594-702)
--------------	--	-----------	--

Revised: 3/2026

USpharma Ltd