PROLOGEL URGENT CARE- lidocaine and sodium bicarbonate lotion Nova Neura, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ProloGel® Urgent Care

Drug Facts

Active Ingredients*	Purpose	
Lidocaine 4%	Topical Analgesic	
Sodium Bicarbonate 5%	Skin Protectant	

Uses

For relief from

- minor pain
- aches & pains of sore muscles & joints associated with
 - arthritis
 - backache
 - bruises
 - strains & sprains.

Warnings

For external use only

- Use only as directed
- Avoid contact with eyes and mucous membranes.
- Do not apply to open wounds or damaged skin.
- Store in cool dry place away from direct sunlight.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children

If accidentally ingested, get medical help or contact Poison Control Center immediately.

Stop use and ask a doctor if

Condition worsens

• Irritation or redness develops.

Ask doctor before use

If you have sensitive skin.

Directions

Shake well before each use. Keep cap on between uses.

Adults and children 12 years of age or older:

- Use gloves (or skin barrier) with each application to prevent absorption into hands.
- Apply generous amount to clean, unbroken skin.
- Allow lotion to rest on skin for approximately one minute
- Rub lotion into the target area.
- Reapply up to four times per day.
- Wash hands thoroughly after each application.

Inactive Ingredients*

Behenyl alcohol, Citrus Sinensis Peel Oil, Dimethicone, Disodium ETDA, Emulsfying wax NF, Glycerin, Guar gum, Mannitol, Oleyl alcohol, Polysorbate 20, Purified water, Ricinus Communis (Castor) Seed Oil, Sodium hydroxide, Sorbitan stearate.

Questions or Comments

1866-516-5508 or Support@ProloGel.com

PRINCIPAL DISPLAY PANEL - 148 mL Bottle Carton

ProloGel[®]

URGENT CARE FORMULA

For Rapid Relief Deep Penetrating Vanishing Odor

Topical Therapeutic Lotion

Net Wt. 5 oz / 148 mL

Drug Facts Active Ingredients* Purpose Topical Analgesic Sodium Bicarbonate 5%. Skin Protectant

For relief from minor pain aches & pains of sore muscles & joints associated with ■ arthritis ■ backache ■ bruises ■ strains & sprains

For external use only = Use only as directed

 Avoid contact with eyes and mucous membranes.
 Do not apply to open wounds or damaged skin.
 Store in cool dry place away from direct sunlight.
 If pregnant or breast-feeding: Ask a health professional before use. Keep out of reach of children

If accidentally ingested, get medical help or contact Poison Control Center immediately Stop use and ask a doctor if: Condition worsens Irritation or redness develops. Ask doctor before use: If you have sensitive skin.

Directions

Shake well before each use. Keep cap on between uses.

Adults and children 12 years of age or older.

- Use gloves (or skin barrier) with each application to prevent absorption into hands.
 Apply generous amount to clean, unbroken skin.
 Allow lotion to rest on skin for approximately one minute
 Rub lotion into the target area.
 Reapply up to four times per day.
 Wash hands thoroughly after each application.

Inactive Ingredients*

Behenyl alcohol, Citrus Sinensis Peel Oil, Dimethicone, Disodium ETDA, Emulsfying wax NF, Glycerin, Guar gum, Mannitol, Oleyl alcohol, Polysorbate 20, Purified water, Ricinus Communis (Castor) Seed Oil, Sodium hydroxide, Sorbitan stearate.

Questions or Comments

1 866-516-5508 or Support@ProloGel.com

More application suggestions at www.prologel.com. ProloGel is patented with patents pending. ProloGel is a registered trademark @2020. E Bryan Street #427, Savannah, GA 31401





▼ EXP DATE:

LOT#:





URGENT CARE

FORMULA



For Rapid Relief

Deep Penetrating

Vanishing Odor

Topical Therapeutic Lotion

Net Wt. 5 oz / 148 mL

PROLOGEL URGENT CARE

lidocaine and sodium bicarbonate lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:77496-102

Route of Administration TOPICAL

Active Ingredient/Active Moiety Basis of Ingredient Name Strength Strength 0.04 mg LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE in 1 mL SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION -SODIUM 0.05 mg UNII: HN1Z RA3Q20) **BICARBONATE** in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
DOCOSANOL (UNII: 9G10E216XY)		
SHEA BUTTER (UNII: K49155WL9Y)		
ORANGE OIL, COLD PRESSED (UNII: AKN3KSD11B)		
DIMETHICONE (UNII: 92RU3N3Y1O)		

EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
GUAR GUM (UNII: E89I1637KE)	
MANNITOL (UNII: 30WL53L36A)	
OLEYL ALCOHOL (UNII: 172F2WN8DV)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
WATER (UNII: 059QF0KO0R)	
CASTOR OIL (UNII: D5340Y2I9G)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBITAN MONOSTEARATE (UNII: NVZ 4I0H58X)	

Product Characteristics		
Color	WHITE	Score
Shape		Size
Flavor		Imprint Code
Contains		

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
		NDC:77496- 102-11	148 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	12/01/2020		

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part348	12/01/2020		

Labeler - Nova Neura, LLC (117121636)

Revised: 9/2021 Nova Neura, LLC