

MEIJER REDNESS RELIEF- glycerin, naphazoline hci solution/ drops
Meijer Distribution, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Redness Relief (Glycerin, Naphazoline HCl)

Active Ingredients

Glycerin 0.25%

Naphazoline HCl 0.012%

Purposes

Lubricant

Redness Reliever

Uses

- relieves redness of the eye due to minor eye irritations
- for use as a protectant against further irritation or to relieve dryness of the eye
- for the temporary relief of burning and irritation due to dryness of the eye

Warnings

For external use only

Do not use

if solution changes color or becomes cloudy

Ask a doctor before use if you have

narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

instill 1 to 2 drops in the affected eye(s) up to 4 times daily

Other information

store at room temperature


Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions or comments?

Call 1-888-527-4276

Meijer Redness Relief



MEIJER REDNESS RELIEF

glycerin, naphazoline hci solution/ drops

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:41250-846 |
| Route of Administration | OPHTHALMIC | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------------|-------------------|
| NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV) | NAPHAZOLINE HYDROCHLORIDE | 0.012 g in 100 mL |

GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)

GLYCERIN

0.25 g
in 100 mL**Inactive Ingredients**

| Ingredient Name | Strength |
|--|----------|
| BORIC ACID (UNII: R57ZHV85D4) | |
| WATER (UNII: 059QF0KO0R) | |
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| SODIUM BORATE (UNII: 91MBZ8H3QO) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:41250-846-01 | 1 in 1 BOX | 04/27/2020 | |
| 1 | | 15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part349 | 04/27/2020 | |

Labeler - Meijer Distribution, Inc. (006959555)**Registrant** - KC Pharmaceuticals, Inc. (174450460)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|---|
| KC Pharmaceuticals, Inc. | | 174450460 | manufacture(41250-846) , pack(41250-846) , label(41250-846) |

Revised: 4/2020

Meijer Distribution, Inc.