

**PUTTISU- titanium dioxide, zinc oxide liquid
Jellycup, Inc.**

Titanium Dioxide 5.95%, Zinc Oxide 9.70%

Sunscreen

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- For external use only
- Do not use on damaged or broken skin

Keep out of reach of children

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

- Applying liberally an evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures
- spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or high and other sun protection measures including:
- limit time in the sun, especially from 10 am-2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months age: Ask a doctor

Protect the product in this container from excessive heat and direct sun.

WATER

ETHYLHEXYL PALMITATE

ETHYLHEXYL STEARATE

BUTYLENE GLYCOL

BUTYLOCTYL SALICYLATE

CAPRYLYL TRISILOXANE

DIPHENYLSILOXY PHENYL TRIMETHICONE

POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S)

ALKYL (C12-15) BENZOATE

DICAPRYLYL CARBONATE

LIMONIA ACIDISSIMA BARK

ZANTHOXYLUM PIPERITUM FRUIT PULP

GREEN TEA LEAF

YEAST, UNSPECIFIED

HOUTTUYNIA CORDATA TOP

TANACETUM COCCINEUM FLOWER

NYMPHAEA ALBA FLOWER

CORYMBIA CITRIODORA LEAF OIL

POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE

POLYHYDROXYSTEARIC ACID STEARATE

POLYMETHYLSILSESQUIOXANE (11 MICRONS)

SODIUM CHLORIDE

VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER

SILICON DIOXIDE

DISTEARDIMONIUM HECTORITE

TRIETHOXYCAPRYLYLSILANE

CAPRYLYL GLYCOL

GLYCERYL CAPRYLATE

DIMETHICONE

ALLANTOIN

TOCOPHEROL

DIPROPYLENE GLYCOL

SODIUM PALMITOYL PROLINE

DISODIUM EDTA-COPPER



Puttisu Safe Baby Mild Suncushion Bottom Label





[CCP 350g / 4-color process + 1 Pantone / Matt Coating]

PANTONE 1225 C



Drug Facts

**KEEP OUTER PACKAGE FOR
COMPLETE PRODUCT INFORMATION**

Active ingredients

Titanium Dioxide 5.95%, Zinc Oxide 9.70%

Purpose

Sunscreen

Uses - helps prevent sunburn - if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only** - **Do not use** on damaged or broken skin - **When using this product** keep out of eyes. Rinse with water to remove - **Stop use and ask a doctor** if rash occurs - **Keep out of reach of children.**

Directions

- **apply liberally** and evenly 15 minutes before sun exposure - **reapply** at least every 2 hours - use a water resistant sunscreen if swimming or sweating - **Sun Protection Measures.** - spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, **regularly** use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses - children under 6 months of age: Ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Ethylhexyl Palmitate, Ethylhexyl Stearate, Butylene Glycol, Butyloctyl Salicylate, Caprylyl Methicone, Diphenylsiloxy Phenyl Trimethicone, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Dicaprylyl Carbonate, Limonia Acidissima Extract, Zanthoxylum Piperitum Fruit Extract, Camellia Sinensis Leaf Extract, Yeast Extract, Houttuynia Cordata Extract, Chrysanthemum Coccineum Flower Extract, Nymphaea Alba Flower Extract, Eucalyptus Citriodora Oil, Polyglyceryl-2 Dipolyhydroxystearate, Polyhydroxystearic Acid, Polymethylsilsesquioxane, Sodium Chloride, Vinyl Dimethicone/methicone Silsesquioxane Crosspolymer, Silica, Disteardimonium Hectorite, Triethoxycaprylylsilane, Caprylyl Glycol, Glyceryl Caprylate, Dimethicone, Allantoin, Tocopherol, Dipropylene Glycol, Sodium Palmitoyl Proline, Disodium EDTA.



Puttisu Sun Cushion Refill SR1



PUTTISU

titanium dioxide, zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73419-0001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.95 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.7 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLYHYDROXYSTEARIC ACID STEARATE (UNII: 8KQ7I65XZE)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)	
HOULTUYNIA CORDATA TOP (UNII: 3E4MG0DM0M)	
TANACETUM COCCINEUM FLOWER (UNII: 9BJ3T5AE5X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TOCOPHEROL (UNII: R0ZB2556P8)	
LIMONIA ACIDISSIMA BARK (UNII: 68SJ7W9Y65)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ZANTHOXYLUM PIPERITUM FRUIT PULP (UNII: 7PFC2VA251)	
CORYMBIA CITRIODORA LEAF OIL (UNII: M63U6N96EB)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
ALLANTOIN (UNII: 344S277G0Z)	
SODIUM PALMITOYL PROLINE (UNII: 64L053FRFO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73419-0001-1	1 in 1 BOX	03/06/2020	
1		15 mL in 1 JAR; Type 0: Not a Combination Product		

2	NDC:73419-0001-2	15 mL in 1 JAR; Type 0: Not a Combination Product	07/17/2023
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/06/2020	

Labeler - Jellycup, Inc. (694888221)

Establishment			
Name	Address	ID/FEI	Business Operations
Cosmax, Inc.		689049693	manufacture(73419-0001)

Revised: 12/2024

Jellycup, Inc.