

**LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet  
Good Sense (Geiss, Destin & Dunn, Inc.)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Sennosides USP, 25 mg

**Purpose**

Stimulant laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

**Ask a doctor before use if you have**

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you**

- are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

**When using this product**

- do not use for a period longer than 1 week

**Stop use and ask a doctor if**

- rectal bleeding or failure to have a bowel movement occur after use of a laxative

These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

### Other information

- **each tablet contains:** calcium 40 mg
- very low sodium
- store between 20-25°C (68-77°F)

### Inactive ingredients

acacia, calcium phosphate dihydrate\*, calcium sulfate anhydrous\*, carnauba wax, corn starch\*, croscarmellose sodium, dicalcium phosphate\*, FD&C blue #1 aluminum lake, iron oxide\*, iron oxide black, iron oxide yellow\*, kaolin\*, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone\*, shellac, silicon dioxide\*, stearic acid\*, sucrose, talc, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### Principal Display Panel

#### Maximum Strength

#### Laxative pills

Sennosides USP, 25 mg

#### Stimulant Laxative

- Specialists In Gentle, Dependable Overnight Relief

PILLS

**\*\*Compare to** active ingredient in **ex-lax® Maximum Strength**

**\*\*This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of Ex-Lax®.**

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by:

Geiss, Destin & Dunn, Inc.

Peachtree City, GA 30269

[www.valuelabels.com](http://www.valuelabels.com)

**Product Label**

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Inactive ingredients** acacia, calcium phosphate dihydrate, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide

**Other information**  
 ■ each tablet contains: calcium 40 mg  
 ■ very low sodium  
 ■ store between 20-25°C (68-77°F)

children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

**Drug Facts (continued)**

**Directions**  
 ■ swallow tablet(s) with a glass of water  
 ■ swallow tablet(s) whole, do not crush, break, or chew  
 adults and children 12 years of age and older take 2 tablets once or twice daily

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you**  
 ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.  
 ■ do not use for a period longer than 1 week

**When using this product**  
 ■ do not use for a period longer than 1 week  
 ■ rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Warnings**  
 Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.  
 Ask a doctor before use if you have  
 ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Drug Facts**

**Active ingredient (in each tablet)**  
 Sennosides USP, 25 mg.....Stimulant laxative

**Purpose**

**Uses**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6 to 12 hours

GOODSENSE®

NDC 50804-815-24

**Maximum Strength**

# Laxative Pills

Sennosides USP, 25 mg

**Stimulant Laxative**

• **Specialists In Gentle, Dependable Overnight Relief**

24 Pills



Actual Size

\*\*Compare to active ingredient in ex-lax® Maximum Strength



TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

\*\*This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of ex-lax®.

PLD-H16J  
FC005570

Distributed by:  
Geiss, Destin & Dunn, Inc.  
Peachtree City, GA 30269  
www.valuelabels.com



## GOOD SENSE Maximum Strength Laxative Pills

### LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-815
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>CALCIUM SULFATE ANHYDROUS</b> (UNII: E934B3V59H)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	

**Product Characteristics**

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL083
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-815-24	24 in 1 CARTON	01/31/2019	01/31/2025
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	01/31/2019	01/31/2025

**Labeler** - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Revised: 10/2022

Good Sense (Geiss, Destin &amp; Dunn, Inc.)