

**SALICYLIC ACID- wart remover gel gel**  
**Topco Associates LLC**

-----  
**TopCare Wart Remover Gel**

***Active ingredient***

*Salicylic acid 17%w/w*

***Purpose***

Wart remover

***Uses***

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

***Warnings***

**For external use only.**

**Flammable**

keep away from fire and flame

**Do not use**

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**if discomfort persists**

see your doctor or podiatrist.

**Directions**

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

**Other information**

store between 59°F to 86°F (15°C to 30°C)

**Inactive ingredients**

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

**Questions?**

call 1-866-964-0939

**Principal Display Panel****TopCare health****MAXIMUM STRENGTH  
WART****Remover****Gel**

SALICYLIC ACID 17%

- Safely Removes Common & Plantar Warts
- Convenient & Easy
- No Drip Formula

**NET WT 0.25 OZ (7g)**



## SALICYLIC ACID

wart remover gel gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-043
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	0.17 g in 7 g

## Inactive Ingredients

Ingredient Name	Strength
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ETHYL ACETATE</b> (UNII: 76845O8NMZ)	
<b>HYPOPHOSPHOROUS ACID</b> (UNII: 8B1RL9B4ZJ)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-043-25	7 g in 1 TUBE; Type 0: Not a Combination Product	10/07/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/07/2014	

**Labeler** - Topco Associates LLC (006935977)

Revised: 11/2025

Topco Associates LLC