

**ALL DAY ALLERGY RELIEF- cetirizine hcl tablet**  
**P & L Development, LLC**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Cetirizine HCl 10 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

---

adults and children 6 years and over	Take one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

### **Other Information**

- store between 20° to 25°C (68° to 77°F)

### **Inactive ingredients**

lactose monohydrate, magnesium stearate, polyethylene glycol, polyvinyl alcohol, povidone, starch, talc, titanium dioxide

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

Compare to the active ingredient in **Zyrtec**®†

all day

allergy relief

cetirizine HCl tablets 10 mg

antihistamine

24 hour relief of:

- sneezing
- itchy, watery eyes
- runny nose
- itchy throat or nose

tablets

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Zyrtec®.

Distributed by:

**PL Developments**

200 Hicks Street

Westbury, NY 11590

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT  
INFORMATION.**

**Package Labeling**

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Zyrtec®.

<p><b>Drug Facts (continued)</b></p> <p>If pregnant or breast-feeding:          ■ if breast-feeding: not recommended          ■ if pregnant: ask a health professional before use</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p>		<p><b>Drug Facts</b></p> <p><b>Active ingredient</b>          (in each tablet)          Cetirizine HCl 10 mg.....Antihistamine</p> <p><b>Purpose</b>          Antihistamine</p>	
<p><b>Directions</b></p> <p>adults and children 6 years and over          Take one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.</p> <p>adults 65 years and over          ask a doctor</p> <p>children under 6 years          ask a doctor</p> <p>of age          ask a doctor</p> <p>consumers with liver or kidney disease          ask a doctor</p>		<p><b>Uses</b></p> <p>■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:          ■ runny nose ■ sneezing ■ itchy, watery eyes          ■ itching of the nose or throat</p> <p><b>Warnings</b></p> <p><b>Do not use</b> if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.</p> <p><b>Ask a doctor before use if you have</b> liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p><b>Ask a doctor or pharmacist before use if you are taking</b> tranquilizers or sedatives.</p> <p><b>When using this product</b>          ■ drowsiness may occur          ■ alcohol, sedatives, and tranquilizers may increase drowsiness          ■ avoid alcoholic drinks</p> <p>■ be careful when driving a motor vehicle or operating machinery</p> <p><b>Stop use and ask a doctor</b> if an allergic reaction to this product occurs. Seek medical help right away.</p>	
<p><b>Other information</b></p> <p>■ store between 20° to 25°C (68° to 77°F)</p>		<p><b>Inactive ingredients</b>          lactose monohydrate, magnesium stearate, polyethylene glycol, polyvinyl alcohol, povidone, starch, talc, titanium dioxide</p>	
<p><b>Questions or comments?</b>          Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>			



# all day allergy relief

cetirizine HCl 10 mg  
antihistamine



Compare to the active ingredient in **Zyrtec®**\*

NDC 59726-129-05

# all day allergy relief

cetirizine HCl 10 mg  
antihistamine

treats indoor &  
outdoor allergies

EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.  
 CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

24-hour relief of:

- sneezing
- itchy, watery eyes
- runny nose
- itchy throat or nose

5 tablets



Actual Size

TAMPER  
UNIT  
KEEP OUTER C

Lot No.:  
Exp. Date:



Distributed by:  
**PL Developments**  
200 Hicks Street  
Westbury, NY 11590



### READYinCASE All Day Allergy Relief

## ALL DAY ALLERGY RELIEF

cetirizine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59726-129
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	OVAL (oval)	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	IP;46

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59726-129-14	1 in 1 CARTON	09/01/2010	09/01/2026
1		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59726-129-05	1 in 1 CARTON	09/01/2010	09/01/2026
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:59726-129-03	1 in 1 BOX	09/01/2010	09/01/2026
3		300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078780	09/01/2010	09/01/2026

**Labeler** - P & L Development, LLC (800014821)

Revised: 8/2025

P &amp; L Development, LLC