

**DOUBLE WEAR MAXIMUM COVER CAMOUFLAGE MAKEUP FOR FACE AND BODY
BROAD SPECTRUM SPF 15- titanium dioxide cream
ESTEE LAUDER INC**

**DOUBLE WEAR MAXIMUM COVER CAMOUFLAGE MAKEUP FOR FACE AND BODY
BROAD SPECTRUM SPF 15**

Drug Facts

Active ingredient

Titanium dioxide 1.40%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

isododecane•isohexadecane•methyl methacrylate crosspolymer•petrolatum•glyceryl stearate•disteardimonium hectorite•hydrogenated styrene/isoprene copolymer•microcrystalline wax\cera microcristallina\cire microcristalline•kaolin•cholesterol•aloe barbadensis leaf extract•fusanus spicatus wood oil•tocopheryl acetate•linoleic acid•glycine soja (soybean) oil•stearyl glycyrrhettinate•bisabolol•silica•propylene carbonate•methyldihydrojasmonate•polyethylene•2,6-dimethyl-7-octen-2-ol•polyglyceryl-3 diisostearate•pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate•alumina•phenethyl alcohol•[+/- iron oxides (ci 77491)•iron oxides (ci 77492)•iron oxides (ci 77499)•titanium dioxide (ci 77891)•mica•bismuth oxychloride (ci 77163)]
<iln40794>

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 30 ml Tube Carton

ESTÉE LAUDER

Double Wear

Maximum Cover


Camouflage Makeup

for Face and Body

Broad Spectrum

SPF 15

1 FL. OZ. LIQ./30 ml e



91141
TP 166
1

Drug Facts

Active Ingredient	Purpose
Titanium dioxide 1.4%	Sunscreen

Use
helps prevent sunburn

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive Ingredients

Isododecane-tetradecane-methyl methacrylate copolymer-palmitolein-glyceryl stearate-distardimanium tetrastearate-hydrogenated styrene/

Drug Facts (continued)

isoprene copolymer-microcrystalline wax/cera microcrystallina/cire microcrystalline-kaolin-chalazal-abe barbadensis leaf extract-treasure spicatus wood oil-tocopheryl acetate-linoleic acid-glycine soja (soybean) oil-stearyl glycyrrhizinate-bisabolol-silica-propylene carbonate-methylhydrioxymonate-polyethylene-2,6-diethyl-7-octen-2-yl-termateal-polyglyceryl-3 diacetate-phenylethyltriethyl-tetra-di-t-butyl hydroxydichromate-aluminum hydroxide-zinc-iron oxides (ci 77491)-iron oxides (ci 77492)-iron oxides (ci 77499)-titanium dioxide (ci 77891)-biomim oxychloride (ci 77163)-mica <ln47894>

Other information

protect the product in this container from excessive heat and direct sun



ESTÉE LAUDER

Double Wear
Maximum Cover
Camouflage Makeup
for Face and Body
Broad Spectrum
SPF 15

1 FL. OZ. LIQ./30ml e

Double Wear
Maximum Cover
Camouflage
Makeup
for Face and Body
Broad Spectrum
SPF 15

For All Skintypes
24-hour staying power. Soothing, natural-looking, liquid-silicone makeup can be used to camouflage scars, birthmarks, sun spots, spider veins and tattoos. Helps protect with SPF 15. Waterproof.
Non-acnegenic.
Dermatologist-tested.

© ESTÉE LAUDER, DIST.
NEW YORK, N.Y. 10022
W.8 LTD. GU32 3DD, UK
WELLS NV, OEVEL BE-2250
NEW YORK • LONDON • PARIS
MADE IN BELGIUM W1N77
estee.lauder.com

WN77-01-111H

DOUBLE WEAR MAXIMUM COVER CAMOUFLAGE MAKEUP FOR FACE AND BODY BROAD SPECTRUM SPF 15
titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11559-030
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	14 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FARNESOL (UNII: EB41QIU6JL)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ISODODECANE (UNII: A8289P68Y2)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: 657L0NC5MT)	
PETROLATUM (UNII: 4T6H12BN9U)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
KAOLIN (UNII: 24H4NWX5CO)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SANTALUM SPICATUM OIL (UNII: H9LVS6REV4)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
SOYBEAN OIL (UNII: 241ATL177A)	
STEARYL GLYCYRRHETINATE (UNII: 3YYE6VJS0P)	
LEVOMENOL (UNII: 24WE03BX2T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
DIHYDROMYRCENOL (UNII: 46L1B02ND9)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11559-030-01	1 in 1 CARTON	10/01/2010	

1	30 mL in 1 TUBE; Type 0: Not a Combination Product		
---	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2010	

Labeler - ESTEE LAUDER INC (005914387)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(11559-030) , pack(11559-030) , label(11559-030)

Revised: 12/2024

ESTEE LAUDER INC