

MINOXIDIL- minoxidil solution
Walgreens

Minoxidil Topical Solution for Men

Drug Facts

Active ingredient

Minoxidil, USP 5% w/v

Purpose

Hair regrowth treatment for men

Use

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

Warnings

For external use only. For use by men only.

Flammable: Keep away from fire or flame

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have

heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.

For some men, you may need to use this product for at least 4 months before you see results.

- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- In clinical studies with mostly white men aged 18 to 49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%
- store at controlled room temperature 20° to 25°C (68° to 77°F)

Inactive ingredients

alcohol (30% v/v), propylene glycol (50% v/v), purified water

Questions?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal display panel

Compare to the active ingredient in Men's Rogaine®††
Minoxidil Topical Solution, USP 5%

HAIR REGROWTH TREATMENT

For Men Topical Solution Unscented Extra Strength

NOT FOR USE BY WOMEN

- Reactivates hair follicles to stimulate regrow
- Clinically proven to help regrow hair
- For best results, apply directly to scalp twice daily

mL (2 FL OZ) BOTTLES

††This product is not affiliated with, manufactured by, or produced by the makers or owners of Rogaine®††

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Package label

Drug Facts
Active ingredient Minoxidil, USP 5% w/v. **Purpose** Hair regrowth treatment for men.

Use To regrow hair on the top of the scalp (vertex only; see pictures on side of carton).

Warnings
For external use only. For use by men only.
Flammable. Keep away from fire or flame.
Do not use if:
• you are a woman
• your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
• you have a history of heart disease
• your hair loss is sudden and/or patchy
• you do not know the reason for your hair loss
• you are under 18 years of age. Do not use on babies and children.
• your scalp is red, inflamed, itched, irritated or painful
• you use other medicines on the scalp.
Ask a doctor before use if you have heart disease.

When using this product
• Do not apply on other parts of the body.
• Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
• Some people have experienced changes in hair color and/or texture.
• It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
• The amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if
• chest pain, rapid heartbeat, lightheadedness, or dizziness occurs
• sudden, unexplained weight gain occurs
• your hands or feet swell
• scalp irritation or redness occurs
• unwanted facial hair growth occurs
• you do not see hair regrowth in 4 months.

May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
• Apply one mL, with dropper 2 times a day directly onto the scalp in the hair loss area.
• Using more or more often will not improve results.
• Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

Other information
• See hair loss pictures on side of this carton.
• Before use, read all information on carton and enclosed leaflet.
• Keep the carton. It contains important information.
• Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men.
• In clinical studies with mostly white men aged 18 to 49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%.
• Store at controlled room temperature 20° to 25°C (68° to 77°F).

Inactive ingredients alcohol (30% v/v), propylene glycol (50% v/v), purified water.

Questions? Call 1-877-733-3035 Monday-Friday 9AM-5PM EST.

Not For Use By Women:
May grow facial hair. May be harmful if used during pregnancy or breast-feeding.

Minoxidil Topical Solution 5% is for men who have a general thinning of hair on the top of the scalp (vertex) or a receding hairline. Minoxidil Topical Solution 5% is not intended for use on the front of the scalp or on the crown of the head. Minoxidil Topical Solution 5% is not intended for use on the scalp of children or on the scalp of women.

Walgreens
Compare to the active ingredient in Men's Rogaine®††

Minoxidil Topical Solution, USP 5%
HAIR REGROWTH TREATMENT

For Men Topical Solution Unscented Extra Strength

- Reactivates hair follicles to stimulate regrowth
- Clinically proven to help regrow hair
- For best results, apply directly to scalp twice daily

3 THREE-MONTH SUPPLY
3 x 60 mL (2 FL OZ) BOTTLES

TOPICAL SOLUTION
NOT FOR USE BY WOMEN

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2012 Walgreen Co. PRODUCT OF ITALY

ITEM 743844 W10138-1022-F
95602-03661 5

2009095

Lot:
Exp:

WALGREENS Hair Regrowth Treatment For Men

MINOXIDIL

minoxidil solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0363-9973

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9973-06	3 in 1 CARTON	10/14/2022	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075518	10/14/2022	

Labeler - Walgreens (008965063)

Revised: 1/2025

Walgreens